






VOL. 3
SAFETY CATALOG

Immediate Response Training, LLC

Table of Contents

Clamps & Vises 189
Clamps & Spreaders
Adhesive Products 188
Adhesives & Glues
Batteries 193
Chain, Cable, Rope & Accessories . . 196
Straps & Bungee Cords
Cleaning Products 181
Cleaners & Degreasers
Dishwashing Cleaners
Floor & Carpet Cleaners
Glass Cleaners
Clothing Protection 122
Aprons
Coats & Jackets
Coveralls & Overalls
Pants & Shorts
Rainwear
Shirts
Sleeves & Bibs
Coolers & Chests 197
Covering Products 196
Tarps
Ear Protection 43
Earmuffs
Earplug Parts & Accessories
Earplugs
Ergonomic Protection 135
Knee Pads
Eye Protection 51
Safety Glass Parts & Accessories
Safety Glasses
Safety Goggles
Fall Protection 101
Body Belts
Fall Protection Kits
Fall Protection Parts & Accessories
Harness Parts & Accessories
Harnesses
Ladder Safety System Parts & Accessories
Ladder Safety Systems
Lanyards
Rescue Systems
Fire, Gas & Water Protection 159
Detector Parts & Accessories
Detectors
Fire Extinguishers
First Aid Safety 143
Antiseptics
Bandages & Dressings
Cold Packs
Eye Wash and Showers
First Aid Kits
Insect Repellents & Sunscreens
Ointments
Pain Relievers
Flashlights & Lanterns 194
Foot Protection 130
Boots & Shoes
Footwear Covers
Hand Protection 60
Glove Parts & Accessories
Gloves
Hand Pads & Warmers
Head/Face Protection 18
Faceshields & Visors
Hard Hat & Cap Parts & Accessories
Hard Hats & Caps
Welder Caps & Doo Rags
Welding Helmet Parts & Accessories
Welding Helmets
Winter Liners & Hoods
Heat Stress Protection 135
Activity Drinks
Bandanas
Hydration Packs
Sweat Bands
Insect Controlling Products. 187
Insect Killers
Knives & Multi-Purpose Tools . . . 190
Knife Blades
Lawn & Garden Tools 190
Shovels & Spades
Sprayers
Leak Detectors & Penetrants . . . 186
Penetrants
Surface Irregularity Testing Product Accessories
Locking Devices 160
Lock Boxes
Lockouts & Hasps
Padlocks & Cables
Lubricants & Penetrants 184
Oils
Silicone Lubricants
Anti-Seize Compounds
Corrosion Inhibitors
Fluids
Grease
Markers 191
Non Woven Abrasives 196
Non Woven Pad Abrasives
Paint & Paint Supplies 187
Paints
Spray Gun Parts & Accessories
Personal Hygiene 198
Hand Cleaners
Pliers & Cutters. 189
Specialty Pliers
Tongue & Groove Pliers
Respiratory Protection 4
Cartridge Respirator Parts & Accessories
Cartridge Respirators
Disposable Respirator Parts & Accessories
Disposable Respirators
Escape Respirators
Powered Air & Supplied Air System Parts & Accessories
Powered Air & Supplied Air Systems
Safety Storage 166
Safety Can Parts & Accessories
Safety Cans
Safety Storage Cabinets

Soapstones. 191

Spill Control Safety 178
- Sorbent Kits
- Sorbents

Strapping Products 196
- Cable Ties

Tape Products 187
- Duct Tapes
- Electrical Tapes
- Masking Tapes

Traffic Safety 168
- Detectable Safety Tapes
- Safety Cones
- Safety Fences
- Safety Flags & Pennants
- Safety Guards & Protectors
- Safety Signs
- Safety Tags
- Safety Coats & Jackets
- Safety Vests

Waste Receptacles 198
- Trash Can Liners

Welding & Cutting Accessories. . . . 194
- Anti-Spatter & Chemicals
- Ground Clamps
- Tip Cleaners
- Welding Blankets, Curtains, & Rolls

Wiping Products 197
- Towels & Wipers

Wrenches 189
- Pipe Wrenches

Honeywell

ITW PRO BRANDS

MCR SAFETY

MSA The Safety Company

RESPIRATORY PROTECTION

Cartridge Respirator Parts & Accessories



3M™ 2000 Series Particulate Filters

Features:
- Lightweight and easy to breathe through.
- Bayonet compatibility allows use with many 3M™ half and full facepieces and certain 3M™ Scott™ full facepieces.
- Assortment of filters available for a wide range of applications.

Filtration Grade: P100

SKU	Resistance
142-2091	Oil and Non-Oil Based Particles
142-2097	Nuisance Level Organic Vapor



3M™ 6000 Series Gas/Vapor Cartridges

Features:
- Swept-back design allows an enhanced field of view and comfort.
- Bayonet compatibility allows use with many 3M™ Half and Full Facepiece Respirators.
- Wide range of applications reduces inventory needs.
- Simple installation and usage requirements reduces training requirements.

SKU	Resistance
142-6001	Organic Vapors (OV)
142-6003	Acid Gases (AG); Organic Vapors (OV)
142-6006	Formaldehyde; Organic Vapors (OV)



3M™ 6000 Series Half and Full Facepiece Accessories

Features:
- Replacement parts extend the life of the branded respirator.
- Accessories provide increased versatility and comfort.
- Offers convenience coupled with cost savings.

SKU
142-6885



3M™ Adapters & Retainers

Features:
- Easy attachment to the 3M range of half and full face pieces.
- Helps provide dual protection against vapor and particulates.
- Provides cost effective filtering solution when multiple filters are needed.

SKU	For Model
142-501	6000 Series



3M™ Adflo™ PAPR High Efficiency Particulate Filters

Features:
- Convenient particulate filters are designed for use with 3M™ Adflo™ PAPR breathing systems.
- They provide respiratory protection in a wide range of applications.
- Quick and easy to replace.

SKU
711-15-0299-99X20

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



3M™ Advanced Particulate Filters

Features:
- Engineered for easier breathing.
- Enhanced durability with abrasion resistant netting construction.
- Ideal for tough working environments.

Filtration Grade: P100

SKU	For Model
142-2297	5000 Series; 6000 Series; 7000 Series



3M™ Combination Cartridges/P100 Particulate Filters

Features:
- Unique design for enhanced comfort and visibility.
- Particulate filter is permanently attached to cartridge for easy, one-step assembly.

Filtration Grade: P100

SKU	Resistance	Color
142-60921	Organic Vapor;Asbestos;Mold;Silica	Magenta/Black
142-60923	Acid Gases; Organic Vapors	Magenta/Yellow
142-60926	Multi-Gas/Vapor	Magenta/Olive
142-60928	Methylbromide; Radioiodine	Magenta/Yellow



3M™ Particulate Filters

Features:
- Use with 5000 Series, 6000 Series and filter retainer 501.
- NIOSH approved for environments containing certain non-oil based particles.

SKU	Type	Resistance	Filtration Grade
142-5N11	Filter	Non-Oil Based Particles	N95
142-5P71	Pre-Filter	Certain Oil and Non-Oil Particles	P95



3M™ Particulate Filters 7093, P100

Features:
- Unique, spring-loaded filter cover design simplifies negative pressure user seal checks.
- Swept-back design provides enhanced field of view and greater comfort.

SKU	Type	For Model
142-7093	Filter	3M Respirators 5000 Series;3M Cartridge 6000 Series w/3M Adapter 502;3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders



3M™ Secure Click™ HF-800 Series Cartridges/ Filters

Features:
- Cartridges/filters are dual-flow to allow easier breathing and greater comfort.
- Secure Click™ connection allows filters to be inserted into place for ease of assembly.
- Swept-back design for enhanced field of view and comfort.
- For use with Secure Click™ Half Facepiece Reusable Respirator HF-800 Series.

Filtration Grade: P100

SKU	Type	Resistance	Usage	Color
142-D80921	Secure Click™ Organic Vapor (OV) Cartridge/P100 Particulate Filter Combo	Organic Vapor (OV); Particulates	Seal Coatings; Spray Insulation	Black; Magenta
142-D80926	Secure Click™ Multi-Gas/ Acid Gas (AG) Cartridge/ P100 Particulate Filter Combo	Chlorine Dioxide (ClO2); Organic Vapor (OV)	Seal Coatings	Black; Magenta; Olive
142-D80923	Secure Click™ Organic Vapor (OV)/Acid Gas (AG) Cartridge/P100 Particulate Filter Combo	Hydrogen Chloride (HCl); Particulates	Seal Coatings	Black; Magenta; Yellow

© 2026



3M™ Versaflo™ Filters/Cartridges

Features:
- Replace filters and cartridges when damaged, when change is indicated by the PAPR low flow alarm, when indicated by service life software, and/or if breakthrough is detected.
- Choose from a variety of rated filters and cartridges.

SKU	Type
142-TR-6530N	Organic Vapor/Acid Gas/HEPA Cartridge



Combination Gas and Vapor Cartridges

Features:
- Convenient cartridge/P100 filter combination.
- Packed in pairs for fast, easy change outs.
- Color coded for quick and easy identification.
- Filters out different vapors.

SKU	Type	For Model	Color
068-7581P100L	Organic Vapor	5500, 7700 Half Masks; 5400, 7600 Full Facepieces	Black/Magenta
068-7583P100L	Organic Vapor/ Acid Gas	5400/5500 Series; 7600/7700 Series; RU6500/RU8500 Series	Yellow/ Magenta



Defender™ Multi-Purpose Cartridges

Features:
- Convenient cartridge/filter combination.
- Color coded for quick and easy identification.

Filtration Grade: P100

SKU	Type	For Model	Color
068-75SCP100L	Cartridge/Filter	5400/5500 Series; 7600/7700 Series; RU6500/RU8500 Series	Olive/ Magenta
068-75SCL	Cartridge	5400/5500 Series; 7600/7700 Series; RU6500/RU8500 Series	Olive



Gas and Vapor Cartridges

Features:
- Lower profile so cartridges don't intrude into the work zone.
- Easy user seal check.
- Threaded connectors that fit North® half masks and full facepieces.

SKU	For Model
068-N75001L	5500, 7700, 8500, 8800 Half Masks; 5400, RU6500, 7600 Full Facepieces



Particulate Filters

Features:
- Can be used alone with filter holder and cover (N750037) or with any Honeywell North N-series cartridge (with N750036).
- Low profile with curved top will not catch on pipes or other objects.

Filtration Grade: P100

SKU	For Model
068-7580P100	5500, RU8500 and 7700 Half Masks;5400, RU6500 and 7600 Full Facepieces



Advantage® Respirator Cartridges

Features:
- Advantageline of particulate, chemical, and combination cartridges are lightweight, low profile performance.
- Cartridges fit both 200 LS Half Mask and 3000 Full-Facepiece Advantage respirators.
- Comfortable, lightweight protection.
- Self-adjusting crown straps.
- Consists of a polyethylene shell and suspension system working together as a protection system.
- Also fits 420 Half-Mask Respirators and 1000, 3000 and 4000 Full-Mask Respirators.

SKU	Filtration Grade	Color
454-815366	GME/P100	Olive/Magenta
454-815369	P100	Magenta

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



CBRN Canisters

Features:

- Designed to fit MSA Millennium and Ultra Elite CBRN facepieces.
- Carbon filter is chromium-free.

SKU	Filtration Grade
454-10046570	HEPA Level Efficiency



Comfo® Respirator Cartridges

Features:

- Cartridges fit Comfo®, Comfo® Classic, and certain half-mask and full-face Advantage Respirators with Adapter.

SKU	Resistance	Filtration Grade
454-464031	Organic Vapor (OV)	N95; R95
454-815178	Organic Vapor (OV); Particulates	P100
454-815180	Chlorine (CL); Chlorine Dioxide (CD); Hydrogen Chloride (HC); Hydrogen Sulfide (HS); Particulates; Sulfur Dioxide (SD)	P100
454-815182	Organic Vapor (OV); Ammonia (AM); Chlorine (CL); Chlorine Dioxide (CD); Formaldehyde (FM); Hydrogen Chloride (HC); Hydrogen Fluoride (HF); Hydrogen Sulfide (HS); Methylamine (MA); Particulates; Sulfur Dioxide (SD)	P100



Gas Mask Facepiece for Ultravue and Ultra Elite Full Facepiece Respirators

Features:

- Ultravue facepiece is part of the Chin-Type Gas Mask, a protective system consisting of facepiece and canister.
- Scratch-resistant polycarbonate lens that provides a wide field of vision.
- Features a nosecup that helps reduce lens fogging in low temperature conditions or in high-humidity conditions.

SKU
454-480247



Gas Mask Replacement Canisters

Features:

- Easy-to-install cartridges guard against ammonia, chlorine and phosphine.
- Canisters attach directly to the facepiece with a single port, standard thread filter connection at the chin.
- Provides lightweight, low profile performance.

Filtration Grade: P101

SKU	For Model
454-10067491	Advantage® 3100 Facepieces; Ultravue® Facepieces; Ultra Elite® Facepieces



Particulate Filters

Features:

- The MSA air-line filter removes a minimum of 99 percent of 0.3 micron and larger particulates, including dusts, mists, fumes, smokes and petroleum vapors.
- Caution: It does not remove carbon monoxide.
- The air-line filter can be used at inlet pressures up to 125 psig.
- The pressure drop is one psig at a maximum rated air flow of 25 cubic feet per minute.

Filtration Grade: P100

SKU	Color
454-815177	Magenta
454-10153412	Magenta/White

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

Cartridge Respirators



3M™ 5000 Series Half Facepiece Respirators

Features:

- Resealable storage bag helps keep respirator clean between uses.
- Low profile design provides wider field of vision and greater comfort while wearing goggles or glasses.
- Can be used with NIOSH P95 and P100 filters for oil and non-oil particles.
- For convenience and simplicity, some 3M respirator package assemblies are packaged with either P95 or P100 filters along with 501 filter retainers or 502 filter adapters.

Body Material: Thermoplastic Elastomer

SKU	Size Group
142-53P71	Large



3M™ Full Facepiece Respirator 6000 Series

Features:

- Unique center adapter directs exhaled breath and moisture downward, and helps reduce debris from depositing in the valve.
- Smooth surface allows for quick and easy cleaning.
- Large lens provides a wide field of view and excellent visibility.
- 3M™ Cool Flow™ Valve provides cool, dry comfort.
- Lightweight well-balanced design and silicone face seal for enhanced comfort and durability.

SKU	Size Group
142-6700	Small
142-6800	Medium
142-6900	Large



3M™ Half Facepiece Respirators 7500 Series

Features:

- Advance silicone material for increased comfort and greater durability.
- Proprietary 3M™ CoolFlow™ Valve helps makes breathing easier.
- Dual mode head harness adjusts easily for either standard or drop-down mode.
- Exhalation valve cover directs exhaled breath and moisture downward to reduce fogging.
- Color coded to indicate size for easy identification.

SKU	Size Group
142-7502	Medium
142-7503	Large



3M™ Half Facepiece Reusable Respirator 6200

Features:

- Half facepiece drop down.
- Used with 2000, 6000 and 7000 Series filters and cartridges.
- Remarkably comfortable with soft, lightweight facepiece and the easy-to-adjust head straps.
- Reusable.
- Just dispose of the cartridges/filters when used to capacity.

SKU	Size Group
142-6100	Small
142-6200	Medium
142-6300	Large

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



3M™ Rugged Comfort Half-Facepiece Reusable Respirators

Features:

- Resilient silicone faceseal provides comfort, durability, and stability with a soft but firm seal.
- Proprietary Cool Flow valve helps reduce heat and moisture.
- Exhalation valve cover helps direct exhaled breath and moisture downward to reduce fogging of eyewear and grinding and welding shields.
- Compatible with all 3M bayonet-style cartridges and filters.
- Adjustable head harness assembly offers improved fit and comfort.

SKU	Size Group
142-6502QL	Medium
142-6503QL	Large



5400 Series Low Maintenance Full Facepiece Respirators

Features:

- Lightweight design offers a level of comfort that ensures greater worker acceptance.
- Provides comfort and protection.
- The facepiece seal is made from a soft and pliable elastomer material with high chemical resistance to assure excellent comfort, fit and performance.

Body Material: Elastomer

SKU	Size Group	Includes
068-54001S	Small	(2) Wipes; Booklet; Nose Cup; Polybag
068-54001	Medium/Large	Facepiece



3M™ Secure Click™ Full Facepiece Reusable Respirators

Features:

- The quick, easy, one-touch positive pressure push button seal check helps provide improved confidence in respirator fit.
- Two dual-flow cartridges on each respirator combine to create the world's first quad flow cartridge systems with four airflow paths providing easy breathing and comfort.
- Large lens for excellent field of vision, and treated with Scotchgard™ Protector for improved paint and stain resistance.
- Six-strap harness helps provide a secure comfortable fit.
- Speaking diaphragm is designed to help provide easy communication.

SKU	Size Group
142-FF-802	Medium
142-FF-803	Large



5500 Series Low Maintenance Half Mask Respirators

Features:

- All parts are replaceable, extending the useful life of the respirator.
- Made of soft, non-allergenic, thermoplastic elastomer for comfort and fit.
- The 5500 Series incorporates the comfortable and efficient design of the popular 7700 series half mask but at an economical price when masks need to be replaced regularly.

SKU	Size Group
068-550030M	Medium
068-550030L	Large

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



7600 Series Silicone Full Facepiece Respirators

Features:

- Designed to provide eye, face and respiratory protection while ensuring optimal comfort and performance.
- Its dual flange silicone seal gives this facepiece superior fitting characteristics.
- Lens provides 200 degree field of vision, provides excellent optics, is scratch resistant and meets ANSI standards for impact resistance.
- Cartridge/filter sold separately.

Body Material: Silicone

SKU	Size Group	Resistance
068-760008AS	Small	Chemical;Contamination;Gas;Particulates
068-760008A	Medium/Large	Particulates;Chemical;Contamination;Gas



7700 Series Half Mask Respirators

Features:

- Silicone facepiece conforms to facial features.
- Contoured sealing flange and cradle suspension system eliminates discomfort.
- Cradle suspension system allows the facepiece to seal evenly on the face without creating pressure points.

Body Material: Silicone

SKU	Size Group
068-770030S	Small
068-770030M	Medium
068-770030L	Large



7600 Series Full Facepiece With Welding Attachment

Features:

- Soft, flexible 100% silicone facepiece provides workers with a comfortable and secure fit.
- Wide sealing area fits more facial types.
- Nose cup provides less dead air space and channels exhaled breath out.
- Speech diaphragm is standard to amplify workers' conversations.
- Wide panoramic lens provides optimal field of vision in all directions.
- Polycarbonate lens meets ANSI requirements for high impact.
- Can be adapted to PAPR or Supplied Air for greater flexibility in the workplace.

Size Group: M/L

SKU
068-760008AW



Full Face Respirators

Features:

- Silicone seal provides excellent facepiece seal, creating a barrier against contaminants.
- Silicone nose cup is soft and comfortable for all-day wear.
- Polycarbonate lens with wide field of vision maximized peripheral visions plus downward view for high impact.
- Wide viewing area provides distortion-free visibility and optical clarity.
- Five-point strap option includes center strap to help position and hold the mask for a more secure fit and offers quick, easy adjustments.
- Industrial mesh head net option provides another choice for user comfort preference and can be used under hard hat.
- Threaded cartridge connector secures cartridges and filters to avoid accidental disconnections.

SKU	Size Group
068-RU65001M	Medium

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

NORTH BY PIP



RU6500 Full Face Respirators

Features:

- Silicone seal provides excellent facepiece seal, creating a barrier against contaminants.
- Silicone nose cup is soft and comfortable for all-day wear.
- Polycarbonate lens with wide field of vision maximizes peripheral vision plus downward view.

SKU	Size Group
068-RU6500TL	Large

MSA The Safety Company



Advantage® 3200 Full-Facepiece Respirator

Features:

- Full face respirator features state-of-the-art design to lower breathing resistance.
- Preset upper straps make the mask easy to put on/take off.
- Scratch-resistant polycarbonate lens with wide field of vision.
- Soft sealing line made of hypoallergenic silicone provides a pressure free fit.

SKU	Size Group
454-10028995	Medium
454-10028997	Large

MSA The Safety Company



Comfo Classic® Respirators

Features:

- SoftFeel® facepiece material increases the comfort factor dramatically.
- Unique face seal design that gives wearers an exceptional fit.
- Color-coded sizing system makes sorting and identification easy.

SKU	Body Material
454-808073	Silicone
454-808076	Hycar™ Rubber



Ultra-Twin® Respirators

Features:

- Inturned lip around the edge for secure, comfortable seal against the face.
- Large chin cup makes it easy to position.
- Five suspension headstraps and roller buckles hold the facepiece in place while minimizing hair entanglement.
- Wide polycarbonate lense is coated to resist scratching and chemical attack.
- Lens is held in place by a two-piece lens ring which is color-coded to indicate the size of the facepiece.
- Speaking diaphragm for clear, short range communication.
- Nosecup reduces lense fogging in low temperatures or high-humidity conditions.

SKU	Size Group
454-480263	Small
454-480259	Medium
454-480267	Large

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

QUALITY SAFETY IS WITHIN YOUR REACH



The **North 5500 Series Half Mask Respirator** delivers reliable protection without compromise—designed for comfort, durability, and performance in demanding environments. Whether you're facing particulates, vapors, or gases, this economical solution adapts to your needs with PAPR and CF-SAR compatibility.

SKU	DESCRIPTION
550030S	North 5500 Series Niosh-Approved Half Mask Respirator, Small (550030S), Black
550030M	North 5500 Series Niosh-Approved Half Mask Respirator, Medium (550030M), Black
550030L	North 5500 Series Niosh-Approved Half Mask Respirator, Large (550030L), Black



NORTH®



V-Gard H2® Full Brim Safety Helmet.

The new V-Gard H2 Full Brim Safety Helmet is the Type II hard hat you've been asking for, offering top and lateral impact protection with a full brim design. From MSA, the leader in head protection.
Learn more at http://msasafety.com/vgard-h2-full-brim

MSA
The Safety Company

Disposable Respirator Parts & Accessories



Mouthbit Escape Respirators

Features:
- Mouthbit respirators offer a quick and economical method to escape non-IDLH emergency situations.
- Large, soft and flexible nose pads hold securely without pinching.
- Wider nose clip fits a variety of facial types.
- Silicone mouthpiece is more comfortable to wear over long periods.
- Packed in sealable plastic bag.
- Depth: 9 in

Height: 3 in
Width: 4-1/2 in

SKU
068-7902

Disposable Respirators



3M™ N100 Particulate Respirators

Features:
- The lightweight, disposable N100 particulate respirator is well suited for those who want NIOSH`s highest rated filtration efficiency.
- The proprietary 3M™ Cool Flow™ Exhalation Valve reduces heat build up inside the respirator to help keep the wearer more comfortable.
- The respirator incorporates 3M's proprietary technology with advanced electrostatically charged microfiber filter media, designed for ease of breathing.
- The soft inner material provides added comfort while the cup shape design makes the respirator spacious and durable.
- Features a foam faceseal and adjustable straps, which are designed to help enhance user comfort and may increase wearability.
- Adjustable noseclip and head straps reduce potential for eyewear fogging and helps ensure a better seal and fit.

Resistance: Certain non-oil based particles

SKU
142-8233



3M™ N95 Particulate Respirators

Features:
- Two-strap design with single point attachment helps provide a secure fit.
- Adjustable noseclip reduces eyewear fogging and helps ensure a better fit and seal.
- Lightweight construction enhances worker comfort and wear time.
- Patented filter media with advanced electrostatically charged microfibers help make breathing easier and cooler for enhanced user comfort.

SKU	Resistance	Usage
142-8200	Certain Non-Oil Based Particles	Grinding; Sanding; Sweeping; Bagging; Other Dusty Operations
142-8210	Dust; Non-Oil Particulates	Grinding; Sanding; Sweeping; Bagging; Other Dusty Operations
142-8210V	Dust; Non-Oil Particulates	Construction; General Manufacturing; Mining; Oil & Gas; Transportation
142-8511	Dust; Non-Oil Particulates	Grinding; Sanding; Sweeping; Bagging; Other Dusty or Arid Operations



3M™ N95 Particulate Welding & Metal Pouring Respirators

Features:
- Disposable respirator features electrostatically charged microfibers designed for ease of breathing.
- Protective layers of welding web are flame resistant.
- Cool Flow™ exhalation valve reduces heat build up to keep the wearer more comfortable.
- Cake-resistance carbon filter material provides longer respirator life.
- Two straps provide a custom and secure fit.

SKU	Suspension
142-8212	Adjustable Buckle Straps
142-8515	Stapled; Braided Head Band Straps

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



3M™ P100 Particulate Cartridges

Features:

- Recommended for substance specific particle exposures up to 10x OSHA PEL for lead, cadmium, arsenic, and others.
- 3M™ Cool Flow™ Exhalation Valve is a one-way valve offering easy exhalation for cool, dry comfort.
- Faceseal is comfortable to wear and contours easily to help provide a good seal.
- Adjustable noseclip provides a custom fit, secure seal, and reduces the potential for eyewear fogging.
- Lightweight construction contributes to increased wear time.
- Buckle adjustable straps provide a comfortable, secure fit with a single tug.

SKU	Filtration Grade
142-8293	P100



3M™ P95 Particulate Respirators

Features:

- 3M™ Cool Flow™ Exhalation Valve is a one-way valve offering easy exhalation for cool, dry comfort.
- Lightweight construction contributes to increased wear time.
- Braided straps provide comfort and durability.
- Recommended for nuisance level acid gas relief.
- Comfortable to wear and contours easily to provide a good seal.

SKU	Usage	Includes
142-8271	Grinding; Sanding; Sweeping; Bagging; Other Dusty/Oily Operations	Foam Faceseal
142-8576	Glass Etching; Chemical Processing; Paper Processing;Aluminum Smelting/Brewing Operations where particles & nuisance levels of acid gases may be present; Grinding; Sanding; Sweeping; Bagging; Other Dusty/Oily Operations	3M™ Cool Flow™ Valve; Adjustable M-Noseclip
142-8577	Foundry Operations; Lab Settings; Agriculture;Petrochemical Mfg/Undercoating where particles and nuisance levels of organic vapors may be present; Grinding; Sanding; Sweeping; Bagging; Other Dusty/Oily Operations	3M™ Cool Flow™ Valve; Adjustable M-Noseclip



3M™ R95 Particulate Respirators

Features:

- Lightweight construction promotes greater worker comfort and contributes to increased wear time.
- Braided straps provide comfort and durability.
- Adjustable noseclip provides a custom fit and secure seal and reduced eyewear fogging.

SKU	Filtration Grade
142-8247	R95

SPECIAL ORDERS

Don't see it here? Just ask.



© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

MOLDEX



2200 Series N95 Particulate Respirators

Features:

- For humid and/or dusty work environments, this is a mask that fits the bill.
- Dura-Mesh® shell stands up to extreme heat environments while providing better protection to the filter.
- Contoured face seal and molded nose bridge deliver enhanced comfort, particularly during extended periods of wear.

Size Group: Medium/Large

SKU
507-2200N95



2300 N95 2-Strap Particulate Respirators with Exhale Valve

Features:

- Exhale valve lets workers breathe easy and stay cool.
- Dura-Mesh® shell resists collapsing in heat and humidity.
- Molded nose bridge seals easily without a metal noseband.
- Facepiece is naturally contoured for less pressure.
- Straps are securely attached so they don't break at the seal.
- Softspun® lining for increased comfort and durability.
- Soft foam nose cushion for added comfort.
- Available in three sizes to fit more workers and increase OSHA compliance.

Size Group: Medium/Large

SKU
507-2300N95

MOLDEX



2700 Series HandyStrap® N95 Particulate Respirators

Features:

- HandyStrap® allows mask to hang comfortably around neck when not in use.
- Exhalation valve.

Size Group: Medium/Large

SKU
507-2700N95



AirWave® N95 Plus Organic Vapor Relief Disposable Respirators

Features:

- Added carbon layer helps filter out nuisance levels of ozone and organic vapors.
- FlexFit® design moves easily with your face and stays in place.
- Fits easily under welding hoods.
- Can be used against most welding fumes (free of oil).

Size Group: Medium/Large

SKU
507-4800

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Escape Respirators

MSA The Safety Company



W65 Self-Rescuer Respirators

Features:
- Provides emergency respiratory protection against carbon monoxide gas resulting from underground fires or explosions.
- One time use device for escape purposes only.
- Protected by a rugged stainless steel case.
- Do not use in atmospheres containing less than 19.5% oxygen or in atmospheres containing other toxic gases and vapors.

Usage: Escape
Includes: Protective Steel Case
Body material: Hopcalite Pre-Filter

SKU	Type	Resistance
454-455299	Self-Rescue Respirator	Carbon Monoxide

Powered Air & Supplied Air System Parts & Accessories

3M



3M™ Adflo™ Powered Air Purifying Respiratory Battery

Features:
- Battery life up to 12 hours.
- Charges to 80% capacity in approximately 3 hours and to 100% capacity in approximately 6.5 hours.

SKU	Type
711-35-1099-07	Lithium Ion Battery

Bullard



Air-Supplied Respirator Constant Flow Control Valves

Features:
- Replacement continuous constant flow control valve provides consistent flow of air to respirator.
- Designed to work with Bullard® models; including, CC20, RT, Spectrum, GR50, 88VX, and GVX series.

SKU	Type
216-F30	1/4 in Industrial Interchange; Quick-Disconnect Nipple



EVA Battery Chargers

Features:
- Smart charger.
- Suitable for EVABAT1, EVABAT2 lithium-ion batteries.

SKU
216-EVABAT1

PureFlo



3000 Filter Cover Retaining Clips

Features:
- Retaining clips for the filter cover of the PureFlo 3000 PAPR.
- Great for keeping your air-purifying protection systems running in peak condition.
- Eliminate snag hazards to allow work in tight spaces.

SKU
343-PF3000-03-061

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



3000 PAPR HEPA Filters

Features:

- Provides respiratory protection against fine dusts, and oil- and water-based mists.
- Lightweight design, high capacity filter media and low pressure drop respiration, enables filters to provide complete protection with optimal longevity.
- Designed to be easy to use and quick to change.

SKU	Quantity
343-PF3000-02-002	5
343-PF3000-02-002BP	25



3000 Pre-Filters

Features:

- To provide respiratory protection against dusts, mists and aerosols.
- For use with the PureFlo 3000 PAPR.

SKU
343-PF3000-04-005



Faceshield Retaining Clips

Features:

- An accessory for the PureFlo 3000 Powered Air Purifying Respirator.
- These low-profile retaining clips eliminate snag hazards to allow work in tight spaces while keeping the ANSI-rated visor securely in place.

SKU
343-PF3000-03-016



Helmet Storage Bags

Features:

- Durable tear-resistant nylon shell bag to protect your PureFlo products from damage and scratches.
- Ensures a secure fit for all PureFlo PAPRs.
- Inside pocket allows you to store the batteries and charger.

SKU
343-PF3000-03-046



Tychem® QC Disposable PAPR Hoods

Features:

- Fully disposable, eliminating the need for decontamination.
- Helps protect the head from limited liquid chemical splashes and dusts when worn with the PureFlo ESM+ PAPRs.

SKU	Type
343-PF3000-03-022	Disposable Drawstring Hood
343-PF3000-03-023	Disposable Slipover Hood

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Powered Air & Supplied Air Systems



3M™ Speedglas™ G5 Welding Helmets with V-100 Vortex™ Cooling Valve Assembly

Features:

- Ergonomic, adjustable head suspension.
- Compact design.
- The 3M™ Supplied Air Respirator Vortex Cooling Assembly V-100 moves breathable air into the 3M™ Speedglas™ G5 Welding Helmets.

SKU
711-45-5702-00



3M™ Speedglas™ G5-03 Welding Helmets with Adflo™ PAPR Assembly

Features:

- Robust, compact design.
- Ergonomic, adjustable head suspension.
- 3M™ Adflo™ Powered Air Purifying Respirator System with 3M™ Speedglas™ G5-03 Pro Air Welding Helmet provides all of the benefits of our convenient Adflo™ Powered Air Purifying Respirator system.

SKU	Batt. Type
711-45-1101-30VC	ADF: Lithium 3V CR2450; PAPR: Lithium ion; variable color filter
711-45-1101-30TW	ADF: Lithium 3V CR2450; PAPR: Lithium ion; tack weld filter
711-45-1101-00	PAPR: Lithium ion



3M™ Versaflo™ M-407 Respiratory Helmet Assemblies

Features:

- Simultaneous respiratory, head, eye, face, neck and shoulder protection.
- Deflector allows users to direct airflow inside helmet for increased control and comfort.
- Visor design combines excellent peripheral and downward vision with exceptional optical clarity.
- Helmet suitable for use with all 3M™ approved air delivery systems.

Size Group: U.S. 6-3/8 in to 8 in

SKU	Suspension
142-M-407	Articulating Ratchet Suspension



3M™ Versaflo™ TR-300N+ HIK Heavy Industry PAPR Kits

Features:

- With PPE equipment that's designed for compatibility, you can easily accommodate eyeglasses and attach earmuffs.
- Beat harsh environments as rugged work demands durable and strong head protection.
- See clearer with this durable faceshield that helps protect against flying objects and sparks while retaining optical clarity.

Includes: Respiratory Hard Hat Assembly (M-307N+); High Durability Belt (TR-326); Battery Charger (TR-341N); Filter (TR-3712N); Spark Arrestor (TR-362); Pre-Filter TR-3600 (TR-3600); High Capacity Battery (TR-332); BT-30 Length Adjusting Breathing Tube; Airflow Indicator (TR-971)

Batt. Type: High Capacity Lithium-Ion; Rechargeable

SKU
142-TR-300N+HIK

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



3M™ Versaflo™ TR-600 Heavy Industry PAPR Kits

Features:
- Designed for use with cartridges to help protect against certain gas and vapors, combined with filters for protection against particulates.
- Rugged, durable faceshield with premium visor helps protect against sparks and debris.
- Heavy-duty belt is designed with airflow channels, multiple size adjustments and belt extender options.
- Designed with intuitive, colored touchpoints for ease of use.
- Visual, vibratory, and audible low-flow indicators ensure user is aware of issues even in noisy or distracting surroundings.
- Multi-speed blower functions up to 16,000 feet and high capacity battery offers long run time, less charge time and reduced down time.

Includes: M-307 Respiratory Hard Hat Assembly with Premium Visor and Faceseal; TR-602N PAPR Unit; TR-632 High Capacity Battery; BT-30 Length Adjusting Breathing Tube; TR-626 High Durability Belt; TR-6530N OV/AG/HE Cartridge; TR-6500 Filter Cover; TR-641N Single Station Battery Charger Kit; TR-971 Airflow Indicator; BT-926 High Temperature Breathing Tube Cover; TR-6600 Prefilter (x2); TR-662 Spark Arrestor (x2)

SKU
142-TR-600-HIK



EVA Powered Air-Purifying Respirators

Features:
- Easy-to-read battery gauge displays the remaining battery capacity at a quick glance.
- Active Flow Technology automatically responds to a worker's need for more or less air flow.
- Two distinct audible alarms notify wearers of low battery and low air flow.
- EVA offers a single filter for easy use and ensures positive filter installation with a single click.

Includes: Powered Air-Purifying Respirator (PAPR) Hood System; Battery; Charger; Breathing Tube; EVA Blower; HEPA Filters (PAPRFC3) Sold Separately
Batt. Type: Lithium Polymer

SKU
216-EVA20LF2M



3000 Welding Powered Air Purifying Respirators

Features:
- All-in-one head, eye, face, and respiratory protection.
- Ergonomic modern design for continuous comfort even with the welding shield.
- NIOSH approved.
- No fit test, beard approved.
- No hose or PAPR worn interference when using a fall protection harness.
- Exposed ears for hearing protection and communications.

Includes: Blue Hard Hat; Pro Deluxe Welding ADF; Spark Arrestor; FR Face Seal, HEPA Filter, Lithium-Ion Battery
Size Group: 63/4 in to 8 in Head Range
Batt. Type: Lithium-Ion

SKU
343-PF3000-H2SB-03

HEAD/FACE PROTECTION

Faceshields & Visors



3M™ Clear Polycarbonate Faceshields

Features:
- Molded polycarbonate faceshield provides impact protection.
- Mounts quickly to 3M headgear (sold separately) and requires no tools, snaps or cams.
- Developed for use in metalworking, utilities and many other industries.

Length: 14.5 in
Height: 9 in
Thickness: 0.08 in

SKU
247-82701-00000

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



3M™ Ratchet Headgear H8A

Features:
- Ratchet headgear for use with 3M Faceshields (sold separately).
- High strength thermoplastic crown provides impact resistance.
- Adjustable ratchet suspension with five position crown strap offers a customized fit.
- Developed for use in metalworking, woodworking, utilities and many other industries.

Length: 9 in
Height: 6 in

SKU
247-82501-00000



Visor Head Gear

Features:
- Absorbent air cushioned sweatband.
- 45 head size ratchet head gear.

Length: 23-7/8 in
Height: 25-1/2 in

SKU
101-UVH700



Visors

Features:
- Clear or shaded available.
- Durable and high-performance.

Thickness: 0.040 in

SKU	Lens Coating/ Shade	Binding	Color	Length	Height
101-3440-B-CL	Clear	Aluminum Bound	Clear	15-1/2 in	9 in
101-3440-U-CL	Clear	Unbound	Clear	15-1/2 in	9 in
101-3442-B-DG	Dark Green	Aluminum Bound	Dark Green	15-1/2 in	9 in
101-3442-U-DG	Dark Green	Unbound	Dark Green	15-1/2 in	9 in
101-3465-5	Shade 5.0	Aluminum Bound	Shade 5	15-1/2 in	9 in
101-4199-C	Clear	Unbound	Clear	19 in	9-3/4 in

High Performance® Faceshield Windows

Features:
- Injection molded from propionate.
- Heat and scratch resistant.
- Fits easily and comfortably over required protective spectacles or respirators.

Thickness: 0.06 in

SKU	Lens Coating/ Shade	Lens Material	Used With	Color
280-4178CL	Clear	Propionate	F-400, F-500, FH-66, FM-70, FM-71 Series	Clear
280-4178CLBP	Uncoated	Propionate	F-400, F-500, FH-66, FM-70, FM-71 Series; 400500667071	Clear
280-4178DGN	Dark Green	Propionate	F-400;F-500,;FH-66, FM-70, FM-71 Series;400500667071	Dark Green
280-4178IRUV5	Shade 5	Propionate	F-400;F-500;FH-66;FM-70;FM-71 Series;400500667071	Green
280-4199CL	Clear	Propionate	F-400, F-500 & FH-66 Series;40050066	Clear
280-4199CLBP	Uncoated	Propionate	F400, F500	Clear
280-4199IRUV5	Shade 5	Propionate	F-400, F-500 & FH-66 Series;40050066	Shade 5

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



Bionic® Face Shield Replacement Visors

Features:
- Provides reliable protection from airborne debris.
- Curved window provides unobstructed view.
- Reinforced polycarbonate construction.

Height: 9-1/2 in
Thickness: 0.040 in

SKU
763-S8565



Bionic™ Faceshields

Features:
- Shell offers built-in chin protection and extended top-of-head coverage.
- Highly adjustable headgear tilts visor nearer or farther from face depending on preference and application.
- Comfortable cell foam on back of headgear.
- Breathable, removable, washable headband.
- Comfortably worn with most goggles and respirators.

Height: 9-1/2 in

SKU	Lens Coating/ Shade	Lens Material	Used With	Style	Color
763-S8500	Uncoated/ Clear	Polycarbonate	Safety eyewear or goggles	Face, chin and top of head coverage	Black Matte
763-S8510	HC/AF/ Clear	Polycarbonate	Safety eyewear or goggles	Face, chin and top of head coverage	Black Matte
763-S8555	Anti-Fog/ Anti-Scratch	Polycarbonate	Bionic® Shield face shield	Full Shield	Clear Hardcoat



Turboshield™ Visors

Features:
- Protects workers from airborne debris, splashes and sprays.
- More chin coverage than traditional visors.
- Easy to install and remove.
- Can be worn with most goggles, respirators and earmuffs.

Length: 15-7/8 in
Height: 9 in

SKU	Lens Coating/Shade	Thickness
763-S9550	Uncoated	0.098 in
763-S9555	Anti-Fog	3/32 in



337 Capshield Faceshield Adapters

Features:
- Dielectric polyethylene spark deflector with pivoting blades.
- For mounting visor on caps with integral plastic lugs.
- For mounting face shields to slotted caps.

SKU
138-14946

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

JACKSON SAFETY



Cap Coil Spring Attachments

Features:

- Polyethylene spark deflector.
- For attaching any visor spark deflector combination, to any non-slotted cap.
- Metal device for non-slotted caps.
- Curved aluminum channel and coil spring attachment.

SKU	Type	Model
138-14390	Faceshield Cap Adapter	C
138-14391	Faceshield Cap Adapter	P
138-14393	Faceshield Cap Adapter	H
138-14945	Mount	37 HATSHIELD
138-14948	Mount	137 Cap Shield



Cap Mount Adapters for Non-Slotted Safety Cap

Features:

- Used with non-slotted caps.
- Uses clips pressed over the cap rim for firm fit.
- Polyethylene spark deflector.
- Face shields secured with integral plastic lugs.
- Face shield sold separately.

Length: 19-3/4 in
Height: 15 in

SKU
138-14943

JACKSON SAFETY



F10 PETG Economy Faceshields

Features:

- Durable economy face shields provide lightweight comfort and economical protection.
- Polyethylene terephthalate (PETG) shields provide reliable scratch resistance.
- Sturdy lenses provide excellent impact strength

Height: 8 in
Thickness: 0.040 in

SKU
138-29104



F20 Polycarbonate Faceshields

Features:

- Durable face shields provide a high degree of protection on the job.
- Ideal for situations that require impact and heat resistance.
- Optical-grade polycarbonate from extruded sheets.
- Shields provide 99.9% UV protection, keeping eyes safe.

SKU	Style	Color	Length	Height	Thickness
138-29062	T Shape	Clear	15.5 in	8 in	0.040 in
138-29087	B Shape	Clear	15.5 in	8 in	0.060 in
138-29098	K Shape	Clear	10 in	20 in	0.040 in
138-29100	E Shape	Dark Green	15.5 in	8 in	0.040 in
138-30706	E Shape	Clear	15.5 in	8 in	0.040 in

© 2026



F30 Acetate Faceshields

Features:

- Ideal for scratch resistance and premium optics.
- High-grade cast sheet acetate protects against splash.
- 99.9% UV protection.

SKU	Binding	Style	Color	Length	Height	Model
138-29052	Aluminum Bound	E Shape	Clear	15.5 in	8 in	8154
138-29060	Unbound	P Shape	Clear	15.5 in	9 in	9154 CHIN
138-29078	Aluminum Bound	C Shape	Clear	12 in	8 in	8040
138-29079	Aluminum Bound	D Shape	Clear	15.5 in	9 in	34-40
138-29090	Aluminum Bound	D Shape	Dark Green	15.5 in	9 in	34-42
138-29091	Aluminum Bound	D Shape	Clear	15.5 in	9 in	3440 BULK



F40 Propionate Faceshields

Features:

- D3 rating for splash protection.
- Protective eyewear should be worn under face shields at all times.
- Meets ANSI Z87.1 standards when used with any Jackson Safety brand head gear.

Length: 15.5 in
Height: 9 in
Thickness: 0.060 in

SKU	Lens Coating/Shade	Lens Material
138-29084	Uncoated	Propionate



F50 Polycarbonate Special Face Shields

Features:

- Designed to provide protection against high heat applications, flying debris, and D3 rating chemical splash.
- IRUV filter additives in shade 3 and 5 provide additional infrared and ultraviolet radiation protection.
- Ideal in heavy manufacturing, high impact work areas, and anywhere that increased UVA/UVB/UVC protection is necessary.
- Protective eyewear should be worn under the face shield at all times.

Length: 15.5 in
Height: 8 in
Thickness: 0.060 in

SKU	Lens Coating/Shade
138-26262	IRUV 3.0
138-29080	IRUV 5.0



F60 Wire Faceshields

Features:

- Sturdy wire mesh face shields are a durable choice for face protection.
- They are not intended for high-impact protection.
- Easy to use; apply over a face shield to dissipate heat.

Length: 15.5 in

SKU	Style	Height	Thickness
138-29055	C Shape	8 in	0.020 in
138-29081	E Shape	9 in	0.016 in

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

JACKSON SAFETY



MAXVIEW™ Series Premium Face Shields with Headgear

Features:
- 370 Speed Dial™ ratcheting headgear system provides easy grab-easy turn adjustments for superior comfort and fit.
- Lightweight design for total comfort and all-day use, meets ANSI Z87.1+ and CSA.
- 2 inch larger window ensures maximum protection and panoramic view.
- Detents keep window firmly in the up or down position until manually adjusted.
- Framed side and chin area provide added protection.

Length: 13-1/4 in
Height: 9 in
Thickness: 0.04 in

SKU
138-14200

MCR SAFETY



Universal Faceshields

Features:
- Superior face protection from dangerous liquid splashes and flying debris.
- Compatible with a variety of brackets and face shield sizes and materials.

Length: 16 in
Height: 8 in
Thickness: 0.04 in

SKU
135-181640

MSA The Safety Company

V-Gard® Accessory System General Purpose Visors

Features:
- Suitable for most applications where impact hazards exist.
- Provides maximum UV protection.
- Wider design for improved resistance to impact and splash hazards.
- Shape accommodates cap-mounted earmuffs.

Length: 17 in
Height: 8 in
Thickness: 0.060 in

SKU
454-10115836



V-Gard® Accessory System Universal Visor Frames

Features:
- Convenient universal visor frames feature a sloped design, allowing material to easily slide off the frame.
- The universal frame features a heavy-duty, flat rubber strap can be used with slotted and non-slotted MSA helmets.
- Perfect compatibility with many half-mask respirators.

Length: 11 in
Height: 3-1/4 in

SKU
454-10116627

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

PureFlo



3000 Faceshields

Features:
- Faceshield with optional tear-off layers.
- For use with the PureFlo 3000 PAPR.

SKU	Lens Coating/Shade
343-PF3000-03-044	Clear

sellstrom.



380 Series Replacement Faceshield Windows

Features:
- Windows fit 380 Series Premium Dual Crown platform.
- Window attachment pattern exclusive to 380 Series crown.

Length: 19-1/2 in
Height: 6-1/2 in
Thickness: 0.040 in

SKU
851-S36040

sellstrom.



385 Series Maxlight Slotted Hard Hat Window Assembly

Features:
- Premium dual crown, extra-large high clear impact crown and chin protector.
- Extra-wide scratch resistant windows.
- Exclusive universal hard hat slot adaptor.
- Fits most slotted hard hats.

Length: 19-1/2 in
Height: 6-1/2 in
Thickness: 0.040 in

SKU
851-S38540



DP4™ Series Multi-Purpose Faceshields

Features:
- The shield curves naturally to fit facial contours; ensuring reliable protection from splash, particles, and flying debris.
- Rugged, polycarbonate shield is impact and splash resistant.

Length: 12.125 in
Height: 9 in
Thickness: 0.060 in
Model: DP4™ Series

SKU	Lens Coating/Shade	Style	Color
851-S32151	Anti-Fog; Clear	Dual-Purpose	Clear; SH5 Green
851-S32100	Anti-Fog; Clear	Replacement Shield	Clear

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Hard Hat & Cap Parts & Accessories



Face Shield Brackets

Features:
- Ergonomic design with easy-to-grip knobs.
- Band-mounted brackets that fit Bullard® hard hats and bump caps; including, competitor models.
- Visor retainer system that securely locks visor in place.
- Dielectric brackets are made from lightweight, durable nylon that is ideal for general-duty applications.

Material: Nylon

SKU	Used With
216-300BW	911 Models; 9C and 9H Hard Hats



High-Heat Series Suspension Replacements

Features:
- Designed specifically for use in high-heat environments.
- Used with high-heat series cap style or full brim hard hats.

Material: ABS/HDPE; Nylon Straps; Cotton Brow Pad

SKU	Suspension
216-FRS6RC	Sure-Lock® 6-point Ratchet



High Performance® Faceshield Systems for Hard Hats

Features:
- Made from Noryl®, the same material used in our welding helmets.
- Includes crown plus hard hat attachment.

SKU	Crown Dimension
280-F5400	4 in Crown
280-F5500	7 in Crown



High Performance® Hard Hat Faceshield Headgears

Features:
- Made from Noryl®, the same material used in our welding helmets.
- Exceptionally lightweight and comfortable.
- Allows space for air circulation to prevent fogging.
- Accommodates a full selection of standard size windows.

SKU	Crown Dimension
280-F400	4 in Crown
280-F500	7 in Crown



Replacement Headstrap

Features:
- Sturdy strap keeps head gear securely in place.
- Built for comfort and durability.
- Designed as a replacement part for the 5400 series.

Material: Plastic

SKU
068-80757

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



Bionic® Hard Hat Adapters

Features:
- Compatible with North® brand and most major manufacturers' hard hats.
- Accessory allows faceshield use with hard hat.
- 100% dielectric.

SKU	Suspension
763-S8590	Ratchet



187-S Mounting Blades

Features:
- Securely attaches a welding helmet to safety cap.
- Positive locking device keeps the helmet in any position.
- Quick detach brackets.

Material: Polyethylene

SKU	Used With
138-15968	HLX, HSL Series or Nitro Welding Helmets; Attach to SC-6, Sentry III, Charger, SC-16, SB-6 Hard Hats



Blade Mounted Cap Adapters

Features:
- Quick detach brackets.
- Polyethylene spark deflector.
- Totally dielectric, all plastic device for slotted caps.
- Face shields are secured with integral plastic lugs.
- Curved plastic channel fits over the bill of the cap.

SKU
138-14944



Head-Hugger Suspensions

Features:
- Vinyl forehead cushion.
- One-piece nylon headband with woven nylon crown headstraps.
- Ratchet headgear.
- Two-crown height adjustments.
- Over 30 adjustments for comfortable fit without removing headgear.

SKU	Used With	Suspension
138-14936	SC-6	4-Pt Ratcheting



Welding Helmet Cap Adapters

Features:
- Quick detach brackets.
- Polyethylene spark deflector.
- For joining any visor and spark deflector with plastic pins to any cap equipped with #87 mounting blades.

SKU	Used With
138-15973	HLX, HSL Series or Nitro Welding Helmets; Attach to SC-6, Sentry III, Charger, SC-16, SB-6 Hard Hats



Hard Hat Replacement Top Pads

Features:
- Top Pad replacement works with Klein's Cap Style and Full Brim Hard Hats.
- Easily attaches with hook and loop material to the straps in the suspension system.
- Reduces pressure from straps digging into the top of the head.
- Replaceable and machine washable, the durable, padded material offers sweat-wicking and odor control properties.

SKU
409-KHHTOPPAD

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

MSA The Safety Company



Chinstraps

Features:
- Keeps helmet in place and offers support.
- Attaches directly to shell or suspension.
- Flexible construction and adjustable design ensures comfort and product longevity.

Material: Polyester

SKU
454-10171104



Fas-Trac® III Replacement Suspensions

Features:
- Ratchet suspension and flush rear lug attachments eliminate pressure points for additional wearer comfort.
- Three levels of nape strap adjustment ensure a customized fit.
- Graspable ratchet with ultra-smooth rotation and steadfast hold.

Material: Plastic/Nylon

SKU	Used With	Color
454-10148708	V-Gard®; V-Gard 500; V-Gard GREEN; SmoothDome®	Black
454-10126693	MSA Skullgard® and Comfo-Cap® Helmets	Gray
454-10153385	MSA Skullgard® Helmets	Gray
454-10148707	MSA V-Gard® Helmets	Clear



Sun Shields

Features:
- Front portion is Lexan tinted.
- Protects wearer's ears and neck from sun rays.
- Extends brim all the way around.

Material: Polyurethane

SKU	Used With
454-697410	V-Gard

MSA The Safety Company



V-Gard® Visor Frames for General Purposes

Features:
- Stowable slot adaptors secure frame tightly in slotted MSA caps, and allow frame to work with or without earmuffs.
- Sliding adjustment blades allow visor to work with most half-mask respirators and other PPE worn under a visor.

Material: High Density Polyethylene (HDPE)

SKU
454-10115730

OccuNomiX



Stow Away Hard Hat Shades

Features:
- Cotton sunshade with wire spring around rim blocks sun and most UV rays.
- Easily folds away into convenient self-pouch.
- Shade at back of neck facilitates perspiration evaporation and blocks sun.

SKU	Color
561-899-HVYS	Yellow
561-899-KHK	Khaki

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

Hard Hats & Caps



3M™ SecureFit™ Pressure Diffusion Ratchet Suspension w/UVicator™ Hard Hats and Caps

Features:

- Suspension system incorporates exclusive patented SecureFit™ Pressure Diffusion Technology.
- Comfort pad on back of suspension is designed to distribute force and increase ease of wear.
- Compatible with cap-attached 3M hearing protection and communication products, a variety of 3M faceshields and other accessories.
- Customize your fit with multiple levels of height and head-shape adjustments.
- Premium washable and replaceable sweatband with moisture-wicking material is designed to help keep workers cool and dry.
- UVicator™ sensor lets wearers know when to replace hard hat due to UV exposure.

Size Group: 6-1/4 to 8

SKU	Color	Type
142-H-703SFV-UV	Blue	Cap; Vented
142-H-703SFR-UV	Blue	Cap
142-H-701SFR-UV	White	Cap
142-H-801SFR-UV	White	Full Brim
142-H-701SFV-UV	White	Cap; Vented
142-H-702SFV-UV	Yellow	Cap; Vented



C30 Classic Cap Style Hard Hats

Features:

- Wider profile helps protect against sun exposure, rain, snow, and dust.
- Easy to adjust Flex-Gear® ratchet suspension that stays on your head, even when bending over.
- Accessory slots accept a wide variety of attachments.
- Front, side, and rear vertical height adjustment.
- Optional Elastic (ES42) and Quick Release Nylon (R50) chin straps sold separately.

Size Group: 6.5 in to 8 in

SKU	Color
216-30DGR	Dove Gray
216-30LPR	Light Pink
216-30WHR	White
216-30CBR	Chocolate Brown
216-30ORR	Orange
216-30KBR	Kentucky Blue
216-30FGR	Forest Green
216-30YLR	Yellow
216-30HOR	Hi-Viz Orange
216-30RDR	Red



C30 Classic Full-Brim Hard Hats

Features:

- Wider profile helps protect against UV rays, glare, rain, and splash.
- Easy to adjust Flex-Gear® ratchet suspension that stays on your head, even when bending over.
- Accessory slots accept a wide variety of attachments.
- Front, side, and rear vertical height adjustment.
- Optional Elastic (ES42) and Quick Release Nylon (R50) chin straps sold separately.

Size Group: 6.5 in to 8 in

SKU	Color
216-33NBR	Navy Blue
216-33WHR	White
216-33LPR	Light Pink
216-33RDR	Red
216-33BKR	Black
216-33CBR	Chocolate Brown
216-33DGR	Dove Gray
216-33HOR	Hi-Viz Orange
216-33HYR	Hi-Viz Yellow
216-33ORR	Orange
216-33HGR	Hi-Viz Green
216-33KBR	Kentucky Blue
216-33YLR	Yellow



C71 Standard Full-Brim Hard Hats

Features:

- Lightweight, low profile, and has a low center of gravity, providing exceptional balance.
- Easy to adjust Flex-Gear® ratchet suspension.
- Vertical height adjustment capability (2 front, 2 rear) allow for a personal, secure fit.
- Optional Elastic (ES42) and Quick Release Nylon (R50) chin straps sold separately.

Size Group: 6.5 in to 8 in

SKU	Color
216-71FGR	Forest Green
216-71GGR	Gull Gray
216-71KBR	Kentucky Blue
216-71SKR	Sky Blue
216-71WHR	White
216-71CBR	Chocolate Brown
216-71YLR	Yellow

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Roughneck® P2 Hard Caps

Features:

- Fibre-Metal® Roughneck caps with the SuperEight suspension are the industry standard for heavy duty protection.
- Built for strength: toughness and durability, Roughneck cap style hard hats offer exceptional impact and crack resistance and surpass many performance tests.
- Available in two versions to meet a variety of workplace conditions, Roughneck caps are built to provide exceptional crack resistance and handle hard knocks in the toughest places.
- The P2A series tolerates heat up to 370° wile delivering a long service life under many adverse conditions.
- The P2HN series is designed for high performance at extremely elevated temperatures up to 500° in these extreme environments, air circulating over the sweatband lowers the temperature inside the cap.

Size Group: 6-3/4 to 8

SKU	Color	Adjusting Method
280-P2AQSW01A000	White	Ratchet; SwingStrap™ with Quick-Lok®
280-P2ARW11A000	Black	Ratchet
280-P2AQRW09A000	Gray	Ratchet
280-P2AQRW15A000	Red	Ratchet; Quick-Lok® Block and 3R Ratchet Headband
280-P2AQRW71A000	Blue	Ratchet, Logo It
280-P2ARW01A000	White	Ratchet
280-P2ARW71A000	Blue	Ratchet
280-P2ARW15a000	Red	Ratchet
280-P2ARW74A000	Green	Ratchet
280-P2ARW09A000	Gray	Ratchet



SuperEight® E1 Hard Hats

Features:

- Dissipates force on impact by reducing it to smaller increments and spreading it over a greater area.
- The exclusive smooth crown design contains a technically advanced suspension with eight load bearing points to stabilize and balance the hat or cap during everyday wear.

SKU	Color
280-E1RW01A000	White
280-E1RW02A000	Yellow
280-E1RW15A000	Red
280-E1RW46A000	Strong Orange
280-E1RW71A000	Blue
280-E1RW74A000	Green
280-E1SW01A000	White



SuperEight® E2 Series Hard Caps

Features:

- Energy control system dissipates force by reducing it into smaller increments and spreading it over a wide area.
- The exclusive smooth crown design contains a technically advanced suspension with eight load bearing points to stabilize and balance the hat or cap during everyday wear.

Size Group: Standard 6-1/2 - 8

SKU	Color	Type
280-E2QRW01A000	White	Front Brim
280-E2QRW02A000	Yellow	Front Brim
280-E2QRW71A000	Blue	Front Brim
280-E2RW46A000	Hi-Viz Orange	Hard Hat
280-E2QRW11A000	Black	Type 1, Class G & C
280-E2QRW15A000	Red	Type 1, Class G & C
280-E2RW75A000	Dark Blue	Type 1, Class C, G, E
280-E2RW01A000	White	Cap Style Hard Hat
280-E2RW02A000	Yellow	Cap Style Hard Hat
280-E2RW15A000	Red	Cap Style Hard Hat
280-E2RW74A000	Green	Cap Style Hard Hat
280-E1RW03A000	Orange	Full Brim Hard Hat



A119R Type II Hard Hats

Features:

- Foam liner for lateral impact protection.
- Ideal for workers who are exposed to the risk of a blow to the side.

SKU	Suspension
068-A119R010000	6-point



Low Hazard Bump Cap Baseball Cap Inserts

Features:

- Baseball cap insert for low hazard bump cap.

SKU
068-SC01-H5

© 2026

JACKSON SAFETY

BC 100 Bump Caps

Features:
- Ideal when head protection is desired but not required.
- Offers protection from minor bumps and head lacerations.
- Available without or with face shield attachment for extra coverage.
- 4-point pinlock suspension includes an extra absorbent brow pad.
- To be used in work situations which do not require ANSI compliant head protection.
- Fits head sizes from 6-1/2 to 8-1/4.

SKU
138-14811



CH-400V Climbing Style Vented Hard Hats

Features:
- Ideal for at-height and scaffolding work, confined space applications, construction sites requiring chin straps and general all-around head protection.
- Lightweight design is molded from high-quality ABS materials.
- Slotted adapters allow use with multiple Jackson and Sellstrom brand hard hat accessories face shield adapters and earmuffs.
- Dual rear slots allow use of optional red reflector for improved safety.

Size Group: 6-1/2 to 8

SKU
138-20920

JACKSON SAFETY



SC-6 Hard Hats

Features:
- Smooth dome design leaves no crevice for build-up.
- Lightweight construction is ideal for extended use.
- Accessory slots for attaching additional personal protective equipment.
- Comes with fast absorbing brow pad for user convenience

Size Group: 6-1/2 to 8

SKU	Color
138-14833	Yellow
138-14834	White
138-14837	Green
138-14838	Blue
138-14839	Orange
138-14841	Red
138-14842	Gray



Western Outlaw® Hard Hats

Features:
- Extra wide brim provides extra shelter from sun and rain.
- High density polyethylene material is durable and lightweight.
- Extra absorbent brow pad for added convenience.
- 4 pt ratchet suspension.
- Fits head sizes 6.5 to 8.

SKU	Color
138-17330	Black
138-19500	White
138-19502	Tan
138-19525	Gray

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

KLEIN TOOLS



Hard Hats

Features:

- Safety hard hats and caps have patent-pending accessory mounts on front and back ensure optional Klein Headlamps attach securely and precisely, every time — no straps or zip ties needed!.
- Breathable, padded sweat-wicking sweatband and top pad improve comfort and are machine washable.
- Easy, one-handed adjustment with large knob ratchet mechanism (even with gloves on), and soft neck pad pivots to clear bandana knots and pony tails.
- Options available for Class E non-vented or Class C vented full brim hard hats and caps, including with/without alkaline headlamps or rechargeable headlamps.

Size Group: 6.5 in to 8 in

SKU
409-60406RL

MSA
The Safety Company



Skullgard® Protective Caps and Hats

Features:

- Strong, protective hats offer outstanding protection in hot, dangerous industries.
- Tested to radiant heat loads producing temperatures up to, but not exceeding, 350° F.
- Smooth crown allows easy use of MSA welding equipment.
- Heavy duty construction produces a sturdy, reliable product for long-lasting use.

SKU	Color	Suspension	Adjusting Method	Size Group
454-454617	Natural Tan	Staz-On®	Pin-Lock	Standard; 6-1/2 to 8; Cap
454-454664	Natural Tan	Staz-On®	Pin-Lock	Standard; 6-1/2 to 8; Hat
454-454665	White	Staz-On®	Pin-Lock	Standard; 6-1/2 in to 8 in; Hat
454-454668	Green	Staz-On®	Pin-Lock	Standard; 6-1/2 to 8; Hat
454-454622	Gray	Staz-On®	Pin-Lock	Standard; 6-1/2 to 8; Hat
454-475395	Natural Tan	Fas-Trac Ratchet	Ratchet	Standard; 6-1/2 to 8; Cap
454-475396	White	Fas-Trac® Ratchet	Ratchet	Standard; 6-1/2 to 8; Cap
454-475405	Natural Tan	Fas-Trac® Ratchet	Ratchet	Large; 7-1/2 to 8-1/2; Cap
454-475407	Natural Tan	Fas-Trac® Ratchet	Ratchet	Standard; 6-1/2 to 8; Hat
454-475408	White	Fas-Trac® Ratchet	Ratchet	Standard; 6-1/2 to 8; Hat

MSA
The Safety Company



Freedom Series™ V-Gard® Helmets

Features:

- Industrial-strength head protection that's lightweight yet durable.
- Featuring Fas-Trac® III Suspension and slots for better impact resistance and personal comfort.

Size Group: 6-1/2 to 8

SKU
454-10071157

© 2026



Topgard® Protective Caps and Hats

Features:

- Featuring a uni-ridge design, and are designed for use by utilities and other industries where head protection with dielectric protection is necessary.
- Superior top impact protection.
- Lightweight and durable.
- Limited resistance to top impact or penetration is retained through a wide range of temperatures.

Size Group: Standard; 6-1/2 to 8

SKU
454-475393



V-Gard® 500 Protective Caps and Hats

Features:

- Vented for improved air circulation.
- Lateral contours above the ear for easy integration of hearing protection.
- Glaregard underbrim to reduce reflective glare.
- Lightweight design for added comfort.

SKU	Color	Suspension	Type	Size Group
454-10034018	White	4 Point Fas-Trac III	Vented Cap	6-1/2 - 8
454-10034019	Blue	4 Point Fas-Trac III	Vented Cap	6-1/2 - 8
454-10034035	Hi-Viz Orange	6 Point Ratchet	Vented	Universal



V-Gard® Protective Hats

Features:

- Convenient caps and hats provide comfortable, lightweight protection.
- Polyethylene shell provides superior impact protection.
- Available with Fas-Trac® III or Staz-On® suspension.

Size Group: Standard; 6-1/2 to 8

SKU	Color	Applications	Type
454-475366	Yellow	Arc Flash; Confined Space; Manufacturing; Working at Heights; Welding;Among others	Slotted
454-475368	Blue	Arc Flash; Confined Space; Manufacturing; Working at Heights; Welding;Among others	Slotted
454-475369	White	Arc Flash; Confined Space; Manufacturing; Working at Heights; Welding;Among others	Slotted
454-454733	White	Arc Flash; Asbestos Abatement; Confined Space; Food Processes; Manufacturing; Painting; Sanding & Grinding; Steel Smelting Foundries; Working at Heights; Welding	Slotted
454-475371	Red	Arc Flash; Asbestos Abatement; Confined Space; Food Processes; Manufacturing; Painting; Sanding & Grinding; Steel Smelting Foundries; Working at Heights; Welding	Slotted
454-10021292	Hi-Viz Orange	Arc Flash; Asbestos Abatement; Confined Space; Food Processes; Manufacturing; Painting; Sanding & Grinding; Steel Smelting Foundries; Working at Heights; Welding	Non-Slotted
454-475367	Gray	Arc Flash; Asbestos Abatement; Confined Space; Food Processes; Manufacturing; Painting; Sanding & Grinding; Steel Smelting Foundries; Working at Heights; Welding	Non-Slotted
454-475370	Green	Arc Flash; Asbestos Abatement; Confined Space; Food Processes; Manufacturering; Painting; Sanding & Grinding; Steel Smelting Foundries; Working at Heights; Welding	Non-Slotted

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

MSA The Safety Company



V-Gard® Slotted Hard Hat Caps

Features:
- Comfortable, durable protection.
- Polyethylene shell provides superior impact protection.
- Iconic V design has been a mainstay for many years on even the toughest worksites.

SKU	Color	Size Group
454-475358	White	6-1/2 in to 8 in; Standard
454-475359	Blue	6-1/2 in to 8 in; Standard
454-475360	Yellow	6-1/2 in to 8 in; Standard
454-475361	Orange	6-1/2 in to 8 in; Standard
454-475362	Green	6-1/2 in to 8 in; Standard
454-475363	Red	6-1/2 in to 8 in; Standard
454-475364	Gray	6-1/2 in to 8 in; Standard
454-815565	Bright Lime Green	6-1/2 in to 8 in; Standard
454-477482	White	7 in to 8-1/2 in; Large

OccuNomiX



Baseball Style Bump Caps

Features:
- Polyester twill ball cap protects against bumps and scrapes.
- Includes polyurethane bump cap insert.

SKU	Size
561-v410-b03	6-7/8 to 7-5/8 in

OccuNomiX



Vulcan® Cowboy Hard Hats

Features:
- Comfortable and stylish.
- Extra wide brim provides more UV protection than standard or full brim hard hats.
- Features plush and absorbent cotton terry sweatband.

SKU	Suspension
561-VCB200-06	6-point Ratchet

Welder Caps & Doo Rags

COMEAUX CAPS®



Series 2000 Reversible Caps

Features:
- 6 panel, round crown, super soft brim reversible welders cap with custom print on 1 side and solid color on other.
- Cap measures approximately 7-1/4 inches from the top of the crown to the bottom of the cap.
- Caps are medium-crowned in order to cover welder's ears and neck, as well as round-crowned for that great look and fit.
- Also available in white or black.

Material: Cotton
Type: Reversible

SKU	Size Group
118-2000E	One Size Fits Most
118-2000R-7	7
118-2000R-8	8

© 2026

Welding Helmet Parts & Accessories

FIBRE-METAL BY PIP



Custom-fit Replacement Headgear

Features:

- Deeply offset, pliable headband fits head contours comfortably.
- Overhead band with multiple adjustments helps position the glassholder for the best view of the weld and a comfortable working position.
- Exclusive "free-floating" arms balance and stabilize the helmet while minimizing pressure points.
- Strip-proof ratchet head size adjustment provides small increment sizing.

SKU	Used With
280-1CR	F300 Series

JACKSON SAFETY



170SB Headgear

Features:

- Spark deflector for visor use without a safety cap.
- Fully dielectric.
- Secured with integral plastic lugs.
- Used in conjunction with protective eyewear, face shield provides a high degree of on-the-job protection for heat applications, as well as for grinding, flying debris and splash protection, among others.

SKU	Quantity
138-14940	1
138-29077	40

JACKSON SAFETY



370™ Speed Dial Ratcheting Headgear Replacements

Features:

- Oversized ratchet with soft rubber grip allows for easy adjustment when wearing gloves.
- Removable comfort cradle is a pivoting head pad that conforms to any head for the highest degree of comfort.
- 3-position slider adjusts distance of the lens from your eyes for precise vision.
- Crown strap adjustment allows the headgear to be raised or lowered for maximum comfort and performance.
- Sweatband helps absorb perspiration and prevents sweat from interfering with vision.
- Vertical lock-in eliminates helmet creeping.
- Lock-nut feature keeps the components together even when bracket is loosened.

SKU
138-20696



HDG10 Face Shield Headgear

Features:

- Has spark deflector.
- Soft, absorbent, wrap-around, foam cushioned sweatband gently hugs natural shape of head.

Adjustment Method: Increment - 1/16 in

SKU
138-14381

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

3M™ Speedglas™ 9100 Series Replacement Parts

Features:
- Designed for the professional welder.
- Choose from a variety of filters, lenses, and plates.

Window Size: 6.1 in x 3.8 in

SKU
711-06-0200-51



3M™ Speedglas™ G5 Inside Protection Plates

Features:
- Replace 3M™ Speedglas™ Inner Cover Plate when it becomes deeply pitted or too dirty to clean.
- Helps protect your welding lens.
- Designed to be used wth 3M™ Speedglas™ Welding Helmet and Lens.

SKU	Lens Coating/ Shade
711-06-0200-40	Anti-Fog



3M™ Speedglas™ G5 Welding Filters

Features:
- By selecting just the right welding filter settings for each task, you help reduce eye strain and may help improve the quality of the weld.
- Switching time from light to dark in 0.1 millisecond.
- Features Natural Color technology which makes the filter view seem lighter.

Window Size: 2.8 in x 4.3 in

SKU	Lens Coating/ Shade	Type
711-46-0000-30TW	2.5; 5; 8 to 13	Tack Weld Auto-Darkening
711-46-0000-30VC	3; 5; 8 to 14	Variable Color Auto-Darkening



Cover Lens

Features:
- Convenient protective cover lens is resistant to abrasion, pitting, spatter, chemicals and solvents.
- Optically correct and balanced.
- Provides superior welding lens protection.

SKU	Window Size	Material
901-SP-1	2 in x 4-1/4 in	70% CR-39 Plastic
901-SP-2	2 in x 4-1/2 in	100% CR-39 Plastic
901-SP-35	4-1/2 in x 5-1/4 in	50% CR-39 Plastic
901-SP-45	5-1/4 in x 4-1/2 in	CR-39 Plastic



Glass Filter Plates

Features:
- Best Welds filter plates offer ultimate protection against ultraviolet and infrared rays present in the welding environment.
- Precision ground and edged to allow a safe and proper fit.
- Precisely shaded and optically correct.

Color: Green

SKU	Lens Coating/ Shade	Window Size
901-932-105-10	10	2 in x 4-1/4 in
901-932-105-11	11	2 in x 4-1/4 in
901-932-107-10	10	4-1/2 in x 5-1/4 in
901-932-107-11	11	4-1/2 in x 5-1/4 in



Gold Coated Filter Plate

Features:
- Gold coated filter plate reflects harmful infrared rays while staying cooler than a conventional green filter plate.
- Light-weight and impact-resistant.

Window Size: 4-1/2 x 5-1/4 in

SKU
901-932-110-10

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

BEST WELDS®



Plastic Magnifier Plate

Features:
- Powerful plastic magnifier plate works to provide optically balanced magnification.
- Allows users to see work-piece clearly.
- Light-weight and impact-resistant for durability and strength.

Window Size: 2 in x 4-1/4 in

SKU	Diopter Strength
901-932-146-150	1.5
901-932-146-200	2



Safety Plate

Features:
- Safety plate provides strong impact resistance for added safety.
- Optically correct and balanced.
- Light-weight.

SKU	Window Size
901-932-440	2 in x 4-1/4 in
901-932-442	4-1/2 in x 5-1/4 in

JACKSON SAFETY



Insight Clear Safety Plate Kit

Features:
- Fits the Jackson Safety variable ADF cartridge.
- No tools needed.
- Easily snaps into place.

Resistance: Scratch; Static
Window Size: 5 in x 5 in x 1/2 in

SKU
138-41589



Lens Kits

Features:
- Auto-darkening to adapt to multiple working environments.
- Light sensitivity shade control.

Window Size: 5 in x 2 in

SKU
138-29127



W30 Solera Fixed Shade 11 Auto-Darkening Filters

Features:
- Features an economical lens for the consumer welder.
- Solar powered.
- Fixed shade lens with one centered sensor.

Window Size: 2 in x 4 in

SKU	Lens Coating/ Shade
138-16376	11

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

PureFlo



Spatter Lenses

Features:

- Works with the PureFlo 3000 PAPR.
- External spatter lens is for welding only.

SKU	Lens Coating/ Shade	Type
343-PF3000-03-013	Clear	External Splatter Lens
343-PF3000-04-016	ADF	Internal ADF Splatter Lens

FIBRE-METAL BY PIP



Speedy-Loop™ Mounting Systems

Features:

- Easy on/off system for mounting welding helmets onto protective caps.
- Fully adjustable.

SKU
280-5000-H5

3M



3M™ Speedglas™ G5 Hard Hat Adapters

Features:

- 3M™ Speedglas™ Hard Hat Adapters are outfitted with attachments that mount 3M™ Speedglas™ Welding Helmets to specific hard hats and safety helmets.
- Allows for easy integration of headcover for welding.

SKU	Used With
711-10-5014-00	H-700 Series Hard Hats
711-10-0714-00	X-5000 Series

JACKSON SAFETY



HHIS Climbing Hard Hat Master Kits

Features:

- Contains all the components necessary to mount welding helmets and face shields to climbing-style hard hat.
- One button action provides quick release.

SKU
138-39478



3M™ Speedglas™ G5 Welding Helmet Parts and Accessories

Features:

- Replacement and spare parts for G5 series welding helmets.
- Easy to use and install.

SKU	Type
711-10-0500-03	Battery Holder Replacement Part
711-46-0500-06	Task Light Replacement Part
711-46-0700-00	Head Cover Holder
711-10-0500-53	Side Window Coverplates



Replacement Sweatbands

Features:

- Replacement sweatband fits inside hard hat or welding helmet.
- Highly absorbent pad keeps perspiration from getting into eyes.

SKU
138-32187

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

JACKSON SAFETY



Welding Helmet Interchange System

Features:
- Gives an audible click, so you know your PPE is assembled correctly without visual inspection.
- Quick release with one simple button, even with safety gloves on.
- The vertical lock eliminates helmet and face shield creep.
- Works with the Jackson Safety SC-6 hard hat (bill forward or backward, sold separately).

Length: 7.6 in
Width: 5.6 in

SKU
138-38426

MSA The Safety Company



Skullgard® Swing Ratchet Replacement Suspensions

Features:
- Swing-ratchet suspension.
- Helps to keep helmet securely in place.

Size: 6-1/2 to 7-5/8

SKU
454-816654

Welding Helmets

3M



3M™ Speedglas™ G5-03 Pro Welding Helmets

Features:
- Robust, compact design.
- Ergonomic, adjustable head suspension.
- Suitable for most types of arc welding.
- The 3M™ Speedglas™ G5-03 Pro Welding Helmet uses next-generation technology to help provide dynamic welding protection.

SKU	Lens Coating/Shade
711-10-0100-00SH	No Lens, with Safety Helmet
711-10-0100-30TW	Auto-Darkening
711-10-0100-00HH	No Lens, with Hard Hat
711-10-0100-00	No Lens
711-10-0300-52	No Lens, No headband
711-10-0100-30VC	Auto-Darkening



3M™ Speedglas™ G5-03 Pro-Air Welding Helmets

Features:
- Robust, compact design.
- Ergonomic, adjustable head suspension.
- Suitable for most types of arc welding.
- The 3M™ Speedglas™ G5-03 Pro Air is Compatible with the Adflo TR-300 and TR-600 series respirators.
- 45-0099-35, is approved for use with 3M™ Adflo™, Versaflo™ TR-300+ and Versaflo™ TR-600 Powered Air Purifying Respirators as well as 3M™ Versaflo™ Vortex Supplied Air Valves.

SKU	Used With
711-45-0099-33	Adflo™ TR-300 Series; Adflo™ TR-600 Series
711-45-0099-35	Adflo™ Versaflo 0153™ TR-300+ Series; Versaflo™ TR-600+ Series; Versaflo™ Vortex Supplied Air Valves

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

FIBRE-METAL BY PIP



Pipeliner™ Welding Helmets

Features:

- Compact design allows access to areas where there is no room for a standard helmet.
- Comfortable, functional headgear uses a constant-fit rubber headband for frequent re-adjustments as pipe welders move about their work.

Window Size: 2 in x 4-1/4 in

SKU	Material	Suspension
280-110-WH	Thermoplastic	I-CR Ratchet Headgear



Tigerhood™ Classic Welding Helmets

Features:

- Unique welding helmet design provides extended throat protection while blocking fumes and smoke from the face.
- Molded-in colors eliminate chipping, peeling, fading.
- Smooth, seamless shell deflects sparks and spatter reducing the risk of burn through.
- Available in a variety of colors.

Window Size: 2 in x 4-1/4 in

SKU	Color
280-5906GY	Gray
280-906BK	Black
280-906GY	Gray

JACKSON SAFETY



Insight Digital Variable ADF Welding Helmets

Features:

- Variable shades to shield and protect eyes from radiant energy during weld.
- Viewing area offers unobstructed views during all stages of welding process without lifting hood.
- Sensitivity and delay adjustments for different tasks and duration.
- Weld and grind modes.
- Four independent sensors reduce blockage possibility.
- Operates with lithium battery power.
- Low-battery indicator light.

Window Size: 3.93 in x 2.36 in
Size of Cartridge: 5-1/4 in x 4-1/2 in

SKU	Used With
138-46129	HSL 100 shell; Lithium batteries; #40710 - ADF; #46128 - ADF Cartridge; #41594 - Safety Plate; #41589 - Plate Kit; #20696 - Headgear
138-46131	HLX100 and HSL100 shells



NexGen Digital Variable ADF Welding Helmets

Features:

- Features versatile 3-N-1 function: Weld, Torch, Grind.
- Easy to use digital controls.
- Patented circuit design allows unit to detect weld less than 5 amps, ideal for low-amp TIG welding.
- Amber view lens allows for enhanced clarity of weld puddle and can help reduce eye strain.

Window Size: 3.8 in x 2.35 in
Size of Cartridge: 4.53 in x 5.3 in
Suspension: Ratchet

SKU	Lens Coating/Shade
138-46148	SH9 to SH13

© 2026

JACKSON



TrueSight II Digital Variable ADF Welding Helmets

Features:

- Get a true view on the situation with TrueSight II welding helmets with Balder Technology that feature best in class optical clarity.
- 3-in-1 helmets feature weld, grind and torch modes.
- Includes four independent sensors positioned to reduce possibility of blockage during weld.
- Sensitivity and delay adjustments for different tasks and durations.
- Operates on two, easy-to-replace AAA batteries (included) with low battery indicator.
- Intuitive digital control panel.
- Built-in magnification lens holder.
- No retainer for easy helmet installation and removal.
- Can be used with External Replacement Lens (138-30320) and Internal Replacement Lens (138-30321).

Window Size: 3.25 in x 4 in
Material: Thermoplastic

SKU	Lens Coating/Shade
138-46159	SH5 to SH8; SH9 To SH13



WH10 951P Passive Welding Helmet

Features:

- Lightweight, durable, washable thermoplastic shell.
- ADF adaptable (AV1005VXL only).

Window Size: 4-1/2 in x 5-1/4 in

SKU	Lens Coating/Shade
138-14535	SH10

JACKSON



WH10 HSL 100 Passive Welding Helmets

Features:

- Narrow shell design is perfect for work in tight spaces.
- Extended front increases throat protection from sparks, slag and other physical hazards.
- Hard hat adaptable using 187-S (15968).
- ADF adaptable.

Window Size: 4-1/2 in x 5-1/4 in

SKU	Packaging
138-14975	Retail
138-15134	Bulk



WH10 HSL 2 Passive Welding Helmets

Features:

- Extended front increases throat protection against sparks, slag and other physical hazards.
- Hard hat adaptable using 187-S (15968).
- Narrow shell design is perfect for work in tight spaces.

Window Size: 2 in H x 4-1/4 in W
Material: Polycarbonate; Thermoplastic

SKU	Suspension	Packaging
138-14972	Slotted Hard Hat Adapter	Retail
138-14982	370 Speed Dial™ Ratcheting Headgear	Retail
138-15132	370 Speed Dial™ Ratcheting Headgear	Bulk

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

JACKSON



WH20 411P Fiber Shell Welding Helmet

Features:
- Features a lightweight vulcanized fiber shell for comfortable yet cool, heavy-duty welding.
- Made of 10% recycled fiber content.
- Not suited for damp environments or overhead welding.
- Fixed front with aluminum frame filter plate holder.

Window Size: 2 in H x 4-1/4 in W

SKU	Lens Coating/Shade
138-14527	SH10



WH20 430P Fiber Shell Welding Helmet

Features:
- Lightweight, vulcanized fiber shell for comfortable, cool, heavy-duty welding.
- Made of 10% recycled fiber content.
- Not suited for damp environments or overhead welding.
- Lift front provides flexibility so user does not have to raise hood.

Window Size: 2 in x 4-1/4 in

SKU	Lens Coating/Shade
138-14528	SH10



WH20 490P Fiber Shell Welding Helmet

Features:
- Lightweight, vulcanized fiber shell for comfortable, cool, heavy-duty welding.
- Made of 10% recycled fiber content.
- Not suited for damp environments or overhead welding.
- Quick-slide filter plate holder is ideal for tight work environments.

Window Size: 2 in H x 4-1/4 in W

SKU	Lens Coating/Shade
138-14532	SH10

JACKSON



WH40 Element* Variable Auto-Darkening Filter

Features:
- Two independent sensors.
- Features an economical lens for the consumer welder.
- Solar powered.
- Features variable shade 9-13, sensitivity and delay adjustments.

Window Size: 1.65 in H x 3.75 in W

SKU	Lens Coating/Shade
138-23282	SH9 to SH13

sellstrom.



Advantage Plus Series ADF Welding Helmets

Features:
- Lightweight design is ideal for extended use.
- Features 4 arc sensors.
- Easy auto darkening filter and cover plate installation.
- Internal controls for maximum protection.
- Comfortable push and twist ratcheting head gear adjustment.
- Comes complete with grind mode/grinding warning.
- Design allows use of magnifier plate.
- Solar and battery operated, includes low battery warning.

Window Size: 3.94 in x 2.36 in; Filter 5.25 in x 4.5 in
Size of Cartridge: 5.25 in x 4.5 in

SKU	Lens Coating/Shade
851-S26200	9 to 13

© 2026

sellstrom



Advantage Series ADF Welding Helmets

Features:
- Lightweight design is ideal for extended use.
- Features 2 independent arc sensors.
- Adjustable sensitivity and delay controls.
- Offers excellent head and neck protection.
- Comes complete with grind mode.
- Design allows use of magnifier plate.
- Solar operated.

Window Size: 3.54 in x 1.57 in; Filter 4.33 in x 3.54 in
Size of Cartridge: 4.33 in x 3.54 in

SKU	Lens Coating/Shade
851-S26100	9 to 13



Premium Series ADF Welding Helmets

Features:
- Lightweight design is perfect for extended use.
- Blue Lens Technology allows more colors of the visible light spectrum to come thru the lens for natural and more accurate tones.
- Includes 4 arc sensors for amazing clarity, enhanced definition, and reduced eye fatigue.
- Wider viewing area is ideal for difficult work angles.
- Full digital operation - shade, sensitivity, delay, and weld/grind control.
- Memory function allows the operator to store settings for future use (3 selections).
- Internal controls for maximum protection.
- Design allows use of magnifier plate.
- Solar and battery operated, includes low battery warning.

Window Size: 3.94 in x 3.28 in; Filter 4.5 in x 5.2 in

SKU	Lens Coating/Shade
851-S26400	13

Winter Liners & Hoods

ANCHOR BRAND



Arctic Jr. Winter Liners

Features:
- Cold weather protection.
- Flame retardant treated.
- Fits all standard headgear.

Fastening Method: Neck Flap

SKU	Material	Lining
101-600	Twill	Sheep Thermal Lining



Winter Liners

Features:
- Keep safe and warm, with sturdy winter liners that provide cold weather protection.
- Treat with flame retardant coating for extra safety.
- Fits all standard headgear.

Resistance: Cold Weather

SKU	Material	Lining	Color	Fastening Method	Climate Range
101-100F	Stretch Quilted	Red Fleece	Blue	Chin Strap	Mild to Moderate Cold
101-130F	Twill	Red Fleece	Blue	Chin Strap	Mild to Moderate Cold
101-160F	Polar Fleece	Polar Fleece	Gray	Hook and Loop	Mild Cold
101-220EL	Twill	Sheep Thermal Lining	Blue/Tan	Chin Strap	Moderate Cold

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

JACKSON



325 Ultra Winter Liners

Features:
- Ideal for cold-weather environments.
- Can be worn over hearing products.
- Top section is flame retardant.
- Bottom section is flame resistant.
- Detachable bottom section is double layered, heavy spun polyester.
- Nape piece closes with two buttons.

Fastening Method: Zipper; Two Buttons

SKU	Material	Lining
138-14499	Bottom Shell: Double Nylon Knit; Top Shell: Cotton Twill	Brushed 100% Polyester Fleece (top only)

EAR PROTECTION

Earmuffs

3M



3M™ PELTOR™ Optime™ 105 Earmuffs

Features:
- Liquid/foam filled earmuff cushions.
- Features double-shell technology to provide effective hearing.
- Earcup pivot points that tilt for optimum comfort and efficiency.

SKU	Noise Reduction Rate (NRR)	Mounting
247-H10P3E	27 dB	Cap Mount
247-H10B	29 dB	Behind-the-Head
247-H10A	30 dB	Over-the-Head

3M



3M™ PELTOR™ Optime™ 95 Earmuffs

Features:
- Stainless steel construction resists bending and warping.
- Earcup pivot points tilt for optimum comfort and efficiency.
- Lightweight with liquid/foam filled earmuff cushions.
- Color-coding for compliance sighting.

SKU	Noise Reduction Rate (NRR)
247-H6B/V	21 dB

HOWARD LEIGHT BY PIP



QM24PLUS® Earmuffs

Features:
- The dielectric QM24PLUS® is an ultra-lightweight, three-position earmuff designed for extended wear at a valued price.
- QM24PLUS® features an adjustable crown strap for a secure fit over-the-head, behind-the-head and below-the-chin.
- Soft foam cushions are easy-to-clean with soap and water, and can be replaced for extended use.

SKU	Noise Reduction Rate (NRR)
154-QM24PLUS	25 dB

© 2026

HOWARD LEIGHT BY PIP



VeriShield™ 100 Series Passive Earmuffs

Features:

- Large dimension range provides comfortable fit that is 17 percent more adjustable than earlier versions.
- Wide cup opening area increased by 16 percent over earlier versions.
- New unique memory foam combines denser and softer foam than previous models, suitable for wearers with sensitive ear canals or for wearing with hearing aids.
- Air Flow Control technology for optimum attenuations across all frequencies.
- Available in over-the-head, hard hat, and neckband styles.

SKU	Noise Reduction Rate (NRR)	Mounting
154-1035121-VS	24 dB	Hard Hat
154-1035195-VS	29 dB	Over-the-Head
154-1035108-VS	30 dB	Over-the-Head

JACKSON SAFETY



H70 Onyx Ear Muffs

Features:

- Lightweight, durable and economical protection for low or medium level noise environments.
- Ultra soft ear cushions for comfort and extended wear.
- Ball-and-socket pivoting cup attachment provides optimum pressure distribution for maximum noise reduction.

SKU	Noise Reduction Rate (NRR)
138-20772	26 dB

JACKSON SAFETY



H70 VIBE Earmuffs

Features:

- Various noise levels available in headband or cap mount styles.
- Headband style features innovative design with soft padded headband that adjusts to most head shapes and sizes.
- Dielectric design means no exposed metal parts.

SKU	Noise Reduction Rate (NRR)
138-20775	29 dB

MSA The Safety Company



SoundControl® SH Cap Earmuffs

Features:

- Spring design offers low pressure and a high level of comfort.
- Three distinct wearing positions for ease of use.
- Excellent grip makes it easy to adjust the cups, even when wearing gloves.
- Provides maximum space for the ears inside the cup.
- Soft ear cup material for extended wear.
- Easy ear cup height adjustment.

SKU	Noise Reduction Rate (NRR)
454-10129327	25 dB

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Earplug Parts & Accessories

MOLDEX



PlugStation® Earplug Dispensers

Features:
- Compliance — High visibility to increase awareness for your hearing conservation program.
- Convenience — Hang a PlugStation® anywhere plugs are needed.
- Workers take one pair at a time so there are no wasteful grabbing of multiple pairs.
- When PlugStation® is empty, simply dispose of it and hang a new one.
- Uncorded earplugs are available in two sizes - 250 pairs and 500 pairs.
- Available for CAMO PLUGS® Uncorded, Glide® Packaged Corded, Goin'Green® Uncorded, Mellows® Uncorded, Meteors® Small/Uncorded, Pura-Fit® Corded/Uncorded/Packaged Corded, SparkPlug® Corded/Uncorded/Packaged, and SparkPlug® Metal Detectable/Corded/Packaged styles.
- Can also be used with EcoStation™/PlugStation® Magnetic Bracket Assembly (6868 sold separately).

SKU	Color	Quantity
507-6644	Assorted Color Swirls/ Streaks Earplugs	(6) Dispensers; (6) Mounting Brackets; 250 Pairs/Dispenser
507-6645	Assorted Color Swirls/ Streaks Earplugs	(4) Dispensers; (4) Mounting Brackets; 500 Pairs/Dispenser
507-6845	Bright Green	(4) Dispensers; (4) Mounting Brackets; 500 Pairs/Dispenser

Earplugs

3M



3M™ E-A-Rsoft™ FX™ Earplugs

Features:
- Soft, slow-recovery foam.
- Earplugs effectively seal the earcanal and provide reliable hearing protection.
- Flared end helps make fitting and removal easier.

Quantity: 200 pair per box

SKU	Noise Reduction	Body Material
247-312-1260	33 dB	Polyurethane

3M




3M™ E-A-Rsoft™ Yellow Neon Blasts™ Foam Earplugs

Features:
- Self-adjusting foam provides low pressure with excellent attenuation.
- Soft, slow-recovery foam.
- Dermatologically safe foam is non-irritating to the skin.

Quantity: 200 pair per box

SKU	Type
247-311-1252	Corded
247-312-1252	Uncorded



3M™ E-A-Rsoft™ Yellow Neons™ Foam Earplugs

Features:
- Soft foam provides low pressure with excellent attenuation.
- Self-adjusting foam provides a comfortable fit for most ear canals.
- Dermatologically safe foam is non-irritating to the skin.

Quantity: 200 pair per box

SKU	Type	Length
247-311-1250	Corded	9-1/4
247-311-1251	Corded	9-3/4
247-312-1250	Uncorded	NA



3M™ E-A-R™ Classic™ Foam Earplugs

Features:
- Flame-retardant.
- Shape prevents shifting and keeps effectiveness of noise seal constant.
- Slow recovery PVC foam provides comfort with low pressure.

Quantity: 200 pair per box

SKU	Body Material	Type	Packing Type
247-310-1001	Polymer Foam	Uncorded	Pillow Pack
247-311-1101	Polymer Foam	Corded	Poly Bag
247-312-1201	PVC	Uncorded	Poly Bag

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



3M™ E-A-R™ Express™ Pod Plugs™ Earplugs

Features:
- Design reduces the potential for hand-to-ear contamination.
- More hygienic than a disposable foam earplug.
- Unique pod design helps make an effective seal for most ear canals.
- First push-to-fit earplug, when a push to fit earplug is defined as having a slow recovery foam tip.

Quantity: 400 pair per case

SKU	Color	Type
247-311-1114	Yellow/Blue	Corded
247-311-1115	Blue/Yellow	Corded
247-321-2200	Yellow	Uncorded



3M™ E-A-R™ One Touch™ Earplug Dispensers

Features:
- The new ONE TOUCH features the most reliable delivery system in the world.
- The patented "No Waste Funnel" system allows users to reuse both the base and dispensing unit.

Quantity: 500 per bottle

SKU	Noise Reduction	Body Material
247-391-1004	33 dB	Polyurethane



E-A-R™ Push-Ins Foam Earplugs

Features:
- No roll down earplugs.
- The patented E-A-R™ form foam tip is shaped and sized to mold comfortably to fit virtually every sized canal.
- The the unique foam actually softens and becomes more pliable with body temperature, the seal and comfort increases the longer the plugs are worn.

Noise Reducation: 28 dB

SKU	Type	Quantity
247-318-1001	Corded	100
247-318-1000	Uncorded	400



3M™ E-A-R™ Skull Screws™ Earplugs

Features:
- Screws combine the tough look of threaded metal with the soft, comfortable feel of foam.
- Push-to-fit convenience.
- Earplugs combine comfort and noise attenuation for long-term wear.

Quantity: 120 pair per box

SKU	Noise Reduction
247-P1301	32 dB



3M™ E-A-R™ Ultrafit™ Earplugs

Features:
- Conforms to oval shape of ear.
- No rolling or touching plug portion during insertion.
- Proprietary, premolded, triple-flange earplug design inserts easily and provides a comfortable fit for a reusable earplug.

Quantity: 100 PR/BX

SKU	Noise Reduction
247-340-4004	25 dB



3M™ Foam Earplugs

Features:
- Smooth, dirt resistant surface for hygiene.
- Tapered shape to fit the ear canal comfortably.
- Hypo-allergenic material.
- Comfortable for a wide range of ear sizes.

SKU	Packing Type	Quantity
142-1110	Poly Bag	100 pair per box
142-1100	Box	200 pair per box

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



3M™ No-Touch™ Push-to-Fit Earplugs P2001

Features:
- Soft purple foam fused with LiveWire stem for easy insertion and ultimate comfort.
- Tapered shape for easy insertion and canal hugging seal.
- Better hygiene - eliminates foam contact with fingers.


SKU	Noise Reduction
247-P2001	29 dB



3M™ Tri-Flange™ Earplugs

Features:
- Flexible flanges conform to the ear canal for custom fit.
- Pliable, premolded material ensures clean and comfortable hearing.
- Stem provides quick and clean insertion/removal.

SKU	Type
247-P3000	Corded
247-P3001	Cloth Cord



3M™ AirSoft® Reusable Earplugs

Features:
- Advanced air pocket design features internal noise-blocking fins.
- Rounded flanges, tapered shape fits better in the ear canal.
- Firm stem facilitates easy insertion and removal.
- Four-flange profile creates better seal in the ear canal.
- Less pressure in the ear canal eliminates that "plugged up" feeling.

SKU	Color
154-DPAS-30R	Blue/Red Cord
154-DPAS-30W	Blue/White Cord



Fusion® Multiple-Use Earplugs

Features:
- FlexiFirm® stem is easy to grasp, ensuring easy insertion into the ear canal.
- SoftFlange™ creates comfortable seal in the ear canal for superior comfort and protection.
- Unique detachable nylon cord system adapts to virtually any application.

Quantity: 100 pair per box

SKU	Color	Packing Type
154-FUS30-HP	Blue/Yellow	HearPack®
154-FUS30S-HP	Green	Flip-Top Box



Laser Lite® Disposable Earplugs

Features:
- Vibrant colors make protection visible.
- Self-adjusting polyurethane foam expands to fit virtually every wearer.
- Contoured T-shape for easy insertion and wear.
- Smooth, soil-resistant closed cell-foam skin prevents dirt build-up.

SKU	Type	Packing Type	Quantity
154-LL-30	Corded	Plastic Bag	100 PR/BX
154-LL-1	Uncorded	Plastic Bag	200 PR/BX
154-LL-1-D	Uncorded	Dispenser Box	500 PR/BX

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



Laser Trak® Detectable Earplugs

Features:
- Non-ferrous metal grommet and bright colors – easily detected by visual and automated inspection.
- Self-adjusting polyurethane foam expands to fit virtually any wearer.
- Contoured T-shape for easy insertion and wear.

Packing Type: Poly Bag
Quantity: 100 pair per box

SKU	Noise Reduction
154-LT-30	32 dB



MAXIMUM Disposable Earplugs

Features:
- Contoured design easier to insert, resists tendency to back out of ear canal.
- Polyurethane foam enhances comfort, especially for long-term wear.
- Smooth, soil-resistant closed cell-foam skin prevents dirt build-up.
- Bell shape delivers maximum in-ear comfort.
- Also available in small size.

SKU	Type	Packing Type	Quantity
154-MAX-30	Corded	Plastic Bag	100 PR/BX
154-MAX-1	Uncorded	Plastic Bag	200 PR/BX
154-MAX-1-D	Uncorded	Dispenser Box	500 PR/BX



MAXIMUM LITE Disposable Earplugs

Features:
- Low pressure polyurethane foam expands gently for comfortable long-term wear.
- Contoured T-shape for easy insertion and wear.
- Smooth, soil-resistant closed cell-foam skin prevents dirt build-up.

SKU	Type	Packing Type	Quantity
154-LPF-30	Corded	Poly Bag	100 PR/BX
154-LPF-1	Uncorded	Poly Bag	200 PR/BX
154-LPF-1-D	Uncorded	Box	500 PR/BX



QB1®HYG Banded Earplugs

Features:
- Designed for people who are exposed to intermittent noise, QB1HYG offers superior protection with its inner-aural fit.
- Smooth, ergonomic pods fit inside the ear canal for maximum protection, while the patented band design prevents ear pods from touching dirty or contaminated surfaces when set down.

SKU	Noise Reduction
154-QB1HYG	27 dB



Quiet® Reusable Earplugs

Features:
- Patented "no-roll" design is easy to handle and fit.
- Contoured shape comfortably matches contours of the ear canal.
- Built-in insertion stem makes insertion quick and easy.
- Smooth, non-irritating skin provides all-day comfort, easy to clean for long-term use.

Quantity: 100 pair per box

SKU	Type
154-QD1	Uncorded
154-QD30	Corded



SmartFit® Detectable Earplugs

Features:
- Conforming Material Technology™ adapts to the shape of the surrounding ear canal when in your ear, and returns the earplug to its original shape when removed.
- Simplifies inventory control - a single product can fit almost every wearer.
- Blue color provides high visibility in detection.
- Metal ring on stem detectable by automated equipment.

Quantity: 100 pair per box

SKU	Noise Reduction
154-SDT-30	25 dB

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

HOWARD LEIGHT BY PIP



SmartFit® Reusable Earplugs

Features:
- Conforming Material Technology™ adapts to the shape of the surrounding ear canal when in your ear, and returns the earplug to its original shape when removed.
- Delivers superior comfort and a truly individual fit.
- Simplifies inventory control - a single product can fit almost every wearer.

Packing Type: HearPack®
Quantity: 100 pair per box

SKU	Noise Reduction
154-SMF-30	25 dB

JACKSON SAFETY



H10 Metal Detectable Disposable Earplugs - Corded

Features:
- Provides protection, comfort and reliable performance.
- Features metal embedded in the earplug for quick detection.
- Earplugs easily fit into the ear canal like standard earplugs providing a secure fit.
- Suitable for extended wear with other safety gear in many manufacturing and processing environments.

Quantity: 100 PR/BX

SKU	Noise Reduction
138-13821	31 dB

JACKSON SAFETY



H20 Metal Detectable Reusable Earplugs - Corded

Features:
- Provides protection, comfort and reliable performance.
- Features metal embedded in the earplug for easy detection.
- Three soft flanges are designed to conform to ear canal.
- Washable and reusable.

Quantity: 100 pair per box

SKU	Noise Reduction
138-13822	26 dB

MOLDEX



Glide® Foam No Roll Twist-In Earplugs

Features:
- Unique multi-curved stem rotates for a custom fit.
- Large handle on curved stem for easy insertion and removal.
- No roll down design is perfect for workers with dirty hands or wearing gloves.
- Cord can be attached at any desired length.
- Large soft foam pod for a comfortable, snug seal.
- 100% PVC-free.

Quantity: 100 EA/BX

SKU	Noise Reduction
507-6945	30 dB

© 2026

MOLDEX



Meteors™ Disposable Earplugs

Features:
- Soft, slow recovery foam and contoured shape molds easily to the ear canal for all day comfort.
- The contours follow the shape of the ear canal which means less pressure at the smallest diameter of the ear canal.
- Innovative undercut design affords a secure fit, all day long.
- 100% PVC-free.

Quantity: 200 PR/BX

SKU	Noise Reduction
507-6870	33 dB



Pura-Fit® Foam Earplugs

Features:
- Long length for easy fitting and removal.
- Bright color for easy compliance checks.
- Tapered design to fit the ear canal.
- Non-irritating, smooth surface for added comfort.

SKU	Type	Quantity
507-6900	Corded	100 PR/BX
507-6800	Uncorded	200 PR/BX



Rockets® Reusable Earplugs

Features:
- Easy grip handle.
- Air bubble in the tip provides cushioned comfort.
- Easy insertion in any size ear canal.
- Pocket-Pak® carrying case for plug storage, slips easily into pocket.

Quantity: 50 pair per box

SKU	Noise Reduction
507-6405	27 dB


MOLDEX



SparkPlugs® Foam Earplugs

Features:
- Extra soft foam and tapered design fit snugly and comfortable in the ear.
- Bright, fun colors provide easy compliance checks.

SKU	Type	Quantity
507-6654	Corded	100 PR/BX
507-6604	Uncorded	200 PR/BX



SparkPlugs® Metal Detectable Foam Earplugs

Features:
- Bright, fun colors provide easy compliance checks.
- Metal detectable for food processing applications.
- The ball bearing and cord are in separate holes so that the ear plugs remain detectable even if the cord is removed.
- The ear plugs are corded to prevent ear plug loss.
- Their tapered shape fits easily in the ear canal, and seals gently and snugly without pressure.

Quantity: 100 pair per box

SKU	Noise Reduction
507-6615	33 dB

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Lens Cleaning Towelette Dispensers

Features:

- Pre-moistened with C-Clear Anti-Fog, Anti-Static formula for use on plastic, polycarbonate and glass lenses.
- Strategic placement of towelette dispensers throughout a facility will promote proper lens cleaning habits and extend the life of prescription and non-prescription eyewear.
- Contains no silicone.
- Safe and effective with all lens coatings including Anti-Reflective Coating.
- Also good for use on goggles, face shields, CRT screens and microscopes.

Width: 5 in

SKU	Includes	Length
101-70-AB	100 Packaged Towelettes	8 in



Fog Eliminator Plus

Features:

- Uvex® Fog Eliminator Plus now delivers 8 hours of anti-fog protection based on an extreme environment effectiveness (EEE) test at 122° F and 80% humidity for one hour.
- Fog Eliminator Plus Cloth and Gel on AF coating represents a minimum ~60X extension of the fog free time vs.
- AF coating alone.

Width: 5.25 in

SKU	Length
763-S479	2.25 in



Spec Saver® Towelettes

Features:

- Premoistened towelettes are safe to use on plastic, polycarbonate and glass lenses.
- Safe and effective with all types of lens coatings.
- Ideal for glasses, goggles, face shields, and computer screens.
- Anti-fog, anti-static formula; contains no silicone.
- Individual use packets are easy to carry.

Width: 8-1/2 in

SKU	Includes	Length
135-LCT	100 Individually Wrapped Wipes	5 in



VisionAid™ Slip-On Sideshields

Features:

- These flexible sideshields are engineered to fit all types of eyewear including prescription glasses.
- Dust and nuisance protection.
- Easy-on, easy-off.

Width: 2 in

SKU
292-99705

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

Safety Glasses



3M™ SecureFit™ 400 Series Protective Eyewear

Features:
- Soft, adjustable nosepads for personalization.
- Proprietary self-adjusting 3M™ pressure diffusion temple technology.
- Dual-injected, padded temple touchpoints for added comfort over the ears.
- Motion-inspired, contoured piping in a bold, modern color palette for an infusion of style.

Lens Coating/Shade: Anti-Scratch; Scotchgard™ Anti-Fog
Resistance: 99.9% UV Protection; Fog; Scratch

SKU
247-SF401AF



3M™ SecureFit™ 500 Series Protective Eyewear

Features:
- Innovative temple design features slotted ribs that provide comfortable pressure equalization, allowing the temples to flex and self-adjust to the size of the wearer's head.
- Curved temples apply pressure to the less sensitive back of the head, instead of the temples, achieving a comfortable fit even during rapid head movement.
- Sporty design with contemporary lens shape and a sleek profile.
- Adjustable ratchet temples allow user to adjust the lens for facial features and eyeglass position.
- SecureFit's flat and flexible temple design combines well with 3M™ Protective Earmuffs.

Lens Coating/Shade: Anti-scratch;Anti-fog
Resistance: 99.9% UV Protection

SKU
247-SF501AF-BLK



3M™ Virtua™ CCS Protective Eyewear

Features:
- Comfortable, lightweight frame features the Virtua™ Cord Control System (CCS) with an optional foam gasket attachment.
- Designed to keep a corded earplug attached, untangled, and ready-for-use.
- Foam gasket helps limit eye exposure to nuisance dust while providing additional cushioning.
- Readers available.

Lens Coating/Shade: Anti-Fog

SKU
247-11872-00000-20



3M™ Virtua™ Protective Eyewear

Features:
- Contoured flexible temples for comfortable fit.
- Lightweight as it's less than 1 oz.
- Sleek styling with both men and women.

Test & Approvals: Meets ANSI Z87.1-2003
Lens Material: Polycarbonate
Resistance: Scratch; UV

SKU	Frame Color	Temple Color	Lens Tint	Lens Coating/ Shade
247-11326-00000-20	Clear	Clear	Clear	Hard Coat
247-11327-00000-20	Gray	Gray	Gray	Hard Coat
247-11329-00000-20	Clear	Clear	Clear	Anti-Fog

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Clear Frameless Safety Glasses

Features:
- These clear frameless safety glasses are scratch resistant.
- Good for everyday use or a visitor spec.
- Lightweight glasses that are good for long term wear.

SKU	Quantity
101-VSC110	24 pairs/Dispenser Box



Rush+ Series Safety Glasses

Features:
- Features high impact 2.2 mm polycarbonate lens.
- High-contour, single-piece lens with 180° distortion-free viewing.
- Provides upper brow protection.
- Platinum® anti-fog/anti-scratch coating on both sides.
- Optimal fit and comfort with non-pressure co-molded temples.
- Anti-slip silicone nose pads.

Lens Coating/Shade: Platinum® Anti-Fog and Anti-Scratch

SKU	Frame Color	Temple Color	Lens Tint
286-40208	Black	Gray/Red	Gray
286-41080	Black/Red	Gray/Red	Clear
286-40256	Green/Blue	Blue	Clear



MX300 Anti-Fog Safety Glasses

Features:
- LTX® Lens Technology for premium optical clarity.
- Dual-injection soft-grip side arms for slip-free, stable fit.
- Soft nose piece for comfortable yet durable fit.

Resistance: Scratch

SKU
572-11-13001-02



VS250 Anti-Fog Safety Glasses

Features:
- Soft, non-slip, adaptive side arms for optimum comfort.
- Extra soft, adjustable nose piece provides a comfortable and customized fit.
- LTX® Lens Technology for premium optical clarity.

SKU	Lens Coating/Shade
572-11-15002-05	TruShield®2SF
572-11-15001-04	TruShield®S



A800 Series Safety Glasses

Features:
- Soft padded inserts run down the length of the temple.
- Soft nosepiece for added comfort.

Lens Material: Polycarbonate

SKU	Lens Coating/Shade	Resistance
812-A800	Hard Coat	Scratch
812-A805	Fog-Ban® Anti-Fog	Fog; Impact



Astrospec OTG® 3001 Eyewear

Features:
- Contemporary, lightweight unilens offers panoramic vision.
- Easy and economical lens replacement system.

Lens Material: Polycarbonate

SKU	Lens Coating/Shade	Resistance
763-S2500	Anti-Scratch; Hard Coat	Scratch
763-S2500C	Anti-Fog	Fog

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



Hypershock™ Safety Eyewear

Features:

- The ultimate combination of high-performance protection and aggressive sport-inspired styling.
- Design offers high impact protection, with streamlined padded temples and a molded nosepiece for a secure, comfortable fit.
- Lightweight, wraparound frame is engineered to fit a wide range of workers, providing increased coverage, side protection, and superior peripheral vision.
- 100% dielectric, can be worn in environments where accidental exposure to electrical charge is possible.
- Available with HydroShield® and Uvextreme Plus® anti-fog (AF) lens coating for superior, long-lasting fog free vision.
- Also offered with scratch-resistant hardcoat lens coating for long-lasting protection from scuffing, scratching, and a variety of chemicals.

SKU	Lens Tint	Lens Coating/ Shade	Resistance
763-S2945	Blue Mirror	Hardcoat	Scratch
763-S2949	Espresso Polarized	Hardcoat	Scratch
763-S2941HS	Gray	HydroShield™ AF	Fog



Protégé Eyewear

Features:

- Proprietary Floating Lens™ design offers increased flexibility for better fit.
- Secure wrap-around brow expands to fit a wide range of users.
- Soft temple tip pads.
- Soft and clear nose pads prevent slipping.
- Available in HydroShield® Anti-Fog and Ultradura® Anti-Scratch Hardcoat coatings.

SKU	Lens Coating/Shade	Resistance
763-S4200HS	HydroShield™ Anti-Fog	Fog
763-S4200-H5	Ultradura® Anti-Scratch Hardcoat	Scratch



Uvex Genesis® Safety Eyewear

Features:

- Dual 9-base wraparound lens provides uncompromised peripheral vision and protection.
- Soft flexible fingers adjust and conform to any nasal profile and minimize slippage.
- Soft elastomer brow guard diffuses and deflects impact.
- Available in a wide range of lens tints to address the needs of virtually any work environment.

SKU	Lens Coating/Shade	Resistance
763-S3200HS	HydroShield™ Anti-Fog	Fog
763-S3200	Ultra-dura® HC	Scratch



SG Series Safety Glasses

Features:

- Frames are lightweight for added comfort and ultra-flexible for a near custom fit.
- Specially formulated ultra-strong material offers unmatched durability and toughness.
- Comes complete with a convenient neck cord to prevent loss.
- Wraparound style lenses extend eye protection to the periphery.
- Choose SG Infrared to safeguard workers from welders flash (50008, 50010).
- Select SG Readers for those who need reading glasses and impact protection at one time (50040, 50041, 50042).

SKU	Frame Color	Temple Color	Lens Tint	Lens Coating/Shade
138-50015	Camo	Camo	Smoke	Hardcoat Anti-Scratch
138-50008	Black	Black	IR 3.0	Hardcoat Anti-Scratch
138-50007	Black	Black	Smoke Mirror	Sta-Clear™ Anti-Fog
138-50010	Black	Black	IR 5.0	Hardcoat Anti-Scratch
138-50000	Black	Black	Clear	Hardcoat Anti-Scratch
138-50006	Black	Black	Smoke Mirror	Hardcoat Anti-Scratch
138-50004	Black	Black	Indoor/ Outdoor	Hardcoat Anti-Scratch
138-50001	Black	Black	Clear	Sta-Clear™ Anti-Fog

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

KLEENGUARD™



V10 Element™ Safety Glasses

Features:

- Metal-free design with screw-less hinges.
- Polycarbonate lenses provide 99.9% UVA/ UVB/UVC protection.
- Element safety glasses feature a 10 base curve and are TAA compliant.

SKU
412-25627



V30 Nemesis™ CSA Safety Glasses

Features:

- Stylish comfort, lasting protection with a sporty, flexible, lightweight design.
- Wraparound frame has a base curve of 8.25 that extends the range of peripheral protection, as well as soft touch temples for comfort.
- Patented FLEX-DRY* nose piece designed for comfort with enhanced flexibility and integrated ridges to channel sweat away from the eyes, and help prevent slippage down the nose.
- Polycarbonate lenses provide 99.9% UVA/UVB/UVC protection.

SKU	Lens Tint	Lens Coating/Shade
412-20378	Clear	Uncoated
412-20380	Smoke Mirror	Uncoated



V30 Nemesis™ Polarized Safety Glasses

Features:

- Polycarbonate lenses provide 99.9% UVA/UVB/UVC protection.
- Wraparound frame has a base curve of 8 that extend the range of peripheral protection, as well as soft touch temples for comfort.
- Resistant to surface damage by fine particles, features superior anti-scratch performance.
- Includes neck cord for securing them, so that the glasses are ready to protect at a moment's notice.

SKU	Frame Color	Temple Color	Lens Tint
412-28635	Gunmetal	Gunmetal	Smoke
412-28637	Brown	Brown	Brown

KLEENGUARD™



V30 Nemesis™ Safety Glasses

Features:

- Safety glasses feature a sporty, flexible, lightweight design.
- Wraparound frame has a base curve of 8 that extends the range of peripheral protection, as well as soft touch temples for comfort.
- Patented FLEX-DRY* nose piece designed to be extremely flexible, to channel sweat away from the eyes, and to help prevent slippage down the nose for long-term comfort.
- Polycarbonate lenses provide 99.9% UVA/UVB/UVC protection.
- Includes neck cord for securing them, so that the glasses are ready to protect at a moment's notice.

SKU	Frame Color	Temple Color	Lens Tint	Lens Coating/Shade
412-47383	Silver	Black	Smoke	Anti-Fog
412-47388	Silver	Black	Clear	Anti-Fog
412-47387	Metallic Blue	Black	Smoke	Anti-Fog
412-47384	Metallic Blue	Black	Clear	Anti-Fog
412-19644	Camouflage	Camouflage	Bronze	Uncoated
412-22608	Camouflage	Camouflage	Clear	Anti-Fog
412-22609	Camouflage	Camouflage	Smoke	Anti-Fog
412-22610	Camouflage	Camouflage	Amber	Anti-Fog
412-47378	Red	Red	Clear	Anti-Fog
412-22611	Red	Red	Smoke	Anti-Fog
412-19639	Blue	Black	Light Blue	Uncoated
412-19642	Black	Black	Copper Blue Shield	Uncoated
412-22475	Black	Black	Smoke	Anti-Fog
412-22476	Black	Black	Amber	Anti-Fog
412-14481	Black	Black	Blue Mirror	Mirror
412-25659	Black	Black	Amber	Uncoated
412-25671	Black	Black	IRUV Shade 5	Uncoated; IRUV Shade 5
412-25676	Black	Black	Clear	Uncoated
412-25679	Black	Black	Clear	Anti-Fog
412-25685	Black	Black	Indoor/ Outdoor	Uncoated
412-25688	Black	Black	Smoke Mirror	Mirror
412-25692	Black	Black	IRUV Shade 3	Uncoated; IRUV Shade 3
412-38474	Black	Black	Clear	Uncoated
412-38476	Black	Black	Smoke	Uncoated

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

KLEENGUARD™



V30 Nemesis™ VL Safety Glasses

Features:

- No-brow design increases upwards peripheral vision and limits interference with hard hat suspension systems.
- Wraparound frame has a base curve of 8.25 that extends the range of peripheral protection, as well as soft touch temples for comfort.
- Polycarbonate lenses provide 99.9% UVA/UVB/UVC protection.
- Includes neck cord for securing them, so that the glasses are ready to protect at a moment's notice.

SKU	Lens Tint	Lens Coating/Shade
412-20470	Clear	Uncoated
412-20471	Blue Mirror	Anti-Fog
412-25704	Smoke	Uncoated
412-29111	Clear	Anti-Fog
412-29112	Indoor/Outdoor	Uncoated



V40 Hellraiser™ Safety Glasses

Features:

- Comfortable eye protection helps drive compliance, so these feature flex point temples for comfort and stability.
- Use them for men and women in a variety of work environments.
- Features single-lens wraparound protection that's designed for use at work or home.
- High-performance, durable polycarbonate lenses, which provide 99.9% UV protection (UVA/UVB/UVC).

SKU	Lens Tint
412-20539	Clear
412-25714	Smoke



V50 OTG Safety Glasses

Features:

- Made with a nylon frame for strength, durability, and comfort and fits over most prescription glasses.
- See-through side shields provide side impact protection without blocking peripheral vision.
- Provides 99.9% UV protection (UVA/UVB/UVC).

SKU
412-21917

KLEENGUARD™



V60 30-06 Rx Readers Prescription Safety Glasses

Features:

- Stylish nylon frames, hard coated lenses and self-adjusting rubber nose pad for comfort and fit.
- Both men and women will find these stylish glasses to be comfortable and functional for both vision correction and eye protection.
- Polycarbonate lenses provide 99.9% UVA/ UVB/UVC protection.
- Available in a variety of lens and frame colors and prescription strengths.

Diopter Strength: +1.5

SKU
412-19878



V60 Nemesis™ Rx Readers Prescription Safety Glasses

Features:

- Features a sporty, flexible, lightweight design.
- Wraparound frame has a base curve of 8 that extends the range of peripheral protection, as well as soft touch temples for comfort.
- Corrective lenses are hard coated for scratch resistance and longer life.
- Patented FLEX-DRY* nose piece designed to be extremely flexible, to channel sweat away from the eyes, and to help prevent slippage down the nose for long-term comfort.
- Polycarbonate lenses provide 99.9% UVA/UVB/UVC protection.
- Includes neck cord for securing them, so that the glasses are ready to protect at a moment's notice.

SKU	Lens Tint	Diopter Strength
412-22518	Smoke	+2.0
412-22519	Smoke	+2.5
412-28621	Clear	+1.5
412-28624	Clear	+2.0
412-28630	Clear	+3.0

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



BearKat® BK1 Series Safety Glasses

Features:

- The BearKat® BK1's super well thought-out construction combines the best in safety, comfort, and affordability.
- Your vision is unobstructed by the one-piece wraparound lens, which by its tight fit allows you maximum safety.
- Comfort is enhanced by the flexible temples and the non-slip temple sleeves are notched for a clip-on breakaway cord.

SKU	Lens Tint	Lens Coating/Shade	Resistance
135-BK110	Clear	Duramass® Scratch-Resistant	Scratch
135-BK110AF	Clear	Anti-Fog; Duramass® Scratch-Resistant	Anti-Fog; Scratch
135-BK112	Gray	Duramass® Scratch-Resistant	Scratch
135-BK117	Silver Mirror	Duramass® Scratch-Resistant	Scratch
135-BK118	Blue Mirror	Duramass® Scratch-Resistant	Scratch



Checklite® CL1 Frameless Safety Glasses

Features:

- Rugged polycarbonate lens.
- Filters 99.9% of harmful UV rays.
- Smaller frame sized to fit smaller faces.
- Good for everyday use or a new visitor spec.
- Options available with Duramass® scratch resistant coating or UV-AF® anti-fog coating.

SKU	Temple Color	Lens Tint	Lens Material	Lens Coating/Shade
135-CL010	Clear Polycarbonate	Clear	Polycarbonate	Uncoated
135-CL110	Clear Polycarbonate	Clear	Polycarbonate Lens with Nose Piece	Duramass® Hard Coat
135-CL112AF	Smoke Polycarbonate	Gray	Polycarbonate Lens with Nose Piece	UV-AF® Anti-Fog
135-CL114	Amber Polycarbonate	Amber	Polycarbonate Lens with Nose Piece	Duramass® Hard Coat
135-CL117	Smoke Polycarbonate	Silver Mirror	Polycarbonate Lens with Nose Piece	Duramass® Hard Coat
135-CL118	Smoke Polycarbonate	Blue Mirror	Polycarbonate Lens with Nose Piece	Duramass® Hard Coat



Klondike® KD1 Series Protective Eyewear

Features:

- Adjustable temple length.
- Full orbital seal with dual lens design.
- Soft, secure TPR nose pad.

SKU	Lens Tint
135-KD110	Clear
135-KD117	Silver Mirror



Law® OTG Protective Eyewear

Features:

- Durable nylon frame with 5 position ratcheting temple design for optimum fit.
- Non slip TPR temples for comfort and grip.
- Over the glass designed to fit over prescription eyewear.

Lens Coating/Shade: UV-AF® Anti-Fog

SKU
135-OG110AF



Adapt Safety Glasses

Features:

- Anti-fog coating keeps vision clear with or without a mask.
- Soft flexible flange helps protect against flying particles.
- Reduced lens dimensions for added space in the nose bridge area, allowing for a comfortable fit with a respirator.

SKU	Lens Tint	Lens Coating/Shade	Frame Color
507-5001S-1	Smoke	AF-1 Anti-Fog	Gray
507-5002C-2	Clear	Two Sided NK-100 Anti-Fog	Blue/White
507-5002M-1	Clear	Two Sided NK-100 Anti-Fog; Indoor/Outdoor	Gray
507-5002C-1	Clear	Two Sided NK-100 Anti-Fog	Gray
507-5002S-1	Smoke	Two Sided MK-100 Anti-Fog	Gray
507-5002A-1	Amber	Two Sided NK-100 Anti-Fog	Gray

© 2026

sellstrom.



X35 Series Flip Up Protective Eyewear Safety Glasses

Features:

- These X35 Safety Glasses feature a clean lens, flip-up shade 5 lens, and black frame, sold with 12 per box.
- The polycarbonate frame has temple arms molded with side shields for maximum protection.
- Unique spring loaded flip-up window has a hard coated Shade 5 IR lens; Ideal for light cutting, grinding, brazing operations.

SKU	Lens Coating/Shade
851-S72903	Hard Coating; Shade 3
851-S72905	Hard Coating; Shade 5

Smith & Wesson®



Elite® Safety Glasses

Features:

- Designed to be both stylish and comfortable.
- Dual lens offer wrap-around protection, and the wide temple provides structural integrity and stability.
- Lightweight and feature a retro design that provides a stylish fashion statement.
- Provides 99.9% UV protection (UVA/UVB/UVC).
- Includes a Smith & Wesson® branded microfiber carry bag that doubles as a cleaning cloth.

SKU	Lens Tint	Lens Coating/Shade
412-21302	Clear	Anti-Fog
412-21303	Smoke	Uncoated



Equalizer Safety Glasses

Features:

- Stylized frames feature sport-grip temples to help reduce slippage.
- Dual lenses offer wraparound protection.
- Polycarbonate lenses provide 99.9% UVA/UVB/UVC protection.
- Includes Smith & Wesson® branded microfiber carry pouch that doubles as a cleaning cloth.

SKU
412-21297

Smith & Wesson®



Magnum® 3G Safety Glasses

Features:

- Features a self-adjusting nose pad with rubber fingers, which allows air flow and sweat to dissipate.
- Ergonomically dimensioned three-point extendable temples so you can adjust to fit.
- Cut-to-shape lens provides less distortion around the edges.
- Polycarbonate lenses that provide 99.9% UVA/UVB/UVC protection.
- Popular for use as shooting range glasses, gun glasses, gun range glasses, or gun safety glasses.

SKU
412-19799

Safety Goggles

BEST WELDS®



Soft-Sided Goggle

Features:

- Soft frame fits snugly and comfortably over face and Rx glasses.
- Hooded vents offer maximum fog-free protection.
- Accommodates magnifier plate.
- Complete with shade 5 lens.

SKU
901-WG-2414SLF

UVEX® BY PIP



Flex Seal™ Goggles

Features:

- Lightweight, silicone body conforms to assure the highest level of comfort and eye protection.
- Cured silicone body stays soft and supple in extreme temperatures.
- Pivoting clips permit the wearer to position the goggle on a hard hat or position the headband above the ears.
- Fits over most prescription eyewear.

SKU
763-S3400HS

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

UVEX BY PIP



Stealth® Goggles

Features:
- Futuristic, low profile design for chemical splash and impact.
- Toric lens provides superior optics and peripheral vision.
- Prescription insert available.

Lens Coating/Shade: HydroShield® Anti-Fog

SKU	Frame Color
763-S3960HS	Gray
763-S39610HS	Teal



Stealth® OTG Goggles

Features:
- Low profile, wrap-around design fits comfortably over most prescription eyewear.
- Pivoting headband clip and wide adjustable slide headband provides flexibility and all-day comfort.
- Easy lens replacement system.

Lens Coating/Shade: Uvextreme Anti-fog; Ultra-dura Anti-scratch

SKU
763-S3970HS



Uvex Sub-Zero™ Goggles

Features:
- Top and bottom ventilation help create airflow to further minimize fogging.
- Soft face foam and a wide adjustable headband provide a comfortable fit.
- Ski-inspired styling for cold and extreme weather conditions.
- Easy and economical lens replacement system.
- Not for chemical splash.

Lens Coating/Shade: HydroShield® Anti-Fog

SKU
763-S2380

JACKSON SAFETY



GPL500 Series Premium Goggles with Detachable Face Shield

Features:
- Ultra-soft body design conforms to your face for superior comfort, fit and safety.
- Made with indirect vents for added protection from dust and chemical splash.
- Optically correct lens delivers and exceptional panoramic view.
- Extra-wide flame retardant strap is swivel mounted to goggle for easy positioning.
- Special anti-fog coating guarantees a safe and fog-free working environment.

Lens Coating/Shade: Anti-Fog

SKU	Frame Color	Lens Tint
138-21000	Blue	Clear
138-21002	Green	Shade 5

KLEENGUARD™



V80 Wildcat™ Goggles

Features:
- Extreme heat resistance, will not melt, drip, ignite at 350°.
- Adjustable side vents help increase airflow.
- Fits naturally to the contour of your face.
- Lightweight and comfortable with a pivot headband for optimal placement.
- Metal-free design to minimize electrical transference risk.

SKU	Lens Tint
412-20529	IRUV Shade 5.0

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

KLEENGUARD™



V90 Shields with Monogoggle™ XTR OTG Goggles

Features:

- The shield features the Monogoggle™ XTR OTG goggles, so there is no need to wear primary eye protection, like with other face shields.
- It's like having two products in one, since the face shield mask detaches from the splash goggles.
- Provides eye and full face protection from liquids and particles without the hassle of primary eye protection underneath a face shield mask.
- The shield has a D3 rating for droplet and splash protection.
- The goggles portion has a soft, pliable frame that conforms to the face for comfort, a cylindrical lens for increased visibility, indirect ventilation, and fit over most prescription glasses.
- The face shield mask is curved to conform to the shape of face for added protection and includes an adjustable strap.
- Polycarbonate lenses provide 99.9% UVA/UVB/UVC protection.
- Replacement goggle lenses available (30707, 30708).

SKU	Frame Color	Lens Tint
412-18629	Blue	Clear
412-18633	Black	IRUV Shade 5.0

UVEX® BY PIP



Stealth® Replacement Lenses with HydroShield™

Features:

- Provides up to 60X longer-lasting fog-free performance, even after extended wear and repeated cleanings.
- Provides 2X greater scratch-resistance than competitive anti-fog coated products.
- Keeps lenses clear by first absorbing and then repelling moisture to the sides of the lens once a saturation point has been reached.
- Coating is permanently bonded to the lens.
- Also provides 99.9% UV protection.
- Save money by replacing just the lens, not the entire unit.

SKU	Lens Coating/Shade
763-S700HS	Anti-Scratch; Anti-Fog

HAND PROTECTION

Glove Parts & Accessories

Tenacious ergodyne Work Gear



Squids® 3400 Glove Clip Holder with Dual Clips

Features:

- Holds face masks, gloves, mittens, keys, PPE, towels and more keeping them at the ready.
- Dual clip model connects to clothing, belt loops, tool belts, D-rings, and more.
- Safely separates and allows for individual clips to be used independently on key chains, D-rings, and more.
- Reduces injuries and prevents dropped, lost and foreign objects by keeping gloves, PPE, and other gear clipped to the person or worksite.

SKU	Color
150-19113	Red
150-19112	Black
150-19117	Blue
150-19118	Hi-Viz Orange
150-19119	Hi-Viz Lime Green



Squids® 3405 Glove Clip Holders

Features:

- The patented Squids® 3405 Glove Clip Holder with Belt Clip keeps your face masks, gloves, ice traction, cooling towels, keys and whatever else always seems to mysteriously disappear close at hand.
- This slot mounted glove clip keeps items at your side by clipping onto your belt or harness.
- The patented design has a breakaway feature that allows the glove grabber to safely break away in an emergency and avoid tangles.

SKU
150-19122

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



23-173 PVC-Coated Gloves

Features:

- Versatile heavy-duty work gloves.
- Provides warm, dry hand protection in cold conditions.
- Offers outstanding grip for handling heavy objects.
- Protects users against cold temperatures while resisting abrasion, water, oil, and grease.
- Previously known as Winter Monkey Grip®.

SKU	Size Group	Lining
012-23-173-10	10	Cotton Jersey



23-193 PVC-Coated Gloves

Features:

- Cold-resistant heavy-duty gloves.
- Foam insulation means these comfortable industrial gloves keep hands warm and dry.
- Curved fingers, wing thumb and jersey lining for comfort and usability.
- Repels water, oil and grease, while remaining soft and flexible at low temperatures and enhancing abrasion resistance and grip performance.
- Previously known as Winter Monkey Grip®.

SKU	Size Group	Lining
012-23-193-10	10	Cotton Jersey



27-805 Nitrile-Coated Gloves

Features:

- Heavy-duty nitrile-coated gloves with a jersey liner.
- Unique nitrile formulation provides tough, hardy abrasion resistance.
- Silicone-free, making them excellent for applications involving metals or automotive manufacture.

SKU	Size Group	Lining
012-27-805-10	10	Cotton Jersey



38-001 Chemical-Resistant Butyl Gloves

Features:

- Butyl gloves offer superior protection against highly aggressive chemicals, including aldehydes, ketones, esters and concentrated mineral acids.
- Designed for comfort and features a unique butyl formulation to facilitate a soft feel, protecting hands while facilitating donning and doffing.
- Ultra-soft butyl formulation maximizes flexibility and dexterity.
- Features a raised diamond pattern, enhancing grip and ensuring safer handling.

SKU	Size Group
012-38001PP-100	10
012-38001PP-110	11

© 2026

Ansell



AlphaTec® 08-352 Neoprene Coated Gloves

Features:

- Cushions the hand, absorbs perspiration and prevents chafing.
- Excellent wet grip and exceptional flexibility.
- Easier to manipulate, less tiring to the hand, incorporating easy donning and removal.
- Neoprene coating for a wide range of chemical protection.
- Textured finish for better grip on wet and slippery materials.
- Previously known as Scorpio™ 08-352.

SKU	Size Group
012-8-352-9	9
012-8-352-10	10



AlphaTec® 58-530B/58-535B Gloves

Features:

- ANSELL GRIP™ Technology reduces the force needed to grip wet or oily parts.
- Lightweight 7-gauge design offers greater dexterity and flexibility.
- Black acrylic inner liner improves comfort and facilitates outdoor application.
- Bonded construction, with a coating polymer, that doesn't penetrate the liner in manufacture, preventing liquid and chemical leakage.
- Choose from 12-inch cuff length (58-530B) or 14-inch cuff length (58-535B).

SKU	Size Group	Lining
012-58-530B-100	10	Knit Acrylic

Ansell



EDGE® Gloves

Features:

- Premium natural rubber latex gloves with crinkle coating.
- Abrasion and tear resistant.
- Soft jersey knit lining for comfort and flexibility.
- Premium coating with crinkle finish delivers long service life as well as cut protection.
- Previously known as Golden Grab-It®.

SKU	Size Group	Lining
012-16-347-10	10	Cotton Jersey

HyFlex®



11-600 Palm-Coated Gloves

Features:

- Designed for light and delicate applications in dry environments that require high levels of dexterity.
- Offers comfortable and exact handling of small objects.
- Light-duty, multi-purpose, industrial gloves.
- Available in black or white.

SKU	Size Group	Color
012-11-600-6-BK	6	Black
012-11-600-7-BK	7	Black
012-11-600-8-BK	8	Black
012-11-600-9-BK	9	Black
012-11-600-10-BK	10	Black
012-11-600-11-BK	11	Black
012-11-600-6-WH	6	White
012-11-600-7-WH	7	White
012-11-600-8-WH	8	White

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

HyFlex®



11-618 Polyurethane Palm Coated Gloves

Features:

- Extra thin Polyurethane (PU) coating delivers optimal tactile sensitivity and a second skin feel, ideal for delicate handling.
- Light 18-gauge liner grants them excellent dexterity, for ease of use and minimal strain.
- Dark nylon liner masks dirt and stains, for long-lasting wear.
- Dermatest® certification makes for dermatologically friendly personal protection.

SKU	Size Group	Lining
012-11-618-10	10	Nylon



11-735 Polyurethane Palm Coated Gloves

Features:

- Constructed with INTERCEPT™ Cut Resistance Technology.
- Polyurethane coating enhances grip and performance in dry or slightly oily conditions.
- Lightweight, plaited liner ensures a versatile blend of comfort, flexibility, and protection.
- Vend pack (VP) style available.

SKU	Size Group
012-11-735-6	6
012-11-735-7	7
012-11-735-8	8
012-11-735-10	10
012-11-735-11	11

HyFlex®



11-801 Nitrile Foam Palm Coated Gloves

Features:

- Nitrile coating enhances grip, making them ideal in dry and slightly oily environments.
- Darker liner helps extend wear life by masking dirt.
- ZONZ™ Comfort Fit Technology relieves tension and delivers a tailored feel.
- Dermatest®-approved for skin-friendliness, and benefit from an impurity-extracting proprietary washing process.
- Latex and silicone free.

SKU	Size Group
012-11-801-8	8
012-11-801-9	9
012-11-801-10	10



11-840 Nitrile Foam Palm Coated Gloves

Features:

- ERGOFORM™ Ergonomic Design Technology ensures a fit shaped to natural hand contours.
- ZONZ™ Comfort Fit Technology relieves tension, for optimal comfort.
- FORTIX™ Abrasion Resistance Technology delivers more grip and ensures ANSI/EN-compliant abrasion resistance.
- Benefit from Dermatest® certification and an impurity-extracting proprietary washing process.
- Oeko-Tex®-approved, certifying them free of substances harmful to human health.
- Latex and silicone free.

SKU	Size Group
012-11-840-9	9
012-11-840-10	10
012-11-840-11	11

© 2026

HyFlex



48-101 Coated Multi-Purpose Gloves

Features:

- Designed for comfortable light-duty handling.
- Ensures optimal dexterity, for ease of use in daily applications.
- Benefit from excellent tactile sensitivity, for precise handling in dry or slightly oily environments.

SKU	Size Group
012-48-101-9	9
012-48-101-10	10



Foam Nitrile Coated Gloves

Features:

- ZONZ™ Comfort Fit reduces strain.
- Dermatest®-certified.
- Latex and silicone free.
- Durable.

SKU	Size Group
012-11-800-8	8
012-11-800-9	9
012-11-800-10	10

MAPA PROFESSIONAL



Triple Polymer Gloves

Features:

- Tri-polymer blend in 8 mil, hand specific design provides optimum comfort, reduced hand fatigue, with durability and strength uncommon to latex gloves.
- Color band at rolled cuff edge identifies size and grips garment sleeve.
- Light bisque finish provides outstanding wet and dry grip.

SKU	Size Group
457-34513586	8.5
457-34513587	9

MCR SAFETY



Flex Tuff® Latex Dipped Gloves

Features:

- Latex dipped palm and finger tips improve grip and abrasion resistance.
- Textured palm dip for extra grip and durability.
- Flat dipped to reproduce the natural curved shape of the hand.
- As a result, workers benefit from less hand fatigue and greater productivity while performing detailed tasks to heavy duty jobs.
- Lining treated with Actifresh to reduce bacteria buildup.

SKU	Size Group	Lining
127-9680L	Large	Cotton/Polyester



Ninja® BNF Gloves

Features:

- Sturdy gloves made with a breathable nitrile foam (BNF) coating on palm and fingertips for added protection.
- Gloves provide great dexterity, flexibility, and protection.
- Ergonomic design minimizes hand fatigue.
- Gloves ensure excellent grip, wet or dry.

SKU	Size Group
127-N96793M	Medium
127-N96793L	Large
127-N96793XL	X-Large

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Ninja® Ice HPT® Fully Coated Insulated Work Gloves

Features:

- Features 15-gauge nylon shell with acrylic terry liner for insulation/warmth.
- At the same time, allows air to flow through which in turns keeps hands dry.
- Coating remains soft in temperatures as low as -4° F.
- Encapsulated air molecules provide a cushioning effect to minimize impact.
- HPT® (Hydropellent Technology®) coating provides a 360 anti-wet treatment that keeps the liquids away from the glove.
- Treated with ActiFresh® to help control bacteria and odor.

SKU	Size Group
127-N9690FCM	Medium
127-N9690FCL	Large
127-N9690FCXL	X-Large
127-N9690FCXXL	2X-Large



Ninja® Ice HPT® Palm/Fingertip Coated Insulated Work Gloves

Features:

- Features 15-gauge nylon shell with acrylic terry liner for insulation/warmth.
- At the same time, allows air to flow through which in turns keeps hands dry.
- Coating remains soft in temperatures as low as -4° F.
- Encapsulated air molecules provide a cushioning effect to minimize impact.
- HPT® (Hydropellent Technology®) coating provides an anti-wet treatment that keeps the liquids away from the glove.
- Treated with ActiFresh® to help control bacteria and odor.

SKU	Size Group
127-N9690S	Small
127-N9690M	Medium
127-N9690L	Large
127-N9690XL	X-Large



Ninja® Lite N9696 18-ga Nylon PU Coated Gloves

Features:

- Features an 18 gauge blue nylon shell for dexterity, sense of touch, and protection.
- Shell is palm/fingertips coated with polyurethane (PU).
- Sanitized with ActiFresh® to prevent odors and bacteria.
- Vend packs available.

SKU	Size Group
127-N9696L	Large
127-N9696XL	X-Large



Ninja® X Bi-Polymer Coated Palm Gloves

Features:

- Durable gloves with a shell blended from nylon/lycra with a proprietary bi-polymer coating.
- A perfect combination of durability and softness.
- Comfortable gloves allow full dexterity and sense of touch.

SKU	Size Group	Lining
127-N9674L	Large	Nylon/Lycra

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



NXG® Nitrile Coated Work Gloves

Features:

- NXG® styles are well suited for multi-industrial applications that require high dexterity, excellent comfort, grip, and fit.
- Manufactured on seamless knit liners that are flat dipped to reproduce the natural curved shape of the hand.
- TTouchscreen friendly gloves available for some styles (96715/9674/9683/9694).
- Some styles sanitized with ActiFresh® to prevent odors and eliminates bacteria caused by perspiration (9674/9683/9694/96715/FT350).
- Vend-packaging (VP) options available.

SKU	Size Group
127-9673S	Small
127-9673M	Medium
127-9673L	Large
127-9673XL	X-Large



NXG® PU Coated Work Gloves

Features:

- Polyurethane (PU) coated palm and fingertips.
- Seamless knit liners that are flat dipped.
- Excellent comfort, grip, and fit.
- Color coded hem to identify sizes.
- Touchscreen style available (9696).
- Vend-packing (VP) option for some styles.

SKU	Size Group
127-9669L	Large
127-9669XL	X-Large



Predator® Nitrile Coated Gloves

Features:

- Premium nitrile coating on a soft jersey liner.
- Treated with ActiFresh® to reduce odors.

Size Group: Large

SKU	Style
127-9760	Palm/Knuckle Coated; Smooth Finish
127-9761	Fully Coated; Smooth Finish
127-9761RL	Extra Rough Finish; Fully Coated



MaxiFlex® Endurance™ MicroFoam Grip/Micro Dot Palm Coated Gloves

Features:

- MicroFoam Nitrile coatings are compatible with light oils and will provide a good grip and excellent abrasion resistance.
- Raised micro dots increase durability and offer more cushioning in highly repetitive applications requiring precision handling.
- Touchscreen compatible to allow the user to operate a touch screen phone or device without removing gloves.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Silicone free: (34-8745) Latex free: (34-844/34-845/34-8745).
- Patented micro-foam nitrile coating offers 360° breathability.
- Options available for MicroFoam Grip on Palm and Fingers (34-844) or MicroFoam Grip on Palm, Fingers, and Knuckles (34-845) or MicroFoam Grip on Full Hand (34-8745).

SKU	Size Group	Style
112-34-844/L	Large	34-844 MicroFoam Coated Grip on Palm/Fingers and Micro Dot Palm
112-34-844/XL	X-Large	34-844 MicroFoam Coated Grip on Palm/Fingers and Micro Dot Palm
112-34-845/XL	X-Large	34-845 MicroFoam Coated Grip on Palm/Finger/ Knuckle Coated and Micro Dot Palm

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

PIP GLOBAL SAFETY



MaxiFlex® Ultimate™ Nitrile Coated Micro-Foam Grip Gloves

Features:

- Ideal for precision handling in dry environments.
- MicroFoam Nitrile coatings are compatible with light oils and will provide a good grip and excellent abrasion resistance.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Touchscreen compatible.
- Mimics the "hand at rest", reducing hand fatigue and increasing comfort.

SKU	Size Group
112-34-874/S	Small
112-34-874/M	Medium
112-34-874/L	Large
112-34-874/XL	X-Large
112-34-874/XXL	2X-Large
112-34-874/XXXL	3X-Large



PosiGrip® Foam Nitrile Palm-Coated Polyester Gloves

Features:

- Seamless, one-piece polyester shell offers increased comfort, finger dexterity, and breathability.
- Foam Nitrile palm coatings are breathable and durable.
- Designed with a cell structure that disperses fluids on contact for an improved grip.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Color coded hems for easy size identification.
- Washable, resistant to chemicals, water, and ultraviolet light.

SKU	Size Group	Lining
813-713SNF/L	Large	Nylon Knit

SHOWA
Always Innovating. Never Imitating.



370B General Purpose Nitrile Coated Fingers/ Palm Gloves

Features:

- Perfect for precise handling and general assembly, these durable gloves feature ultimate grip and comfort.
- Unique form-fitting, ergonomic design fits like a second skin, allowing for unmatched tactile precision.
- Dark colors to prevent signs of wear in dirty environments.
- Seamless knit with nylon liner.
- Elasticated wrist prevents debris from entering the glove.
- Rough-textured nitrile palm coating.
- Machine washable.

SKU	Size Group
845-370BM-07	Medium
845-370BL-08	Large



377 Liquid Resistant Nitrile/Nitrile Foam Coated Gloves

Features:

- Designed to protect against a wide range of harmful substances.
- Chemical-resistant glove is championed for its ultra-tactile grip and superior durability.
- Nitrile foam coating enables you to handle the toughest jobs with ease, even in the most slippery environments.
- Seamless liner and elasticated cuff keep debris out of the glove whilst keeping hands warm and protected.
- Fully-coated nitrile with foam nitrile palm coating.

SKU	Size Group
845-377L-08	Large
845-377XL-09	X-Large

© 2026



377-IP Impact Protection Nitrile/Nitrile Foam Coated Gloves

Features:

- Designed to protect the most fragile parts of the hand.
- Impact protection glove reduces shock energy on the knuckles, fingers, and metacarpals.
- Fluorescent features offer high-visibility for hand signaling.
- Fully-coated nitrile with foam nitrile palm coating.
- Foam finish disperses oil to improve grip in wet, dry, or greasy conditions.
- Seamless liner and latex-free design prevent irritation.

SKU	Size Group
845-377IPXL-09	X-Large



381 Ultra-Lightweight Nitrile Coated Gloves

Features:

- Embossed nitrile palm finish disperses oil to increase grip and longevity in light oily environments.
- The 0.84 mm finger thickness provides an excellent level of tactility and sensitivity.
- Exceptional suppleness, comfort and fit.
- Protects from oils, grease and abrasion

SKU	Size Group
845-381M-07	Medium
845-381L-08	Large
845-381XL-09	X-Large



451 Thermal-Insulated Latex Coated Fingertips/Palm Gloves

Features:

- Designed to be worn in cold weather.
- Seamless liner reduces irritation.
- Elastic wrist cuff keeps dirt and debris out of the glove.
- Abrabsion resistant with increased grip from the rough surface texture.
- Protects from aggressive detergents and alcohols.

SKU	Size Group
845-451L-09	Large



66NF General Purpose Latex Coated Gloves

Features:

- Combine comfort, grip, and heavy-duty protection with this general-purpose glove.
- A natural rubber latex palm coating makes this glove an affordable leather alternative, without compromising wearer protection.
- Features a reinforced safety cuff, soft cotton liner, and elasticated back of hand design for added safety, precision, and comfort.

SKU	Size Group
845-66NF-10	Large

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



962 Gloves

Features:

- A heavy-duty general purpose workhorse providing workers a breathable option to bulky, inferior cotton or leather gloves.
- Coating ensures breathability.
- Easy donning and doffing.
- PVC outwears and replaces leather.
- Minimizes absorption of water, oil and grease.
- Fully coated PVC.
- Cotton jersey liner.
- Rough grip.
- Slip-on design.

SKU	Size Group
845-962M-09	9



962 Series Gloves

Features:

- Ideal for heavy-duty, general purpose work, yet a breathable option to bulky, inferior cotton or leather gloves.
- Minimizes absorption of water, oil and grease.
- Rough grip.
- Easy donning and doffing.

SKU	Size Group
845-962L-10	10/Large
845-962XL-11	11/X-Large



Atlas Fit® 350 Nitrile-Coated Gloves

Features:

- Superior dexterity and flexibility.
- Surface provides tactile feel and secure grip.
- Breathable back of hand minimizes perspiration.

SKU	Size Group
845-350L-09	Large



ATLAS® 300 Latex Coated Fingertips/Palm Gloves

Features:

- General-purpose glove is ergonomically designed to improve performance and comfort over a range of applications.
- Breathable open-back design maintains a comfortable temperature.
- Seamless knit with cotton polyester liner.
- Elasticated wrist prevents dirt from entering the glove.
- Rough-textured natural rubber palm coating provides maximum grip and dexterity.

SKU	Size Group
845-300S-07	Small
845-300M-08	Medium
845-300L-09	Large
845-300XL-10	X-Large

© 2026



CHM Chemical Protection Neoprene-Coated Gloves

Features:

- Good resistant to a broad range of chemicals.
- Embossed grip that encourages run off of fluids.
- 100% cotton flock lining enhances comfort.
- Comfortable, flexible and tactile sensitive.
- Wear indicator over-dip.

SKU	Size Group
845-CHMXL-10	X-Large



KV660 Kevlar® PVC Coated Gloves

Features:

- Triple-dipped PVC.
- Coating ensures grip and increases abrasion resistance and durability.
- Seamless, cut-resistant liner made with Kevlar®.
- Rough finish over entire surface.
- Special compound PVC realizes superior oil resistance.

SKU	Size Group
845-KV660XXL-11	2X-Large; Size 11



KPG® PVC Coated Gloves

Features:

- Enjoy comfort and security, with coated seamless knit cotton liner gloves.
- Sturdy, PVC coating provides superior protection against abrasions, punctures and cuts.
- Easy slip-on style for added comfort.

SKU	Size Group
845-960M-09	Medium; Size 9
845-960L-10	Large; Size 10



S-Tex® 300 Rubber Palm-Coated Gloves

Features:

- Features patented Hagane Coil® Technology for superior cut-resistance.
- Combines extreme comfort and optimum dexterity.
- Breathable open-back design.
- Excellent wet and dry gripping capability.

SKU	Size Group
845-S-TEX300M-08	Medium
845-S-TEX300L-09	Large

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Cotton/Polyester Corded Double-Palm with Nap-In Finish Gloves

Features:

- Cotton/polyester construction is breathable and decreases hand fatigue.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Clute cut provides a roomy fit and straight thumb increases comfort in closed-fisted work.
- Double palm provides additional weight, durability, and protection.
- Nap-in finish offers greater durability due to its higher abrasion resistance.
- Multi-purpose glove used for light protection.

SKU	Size Group
101-1060	Large



80-813 Arc Flash and Cut Resistant Gloves

Features:

- Knit gloves with soft foam coating for a secure grip.
- Gloves provide superior dexterity and comfort.
- Effectively combines outstanding flame resistance, high cut protection and ergonomic comfort.
- Previously known as PowerFlex®.

SKU	Size Group
012-80-813-9	9
012-80-813-10	10



2095 Cut-Resistant Gloves

Features:

- Blended shell provides 360° cut resistance.
- PU palm coating provides superior grip and abrasion resistance.
- Reinforced thumb saddle.

Size Group: Large

SKU
572-2095-L-9



Cut-Resistant Gloves

Features:

- Blended shell provides 360° cut resistance.
- Flexible polyurethane palm coating.
- Reinforced thumb saddle.
- Elastic knit wrist helps prevent dirt and debris from entering the glove.

SKU	Material	Cuff Style	Size Group
572-3020-M-8	HPPE; Steel; Polyester	Elastic knit	Medium
572-3020-L-9	HPPE; Steel; Polyester	Elastic knit	Large
572-3020-XL-10	HPPE; Steel; Polyester	Elastic knit	X-Large
572-2076-S-7	HPPE; Steel; Fiberglass	Elastic knit	Small
572-2076-M-8	HPPE; Steel; Fiberglass	Elastic knit	Medium
572-2076-L-9	HPPE; Steel; Fiberglass	Elastic knit	Large
572-2076-XL-10	HPPE; Steel; Fiberglass	Elastic knit	X-Large
572-2076-XXL-11	HPPE; Steel; Fiberglass	Elastic knit	2X-Large
572-4067-L-9	Buffalo Skin Leather	SlipFit® with hook and loop	Large
572-4067-XL-10	Buffalo Skin Leather	SlipFit® with hook and loop	X-Large
572-4060-L-9	Goatskin Leather	SlipFit®	Large
572-4060-XL-10	Goatskin Leather	SlipFit®	X-Large
572-4073-M-8	HPPE; Steel; Goatskin Leather	SlipFit® with hook and loop closure	Medium
572-4073-L-9	HPPE; Steel; Goatskin Leather	SlipFit® with hook and loop closure	Large
572-4073-XL-10	HPPE; Steel; Goatskin Leather	SlipFit® with hook and loop closure	X-Large

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

HexArmor



Helix® High Dexterity Cut Resistant Work Gloves

Features:

- Incredibly strong knit fibers deliver high cut resistance.
- HPPE blend shell provides 360° cut resistance.
- Touchscreen capabilities.
- Seamless construction for enhanced comfort and breathability.
- Elastic knit wrist helps prevent dirt and debris from entering the glove.

SKU	Material	Size Group
572-1074-S	HPPE; Polyester; Fiberglass	Small
572-1074-M	HPPE; Polyester; Fiberglass	Medium
572-1074-L	HPPE; Polyester; Fiberglass	Large
572-1074-XL	HPPE; Polyester; Fiberglass	X-Large
572-3050-M-8	HPPE; Steel; Fiberglass; Recycled Polyester	Medium
572-3050-L-9	HPPE; Steel; Fiberglass; Recycled Polyester	Large
572-3050-XL-10	HPPE; Steel; Fiberglass; Recycled Polyester	X-Large

HyFlex



11-501 Nitrile Palm Coated Gloves

Features:

- Ergonomically designed for a barehand feel, industrial gloves deliver ultimate comfort with reduced hand fatigue.
- Constructed of INTERCEPT™ Cut Resistance Technology with DuPont™ Kevlar® Stretch Armor and 13 gauge knit.
- Nitrile foam coating offers improved grip in dry and slightly oily conditions.
- Foam coating also grants these industrial safety gloves increased tactile sensitivity.
- Latex and silicone free.

SKU	Size Group
012-11-501-8	8
012-11-501-9	9
012-11-501-10	10

HyFlex



11-510 Nitrile Palm Coated Gloves

Features:

- Ansell's Knitted Variable Stitch Design (KVSD) adapts to the human hand, for more flexible, ergonomic working gloves.
- ZONZ™ Comfort Fit Technology and ComfortFlex cuff result in more breathable, maneuverable nitrile gloves.
- Nylon and Kevlar® zonal plaiting for durability and more grip.
- Latex and silicone free.

Size Group: 10

SKU	Material
012-11-510-10	15 Gauge Knit



11-511 Nitrile Palm Coated Gloves

Features:

- Constructed of INTERCEPT™ Cut Resistance Technology with DuPont™ Kevlar® and 13 gauge knit.
- Nitrile foam coating ensures durable workplace safety.
- DuPont™ Kevlar® Stretch Armor liner offers them tried and tested dexterity in slightly oily or dry conditions.
- Special cuff over-edging (ECO) yarn technology enables flexible wrist protection.
- Redesigned finger length also enhances comfort.
- Latex and silicone free.

Size Group: 9

SKU	Material
012-11-511-9	13 Gauge Knit

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

HyFlex



11-541 Nitrile Foam Palm Coated Gloves

Features:

- ANSELL GRIP™ Technology and palm coating make for industrial gloves with significant grip performance.
- Constructed with INTERCEPT™ Cut Resistance Technology and FORTIX™ Abrasion Resistance Technology.
- ZONZ™ Comfort Fit yarn and stitching enhance these HyFlex® gloves' comfort, while reducing hand fatigue.
- Ultralight liner blends personal protection with optimized flexibility.
- Dirt-masking palm hides stains.

SKU	Size Group
012-11-541-9	9
012-11-541-10	10



11-644 Polyurethane Palm Coated Gloves

Features:

- Constructed with INTERCEPT™ Cut Resistance Technology.
- Polyurethane coating remains both maneuverable and hard-wearing over time.
- Ergonomic fit and low palm weight makes it perfectly comfortable for highly precise operations.

SKU	Size Group
012-11-644-7	7
012-11-644-8	8
012-11-644-9	9
012-11-644-10	10
012-11-644-11	11

HyFlex



11-727 Cut Resistant Gloves

Features:

- The Ansell HyFlex® 11-727's light, barehanded feel, tailored fit and breathable fabric make for consistently comfortable PPE gloves.
- HyFlex® 11-727 industrial working gloves remain resilient against abrasion over time.
- Integrated INTERCEPT™ Cut Resistance Technology prevents workplace injuries.
- The 11-727's acute fingertip sensitivity makes for deft, precise hand protection and secure handling.
- HyFlex® 11-727 safety gloves also benefit from secure grip for handling dry or slightly oily components.

SKU	Size Group
012-11-727-8	8
012-11-727-9	9
012-11-727-10	10
012-11-727-11	11

MCR SAFETY



CutPro® 92743BP 13-ga HyperMax® Bi-Polymer Coated Gloves

Features:

- Features a 13-gauge salt-and-pepper HyperMax® shell.
- Shell is coated on the palm and fingers with nitrile-foam for abrasion, cut, and puncture resistance.
- Combined features offer cut protection that is lightweight, comfortable, and has excellent dexterity.
- Reinforced thumb crotch for added durability.
- Vend packs available.

Size Group: Large

SKU
127-92743BPL

© 2026

PIP GLOBAL SAFETY



MaxiFlex® Cut™ Cut-Resistant Gloves

Features:

- MicroFoam is a patented formulation of ATG's nitrile coating that allows gloves to be thinly coated for added grip, dexterity, comfort, and breathability.
- Reinforcement between the thumb and forefinger, improves cut resistance and extends glove life.
- Optimized grip delivered through our micro-cup finish.
- Minimal penetration (strike through) leaving only the soft liner resting against the skin.
- Made from component material which complies with Federal regulations for food contact, 21CFR, 170-199.
- Seamless knit engineered yarn.
- Silicone free.

SKU	Size Group
112-34-8743/S	Small
112-34-8743/M	Medium
112-34-8743/L	Large
112-34-8743/XL	X-Large
112-34-8743/XXL	2X-Large

SHOWA
Always Innovating. Never Imitating.



541 HPPE Polyurethane Coated Gloves

Features:

- High Performance Polyethylene (HPPE), cut-resistant gloves with polyurethane coating.
- Rough grip glove provides a high degree of comfort and control when performing intricate tasks, even in greasy environments.
- Designed for use in dirty environments the dark color hides grime.
- Elasticated knit wrist cuff prevents dirt and debris from entering the glove.
- Machine washable.

Size Group: Large

SKU
845-541-L

SHOWA
Always Innovating. Never Imitating.



S-TEX 377SC Cut Resistant Gloves

Features:

- Designed for optimal cut and abrasion resistance.
- Cut protection glove features a high-performance S-TEX® liner with Hagane Coil™ technology.
- A gauntlet style reinforced safety cuff provides additional protection to the wrist and forearm.

SKU	Size Group
845-S-TEX377SCM-07	Medium
845-S-TEX377SCL-08	Large
845-S-TEX377SCXL-09	X-Large
845-S-TEX377SCXXL-10	XX-Large

FlexTech™



FlexTech™ Cut-Resistant Gloves

Features:

- Seamless machine knit cut resistant shell provides all-day comfort and protection.
- Sandy nitrile palm coating delivers improved grip in wet and oily applications.
- Machine washable for longer service life.

SKU	Size Group
815-Y9216S	Small
815-Y9216M	Medium
815-Y9216L	Large

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

KIMTECH



Purple Nitrile-Xtra™ Disposable Gloves

Features:

- Textured fingertips provide excellent dexterity and tactile sensitivity.
- Cleared for use in chemotherapy.
- Distinctive purple gloves are fully recyclable through the RightCycle program by Kimberly-Clark™ Professional.
- Non-sterile, for single use.

SKU	Size Group
412-50602	Medium
412-50603	Large
412-50604	X-Large

KLEENGUARD™



G10 Comfort Plus™ Blue Nitrile Gloves

Features:

- Powder-free, ambidextrous, touchscreen compatible gloves meet US FDA regulations for food contact applications.
- Gloves are not made with natural rubber latex.
- Textured fingertips for dexterity and grip.
- Beaded cuffs for easy donning.
- Comfortable to wear, provide excellent tactile sensitivity and deliver reliable protection for the task at hand.
- G10 Comfort Plus™ blue nitrile gloves can be recycled via the Kimberly Clark Professional RightCycle™ Program.

SKU	Size Group
412-54422	Medium
412-54423	Large
412-54424	X-Large

MAPA PROFESSIONAL



TRIlites® 994 Disposable Gloves

Features:

- Optimal thickness delivering maximum tactility with superior comfort and durability.
- Unique triple polymer blend for enhanced comfort and resistance.
- Provides protection against chemical splashes.
- Silicone free to prevent traces, defects on metal sheet and glass prior to painting.
- Pebble exterior finish with chlorinated interior finish.

SKU	Size Group
457-34994027	Medium
457-34994028	Large
457-34994029	X-Large

MCR SAFETY



Nitrile Disposable Gloves

Features:

- Contain no latex proteins and offer excellent resistance to punctures and tears.
- Three times more puncture resistant than rubber and can be used to offer superior resistance to many types of chemicals.
- Excellent alternative for individuals who experience allergic reactions to latex.
- For single use only.

SKU	Size Group	Thickness	Color
127-6015M	Medium	4 mil	Blue
127-6015L	Large	4 mil	Blue
127-6015XL	X-Large	4 mil	Blue
127-6062L	Large	6 mil	Black
127-6062XL	X-Large	6 mil	Black

© 2026

MICROFLEX



Chemical-Resistant Disposable Gloves

Features:

- Three layer design for superior protection against harsh chemicals.
- The thinnest chemical resistant disposable glove for enhanced tactility and dexterity.
- Extra soft material and ergonomic design for outstanding fit, feel and flexibility.
- Their low AQL (0.65) means minimal pinhole defect risks.
- Tested against fentanyl.

SKU	Size Group
748-93-260-080	Medium
748-93-260-090	Large
748-93-260-100	X-Large



Diamond Grip™ MF-300 Latex Powder-Free Disposable Gloves

Features:

- Disposable latex gloves with enhanced finger thickness, for extra protection in rugged environments.
- Textured fingertips for a more secure, confident grip when handling slippery and oily objects.
- Double chlorinated for easy donning and a comfortable feel.
- Excellent protection for automotive aftermarket work.

SKU	Size Group
748-MF-300-S	Small
748-MF-300-M	Medium
748-MF-300-L	Large
748-MF-300-XL	X-Large

MICROFLEX



Dura Flock® DFK-608 Disposable Nitrile Gloves

Features:

- Soft, flock lining absorbs moisture.
- Thick design resists punctures and tears.
- Durable nitrile for reliable splash protection.

Thickness: 8.3 in Palm; 7.9 Fingers

SKU	Size Group
748-DFK-608-XL	X-Large



MidKnight® MK-296 Disposable Nitrile Gloves

Features:

- Dark color hides stains and provides contrast for improved visibility.
- Fully textured design for confident grip.
- Non-foaming for easy handling of objects in wet environments.

Thickness: 4.7 mil Palm; 5.5 mil Fingers

SKU	Size Group
748-MK-296-S	Small; 6.5 to 7
748-MK-296-M	Medium; 7.5 to 8
748-MK-296-L	Large; 8.5 to 9
748-MK-296-XL	X-Large; 9.5 to 10



Supreno® EC SEC-375 Nitrile Disposable Gloves

Features:

- Superior strength and durability for maximum protection against rips, snags or tears.
- Low, 0.65 AQL for advanced barrier protection.

Thickness: 5.5 mil Palm; 8.3 mil Fingers

SKU	Size Group
748-SEC-375-M	Medium
748-SEC-375-L	Large
748-SEC-375-XL	X-Large

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

MICROFLEX®



Supreno® SE SU-690 Disposable Nitrile Gloves

Features:

- Ambidextrous gloves provide exceptional protection through advanced barrier protection against contaminants.
- Non-stick properties are built into the glove formulation to create a resistance to tape or adhesives, and to assist workers with improved efficiency and speed.
- Textured fingers ensure strong, efficient grip and maximum worker protection.
- Polymer coating assures easy donning to help protect workers in fast-paced environments.
- Constructed without natural rubber latex materials or powder, to help protect from allergies, skin irritation and dryness.

Thickness: 4.3 mil Palm; 7.1 mil Finger

SKU	Size Group
748-SU-690-M	Medium
748-SU-690-L	Large
748-SU-690-XL	X-Large

SHOWA
Always Innovating. Never Imitating.



8005 Series Disposable Nitrile Gloves

Features:

- Ideal for jobs requiring increased protection without compromising on tactility.
- Rolled cuff prevents dirt from entering the glove and allows for easy removal of the glove in case of puncture.
- Ambidextrous and uses second-skin feel to significantly reduce hand fatigue over long periods of wear.
- Single-use gloves are lightweight and latex free.
- Available in lightly-powdered and powder-free styles.

Thickness: 8 mil

SKU	Size Group
845-8005PFM	Medium
845-8005PFL	Large
845-8005PFXL	X-Large

SHOWA
Always Innovating. Never Imitating.



N-DEX® 7700PFT Disposable Nitrile Gloves

Features:

- Single-use glove uses bisque fingertips to enhance the wearer's wet and dry grip.
- Features ESD and static-dissipative properties.
- Prioritizes comfort, and a rolled cuff prevents dirt from entering the glove.
- Ergonomic, latex free, and accelerator free.

Thickness: 4 mil

SKU	Size Group
845-7700PFTM	Medium



N-DEX® 9700 Series Disposable Nitrile Gloves

Features:

- Single-use glove is comfortable, offers highly tactile precision.
- High-capacity protection in a wide range of applications.
- Rolled cuff prevents dirt from entering the glove.
- Thicker nitrile construction provides a greater barrier to hazards.
- Bisque grip ensures precision in wet and dry environments.
- Ergonomic and accelerator free.

Thickness: 6 mil

SKU	Size Group
845-9700PFM	Medium
845-9700PFL	Large

© 2026

TouchNTuff



69-210 Natural Rubber Latex Disposable Gloves

Features:
- Comfortable latex for extended wear.
- Thin design for superior tactile sensitivity.
- Inner polymer coating for easy donning and doffing.

Thickness: 3.5 mil Palm; 4.3 mil Finger

SKU	Size Group
012-69-210-L	Large



92-500 Disposable Nitrile Gloves

Features:
- Offers three times the puncture resistance of standard latex or vinyl gloves.
- Combines excellent fingertip sensitivity with exceptional durability.
- Gives high level of protection against grease and oil.

Thickness: 4.3 mil Palm; 5.5 mil Finger

SKU	Size Group
012-92-500-7.5-8	7.5 to 8
012-92-500-8.5-9	8.5 to 9
012-92-500-9.5-10	9.5 to 10



92-675 Nitrile Powder-Free Disposable Gloves

Features:
- Superior chemical splash protection.
- Soft, durable nitrile material for added comfort.
- Textured fingertips provide secure grip.
- Complies with FDA food handling requirements.
- Silicone-free.

Thickness: 4.3 mil Palm; 5.5 mil Finger

SKU	Size Group
012-92-675-S	Small
012-92-675-M	Medium
012-92-675-L	Large
012-92-675-XL	X-Large

TouchNTuff



Nitrile Powder-Free Disposable Gloves

Features:
- Made with TNT Chemical Splash Resistance Technology for superior protection against harmful chemical splashes.
- Super soft nitrile provides a comfortable, silky feel for extended wear.
- Proprietary formulation provides robust durability in a softer glove.
- Silicone-free design is paint, finish, and coating friendly.

SKU	Size Group	Thickness
012-92-600-6.5-7	Small	5.5 mil Finger; 4.9 mil Palm
012-92-600-7.5-8	Medium	5.5 mil Finger; 4.9 mil Palm
012-92-600-8.5-9	Large	5.5 mil Finger; 4.9 mil Palm
012-92-600-9.5-10	X-Large	5.5 mil Finger; 4.9 mil Palm
012-92-605-XL	X-Large	6.3 mil Finger; 4.7 mil Palm

ANCHOR BRAND



Premium Grade Canvas Dotted Gloves

Features:
- Natural cotton canvas keeps hands cool and protected.
- Knit wrist helps prevent dirt and debris from entering glove.
- Clute cut provides a roomy fit.
- Straight thumb increases comfort in closed-fisted work.
- PVC dot grip on palm, thumb, and forefinger.

SKU
101-1090

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Quality Grain Cowhide Leather Driver Gloves

Features:
- Color coded fabric hem.
- Quality leather for comfortable and reliable protection.
- Straight thumb construction is ideal for closed fisted work.

Lining: Unlined
Style: Shirred Elastic Back; Straight Thumb
Cuff Style: Hemmed
Resistance: Abrasion

SKU	Size Group
101-4000M	Medium
101-4000L	Large
101-4000XL	X-Large



Standard Grain Cowhide Leather Driver Gloves

Features:
- Color-coded cotton hem for easy size identification.
- Welted seams on middle fingers for added strength.
- Keystone thumb construction provides flexibility and comfort.

SKU	Size Group
101-4015M	Medium
101-4015L	Large
101-4015XL	X-Large



Cowhide Palm/Split Leather Back Drivers Gloves

Features:
- Excellent balance between abrasion resistance, dexterity, durability, and comfort.
- Features include a shirred elastic back, color-coded cotton hems, and a keystone thumb pattern.
- Sewn with DuPont™ Kevlar® thread to resist heat and wear better (3204/VP3204).
- Choose from select grade grain palm/brown split leather back (3204/VP3204) or CV-grade cow grain palm/brown split leather back (3205/VP3205).
- Vend-packaging (VP) options available.

SKU	Size Group
127-3205M	Medium
127-3205L	Large
127-3205XL	X-Large



Insulated Driver's Gloves

Features:
- Premium grade leather.
- Provides comfort and protection for hands.
- Applications include construction, farm equipment, utility work and general maintenance.

SKU	Size Group
127-3250XL	X-Large

© 2026



Pigskin Drivers Gloves

Features:

- Sturdy pigskin gloves provide excellent abrasion resistance.
- Gloves have great natural breathability due to the porous nature of the hide.
- Some things only get better over time - and these gloves become softer with use.
- They inherently retain their natural softness, even after exposure to water.

SKU	Size Group
127-3400XL	X-Large



Premium Grade Grain Goatskin Drivers Gloves

Features:

- Premium grade grain goatskin leather for unique softness and flexibility.
- Resistant to wear and tear even with consistent use.
- Shirred elastic back.
- Color-coded hem to identify size.
- Choose from straight thumb (3601) or keystone thumb (3611) styles.
- Vend-packaging (VP) options available.

SKU	Size Group
127-3601M	Medium
127-3601L	Large
127-3601XL	X-Large



Drivers Gloves

Features:

- Provides maximum comfort and protection.
- Great for everything from construction to warehouse work, to spot welding.
- Family of drivers gloves are the right tool for hand protection and to get the job done.
- Choose from a variety of materials, such as split cowhide, top grain cowhide, top grain cowhide (B), top grain cowhide (C), top grain cowhide + split cowhide, top grain split cowhide, top grain deerskin, top grain goatskin, top grain pigskin.
- Cotton and DuPont™ Kevlar® stitching styles available.

SKU	Size Group	Material
724-1415M	Medium	Cotton Stitching; Top Grain Goatskin Palm/Back-of-Hand (BOH)
724-1415L	Large	Cotton Stitching; Top Grain Goatskin Palm/Back-of-Hand (BOH)
724-1415XL	X-Large	Cotton Stitching; Top Grain Goatskin Palm/Back-of-Hand (BOH)
724-1414M	Medium	Cotton Stitching; Top Grain Cowhide Palm; Split Cowhide Back-of-Hand (BOH)
724-1414L	Large	Cotton Stitching; Top Grain Cowhide Palm; Split Cowhide Back-of-Hand (BOH)
724-1414XL	X-Large	Cotton Stitching; Top Grain Cowhide Palm; Split Cowhide Back-of-Hand (BOH)



Grain Goatskin Drivers Gloves

Features:

- Quality grain goatskin gloves with natural lanolin for added softness.
- Excellent durability and dexterity.
- Features Gunn cut with keystone thumb.

SKU	Size Group
815-Y0107M	Medium
815-Y0107L	Large

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

HexArmor



1050 General Purpose Work Gloves

Features:

- Provides 360° cut resistance.
- Flexible polyurethane palm coating provides superior grip and abrasion resistance.
- Elastic knit wrist helps prevent dirt and debris from entering the glove.

SKU	Size Group
572-1050-M-8	Medium
572-1050-L-9	Large
572-1050-XL-10	X-Large



Helix® High-Dexterity Work Gloves

Features:

- Blend shell provides 360° cut resistance.
- Palm coating provides superior grip and abrasion resistance.
- Elastic knit wrist helps prevent dirt and debris from entering the glove.
- Seamless construction for enhanced comfort and breathability.
- High dexterity and tactility.

SKU	Size Group	Material	Color
572-1030-S	Small	Polyester	Black
572-1030-M-8	Medium	Polyester	Black
572-1092-S	Small	Nylon; Elastane	Hi-vis Orange; Black
572-1092-M	Medium	Nylon; Elastane	Hi-vis Orange; Black

Ironclad



KONG® 360° IVE™ Gloves

Features:

- Lightweight, breathable, and offers full back of hand protection on the fingers, knuckles and metacarpal bones.
- Patented IVE™ full TPR.
- 13 gauge HPPE blended knit.

SKU	Size Group	Material	Color
424-INDI-KC5G-03-M	Medium	HPPE Blended Knit; IVE™ Full TPR; Duraclad® Reinforced Thumb; Foam Nitrile Coated Palm	Black; Green; Yellow
424-INDI-KC5G-04-L	Large	HPPE Blended Knit; IVE™ Full TPR; Duraclad® Reinforced Thumb; Foam Nitrile Coated Palm	Black; Green; Yellow
424-INDI-KC5-03-M	Medium	HPPE Blended Knit; IVE™ Full TPR; Duraclad® Reinforced Thumb; Sandy Nitrile Coated Palm	Black; Red; Yellow
424-INDI-KC5-04-L	Large	HPPE Blended Knit; IVE™ Full TPR; Duraclad® Reinforced Thumb; Sandy Nitrile Coated Palm	Black; Red; Yellow
424-INDI-KC5-05-XL	X-Large	HPPE Blended Knit; IVE™ Full TPR; Duraclad® Reinforced Thumb; Sandy Nitrile Coated Palm	Black; Red; Yellow

MECHANIX WEAR



FastFit® Gloves

Features:

- Versatile multipurpose glove delivers superior tactility and dexterity while performing manual tasks or working with hand tools.
- Reinforced thumb and index finger provide added durability.
- Breathable TekDry material form-fits the back of the hand for cool and comfortable extended wear.
- Snug-fitting elastic cuff allows easy on/off flexibility.

SKU	Size Group
484-MFF-05-009	Medium
484-MFF-05-010	Large
484-MFF-05-011	X-Large

© 2026



Original Gloves

Features:

- Provides a winning combination of versatility and performance.
- Flexible Thermal Plastic Rubber (TPR) closure provides a secure fit to the wrist.
- Reinforced thumb, high dexterity fingertips and two-ply thumb reduces wear and increases protection.
- Form-fitting Tekdry® helps keep hands cool and comfortable.
- Dual-layered fingertips and thumb for reduced wear and increased protection.

SKU	Size Group
484-MG-05-010	Large
484-MG-05-011	X-Large



42-474 High Heat Gloves

Features:

- An exclusive bonded nitrile coating helps protect against snags, punctures, abrasions, and cuts, while also enhancing dry grip.
- Crusader Flex gloves wear an average of four times longer than 24-ounce cotton hot mill gloves.
- For the best protection and comfort in moderate heat applications, Crusader Flex gloves are the answer.
- Non-woven felt insulation and a full-length heat barrier protect the worker, while two-piece construction eliminates outseams to provide better finger comfort, dexterity, and flexibility.

Temp Range: - 480° F

SKU	Size Group
012-42-474-9	9



High Heat Wool-Lined Gloves

Features:

- Good abrasion resistance.
- Lined with heat-resistant 100% wool.

Temp Range: 750° F - 900° F

SKU	Size Group
101-FG-37WL	Large



High Heat Wool-Lined Kevlar® Gloves

Features:

- Superior abrasion resistance.
- Lined with heat-resistant 100% wool.

Temp Range: 650° F - 800° F

SKU	Size Group
101-K-37WL	Large



High Heat Wool-Lined Mittens

Features:

- Good abrasion resistance.
- Lined with heat-resistant 100% wool.

Temp Range: 750° F - 900° F

SKU	Size Group
101-FG-28WL	Large

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Heatworx® 600

Features:

- Seamless 3D molded palm.
- HotShield™ palm provides dexterity and heat resistance.
- 100% Kevlar™ liner on shell and palm.
- Kevlar-blended shell for additional heat and cut resistance.
- Kevlar stitching.
- Rubberized knuckle protection.
- Intermittent heat resistance up to 600° F.
- Heat and cut resistant material construction.
- Breathable, flexible, and 100% machine washable fabrics.

SKU	Size Group
424-HW6X-02-S	Small
424-HW6X-03-M	Medium
424-HW6X-04-L	Large
424-HW6X-05-XL	X-Large
424-HW6X-06-XXL	2X-Large



Reinforced Gloves

Features:

- Hotshield® palm technology combines high dexterity with heat, cut, abrasion and shrink resistance.
- Blended Back of Hand Made with DuPont™ Kevlar®.
- TPR Knuckle Impact Protection.

Temp Range: - 450° F

SKU	Size Group
424-HW4-04-L	Large
424-HW4-05-XL	X-Large



4750 High Heat Gloves

Features:

- MCR Safety has the perfect welders glove to fit your individual needs.
- The 4750 features Premium high treated green select shoulder cow leather, double wool lined palm, and 3-1/2 in duck cuff.

Temp Range: - 500° F

SKU	Size Group
127-4750	X-Large



2610 Kevlar®/Nomex® Seamless Gloves

Features:

- Made with Nomex® and Kevlar®, this high heat glove can handle extreme temperatures up to 500° F.
- The cotton lining provides comfort, while the outside provides excellent thermal properties, allowing you to handle hot objects.
- The glove is easy to launder and retains heat resistance after repeated washing.

SKU	Size Group
815-2610XL	X-Large



Jomac® Cotton Lined Gloves

Features:

- Extra heavyweight gloves provide heat protection up to 450°F.
- 5-inch gauntlet cuff for extra coverage.

Temp Range: - 450° F

SKU	Size Group
815-636HRL	X-Large

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



Jomac® HeatBlok Double Layer Palmed Gloves

Features:

- The Heatblok Double Layer Palm glove provides comfort and up to 460°F of heat protection The glove includes an extra heavy weight terry cloth, along with a safety cuff to protect from burns around the wrist.
- This glove is an ideal choice in industries such as steel manufacturing and baking.

Temp Range: - 460° F

SKU	Size Group
815-320	Large



Jomac® Heavy Weight Terry Cloth Heat Resistant Gloves

Features:

- The loop out terry glove provides comfort and up to 325°F of heat protection.
- Ideal glove in industries such as steel processing and hot parts.

Temp Range: - 325° F

SKU	Size Group	Cuff Style
815-766	Large	Knit Wrist



Standard Weight Jersey Gloves

Features:

- Regular weight.
- Soft, comfortable jersey for general duty and light abrasion applications.

SKU	Size Group
101-1200	Large



Cotton Jersey Gloves

Features:

- Use for light duty, general purpose work.
- Breathable.
- Absorbent.

SKU	Size Group
127-7100	Large

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Unsupported Light-Duty Natural Rubber Latex Gloves

Features:

- Good chemical, snag, puncture, and abrasion resistance.
- Blue coating widely preferred by the poultry and food processing industry.
- Good tactile sensitivity and dexterity.
- Fish scale texture ensures excellent grip for both dry and wet handling.
- Ideal for use as food safety gloves.

SKU	Size Group
012-356-9	9



Unsupported Natural Latex Gloves

Features:

- Provide a high degree of tensile strength while maintaining excellent sensitivity.
- Fish scale finished gloves offer snag, puncture, abrasion and cut resistance.
- This product contains natural rubber latex which may cause allergic reactions in some individuals.

SKU	Size Group
012-198-10	10



Long Canners Latex Gloves

Features:

- The unlined industry standard gloves are made of 18 mil natural rubber latex.
- This canners glove is unlined, has a raised Z pattern palm for added gripping power, and a straight cuff.
- Features a traditional amber color and its component materials comply with all relevant federal regulations for food contact.

SKU	Size Group
127-5190E	Large



SensaTouch™ Disposable Gloves

Features:

- Natural rubber latex is inherently antimicrobial and antibacterial.
- Sturdy, medical grade gloves are thick and reliable.
- Textured grip allows for a sturdy hold.
- Double chlorinated gloves.
- Designed for emergency medical use.

SKU	Size Group
127-5049L	Large



SafeGrip® SG-375 Examination Gloves

Features:

- Three times thicker than standard latex gloves to prevent rips, snags and tears.
- Soft, elastic fit and feel.
- Textured fingertips provide secure grip.
- Extended cuff for expanded protection over the wrist and forearm.
- Double chlorinated for easy donning and a comfortable feel.

SKU	Size Group
748-SG-375-M	Medium; 7/5 to 8
748-SG-375-L	Large; 8.5 to 9
748-SG-375-XL	X-Large; 9.5 to 10

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



Cowhide Leather Palm Gloves

Features:

- Durable split cowhide leather palm, index finger, fingertips and knuckle strap.
- Safety cuff provides extra protection where you need it most.

SKU	Size Group
101-2100	Large



Leather Palm Gloves

Features:

- Color coded cotton hem for easy size identification.
- Double palm covers entire palm, index finger and thumb.
- Leather knuckle strap provides extra protection where you need it most.
- An economical full feature standard split cowhide leather palm gloves are a great protection and comfort in general duty applications.

SKU	Size Group
101-2000	Large



1871 Multi-Task Gloves

Features:

- Supple and durable full-grain Goat palm and back.
- Exclusive reverse-scalloped Boarhide™ cuff for protection against sparks and spatter.
- Reinforced thumb saddle for extended durability.
- Boarhide™ palm patch for extended wear and protection.
- Unlined and padded palm with wool insulated back.
- Complimentary 3 inch carabineer to keep gloves together with exclusive Caiman® loops on each pair.
- Kontour™ exclusive 3-dimensional, pre-curved fingers, and form-fitting design for ultimate fit, comfort, and dexterity.

SKU	Size Group	Material
607-1871-M	Medium	Boarhide™ Leather; Kevlar® Thread; Ovis-Hide™ Premium Sheep Grain Leather; Wool
607-1871-L	Large	Boarhide™ Leather; Kevlar® Thread; Ovis-Hide™ Premium Sheep Grain Leather
607-1871-XL	X-Large	Boarhide™ Leather; Kevlar® Thread; Ovis-Hide™ Premium Sheep Grain Leather



2980 Goat Grain Hi-Vis Reflective Back Knuckle Protection Mechanics Gloves

Features:

- Hi-Vis lime green back for maximum exposure.
- Genuine goat grain leather.
- Internal padded palm for extra comfort and snug fit.
- Exclusive Caiman® raised pull patch and pulse protector.
- AirMesh™ ultra-breathable back provides ultimate comfort and support.
- Neoprene knuckle protection with reflective trim.
- Neoprene cuff with hook-n-loop pull strap for comfort and wrist support.

SKU	Size Group	Style
607-2980-L	Large	2980 Padded Palm;Pinch'd-Tip™ Fingers
607-2980-XL	X-Large	2983 Padded Palm;Pinch'd-Tip™ Fingers

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Big Jake® Premium A+ Side Split Leather Work Gloves

Features:

- Made from premium A+ grade side split cow leather.
- Sewn with super-strong, heat resistant DuPont™ Kevlar® thread.
- All styles generously cut.
- Available in Vending Packaged (VP) option for some styles.

SKU	Size Group
127-1700L	Large
127-1700XL	X-Large



Mustang Leather Palm Gloves

Features:

- Premium grain cowhide leather palm.
- Rubberized safety cuff.
- Wing thumb design.

SKU	Size Group
127-1935M	Medium
127-1935XL	X-Large



Select Shoulder Split Cow Gloves

Features:

- Select shoulder leather palm glove offers excellent protection at an affordable price.
- Shirred elastic back.

SKU	Size Group
127-1300	Large



TrueFit® Leather-Palm Gloves

Features:

- Soft, durable, great flexibility reducing hand fatigue during those long days at the job site.
- Reinforced thumb to protect severe stress areas.
- All fingertips covered in leather for at this wear area for added security and double stitched for extra strength.

SKU	Size Group
724-1470M	Medium
724-1470L	Large
724-1470XL	X-Large



AlphaTec® 87-224 Neoprene Gloves

Features:

- A honeycomb pattern finish provides added grip on wet and dry surfaces.
- A unique dipping process which combines neoprene over natural rubber latex provides increased protection against a wide range of chemicals.
- Previously known as Chemi-Pro.

SKU	Size Group
012-87-224-10	10

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

Ansell



AlphaTec® Neoprene Coated Gloves

Features:
- Smooth finish neoprene coated glove with cotton jersey liner.
- Previously known as Scorpio™.
- Protection against snags and punctures.
- Anatomical design reduces exertion and hand fatigue.

Thickness: 80 mil Palm

SKU	Size Group
012-9-430-10	10

MAPA PROFESSIONAL



StanZoil® NL-34 Gloves

Features:
- Unique multi-layer construction.
- Designed to avoid the thin spots and pinholes common to single-dipped supported gloves.
- Launderable.

SKU	Material	Size Group
457-334949	Neoprene; Interlock Knit Cotton	X-Large

SHOWA
Always Innovating. Never Imitating.



Neoprene Elbow-Length Gauntlet Gloves

Features:
- These durable Neoprene Coated gloves are strong, yet extremely soft and flexible.
- They feature a soft comfortable Flannel cotton lining.

SKU	Size Group
845-6797R-10	Large

AlphaTec®



37-145 Nitrile Gloves

Features:
- No inner cotton flocking, minimizing lint contamination risks.
- Thin, 11 mil/0.28 mm nitrile palm offers them tactile, dexterous comfort.
- High-performance nitrile compound composition ensures EN 374 Type A chemical protection.
- May be used in wet and dry conditions, and they adhere to EU and FDA food handling regulations.

SKU	Size Group
012-37-145-10	10



37-175 Nitrile Gloves

Features:
- Cotton flocking absorbs sweat and enhances comfort.
- 17 mil/0.46 mm thickness ensures high levels of dexterity.
- High-performance nitrile compound composition ensures EN 374 Type A chemical resistance.
- May be used in both wet and dry conditions, while complying with FDA 21 CFR 177.2600 food handling regulations.

SKU	Size Group
012-37-175-9	9
012-37-175-10	10



37-185 Nitrile Gloves

Features:
- Unflocked, presenting a lesser risk of lint contamination.
- High-performance nitrile compound composition grants them EN 374 Type A chemical protection, shielding up to the elbow.
- Ensures EN and ANSI level 4 abrasion protection, making them suitable for heavy-duty cleaning.

SKU	Size Group	Thickness
012-37-185-10	10	22 mil

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

KIMTECH™



G3 Nitrile Gloves

Features:

- Ambidextrous with high tack grip.
- Textured fingertips and beaded cuffs for easy donning.
- A nitrile protective glove for medical device, pharmaceutical or semiconductor manufacturing, the G3 Sapphire offers protection you can trust.

Thickness: 6.0 mil

SKU	Size Group
412-56882	Medium
412-56883	Large



G3 NXT™ Nitrile Gloves

Features:

- Beaded cuffs to prevent roll-down.
- Textured fingertips with excellent dexterity and tactile sensitivity.
- Recommended for higher cleanroom environments.
- Anti-static tested.
- Smooth texture for double donning.
- Not made with natural rubber latex (latex and silicon free).

Thickness: 6.3 mil

SKU	Size Group
412-62993	Large

KIMTECH™



Polaris™ Nitrile Exam Gloves

Features:

- Made of a highly durable nitrile polymer, latex-free, powder-free, and silicone-free.
- Ambidextrous, excellent dexterity, and tactile sensitivity with textured fingertips.
- Beaded cuffs for easy donning and to prevent roll-down.
- Gloves are available in 9.5 in (Polaris™) length and 12 in (Polaris™ Xtra) length.
- Tested for use with chemotherapy drugs and fentanyl; and also meet FDA food contact 21 CFR 177.2600.
- Packaging and gloves can be diverted from the landfill through The RightCycle™ Program.

Thickness: 7.5 mil

SKU	Size Group
412-62763	Large



Purple Nitrile™ Disposable Exam Gloves

Features:

- Excellent dexterity and tactile sensitivity with textured fingertips.
- Ambidextrous and have a beaded cuff for easy donning.
- Guards against incidental splashes.
- Made of a highly durable nitrile polymer.
- Powder free and latex free.
- Cleared for use in chemotherapy.
- Recyclable through the RightCycle Program, so the gloves won't end up in a landfill.

Thickness: 6 mil

SKU	Size Group
412-55081	Small
412-55082	Medium
412-55083	Large
412-55084	X-Large

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

KLEENGUARD™



G10 Kraken Grip™ Nitrile Gloves

Features:

- Fully textured palm and fingertips for grip when working with grease and slippery liquids.
- Raised textured pattern on fingers and palms channels away oil, grease, and solvent.
- Grip on the outside, powder-free moisture control on the inside.
- Beaded cuff to make donning easier and prevent roll down.
- Ambidextrous for time and cost saving.

Thickness: 6 mil Fingers/Palm

SKU	Size Group
412-49277	Large
412-49278	X-Large

MICROFLEX®



Blaze® N48 Nitrile Exam Gloves

Features:

- High visibility coloring.
- Works exceptionally well in oily environments.
- Extended cuff for added protection of wrist and forearm.

Thickness: Cuff: 3.9 mil; Finger: 7.9 mil; Palm: 5.1 mil

SKU	Size Group
748-N483	Large

MAPA PROFESSIONAL



Stansolv® AK-22 Gloves

Features:

- Nitrile embossed z-grip.
- Separate shell-and-liner construction prevents leak paths caused by liner fibers penetration of nitrile shell.
- Soft, two-way-stretch interlock cotton liner absorbs perspiration and helps insulate glove.
- Light-weight nitrile shell provides excellent comfort and dexterity and guarantees long-lasting protection from permeation by toxic compounds.
- Z-pattern grip channels fluids off working surface to insure secure grip with hard to grasp materials.

SKU	Size Group
457-34381049	9

SHOWA
Always Innovating. Never Imitating.



7500 Series Nitrile Disposable Gloves

Features:

- Competitively priced; designed for the consumer in mind.
- Latex-free, 100% nitrile.
- Reduces risk of allergies.
- Rolled cuff prevents dirt from entering the glove.
- Second-skin feel significantly reduces hand fatigue.
- Bisque grip.

Thickness: 4 mil

SKU	Size Group
845-7500PFM	Medium
845-7500PFL	Large
845-7500PFXL	X-Large

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

SHOWA
Always Innovating. Never Imitating.



772 Nitrile Gloves

Features:

- Flexible glove offering great dexterity and with good resistance to tearing.
- Surface provides tactile feel and better grip.
- Impermeable for working in damp or greasy environments, enabling you to grip objects securely.

Thickness: 20 mil

SKU	Size Group
845-772L-09	Large
845-772XL-10	X-Large

MCR SAFETY



Oil Hauler Premium Double Dip PVC Coated Gloves

Features:

- Premium grade gloves designed to withstand abuse from oils and solvents, petrochemicals and refining.
- Double dipped PVC provides double the protection.
- Jersey lining makes for a comfortable and easy wear.
- Treated with Actifresh®.

SKU	Size Group
127-6410SC	Large



Chemical-Protection Nitrile Gloves

Features:

- Features an extended gauntlet for forearm protection.
- Bisque surface-texture grip makes wet work easier and safer.
- Ergonomic design maximizes comfort to aid precision.

Size Group: Size 10/X-Large
Thickness: 15 mil

SKU
845-727-10



Premium Double-Dipped PVC Gloves

Features:

- Premium double dipped PVC gloves provide maximum resistance to chemicals, solvents and oils.
- Non-slip grip in wet and dry applications.
- Comfortable jersey lining.

SKU	Size Group
127-6414	Large

© 2026

SHOWA
Always Innovating. Never Imitating.



620 Chemical-Resistant Gloves

Features:
- Soft cotton liner and flexible fabric.
- PVC coating protects against chemicals, acids, bases, and solvents.
- Liquid proof and abrasion resistant.

SKU	Size Group
845-620XXL-11	2X-Large



Black Knight® PVC Gloves

Features:
- The Black Knight® is one of the most durable work gloves available.
- With cotton lined PVC construction, Black Knight® provides workers barrier protection from chemicals, oil and grease as well as abrasion resistance.
- The fully washable glove comes in a variety of hand sizes and weights for nearly any general-purpose industrial setting or application.
- With choices in jersey or interlock liners as well as smooth or rough finishes, Black Knight® is as versatile as it is durable and protective.

SKU	Size Group
845-7712R-10	Large

ANCHOR BRAND



Anchor Brand 7-ga Standard Weight Seamless String-Knit Gloves

Features:
- Seamless cotton/polyester knit shell is comfortable and flexible.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Reversible design allows replacing one glove at a time, rather than pairs.

SKU	Size Group
101-6700	Large

MCR SAFETY



Knit Gloves

Features:
- Non-coated styles are made with FDA approved materials for use in food processing applications.
- Reversible pattern.

SKU	Size Group
127-9507LM	Large



Multipurpose String Knit Gloves

Features:
- Multi-purpose string knit gloves come in various blends and weights, economy, regular, and heavy weight.
- These gloves are suitable for general hand protection in light duty applications.

SKU	Size Group	Material
127-9506M	Medium	70% Cotton/30% Polyester

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



10-TIG Capeskin Welding Gloves

Features:

- Handy gloves are made from durable capeskin material for extended wear comfort.
- They effectively resist heat and abrasion.
- Excellent dexterity, fit, and flexibility.

SKU	Size Group
902-10TIG-XL	X-Large



120-TIG Capeskin Welding Gloves

Features:

- Weld well, with sturdy TIG welding gloves that feature a welted thumb stress point.
- Fully Kevlar® sewn for additional protection.
- Gloves offer excellent dexterity, fit and flexibility.

SKU	Size Group
902-120TIG-S	Small
902-120TIG-M	Medium
902-120TIG-L	Large
902-120TIG-XL	X-Large



7344 Leather Welding Gloves

Features:

- Welding is hard work—luckily, sturdy leather welding gloves provide superior heat protection.
- Strong, one-piece palm has no exposed seams.
- Sewn with heat resistant Kevlar® thread for additional protection.
- Features absorbent cotton sock lining for added comfort.
- Reinforced thumb and palm.

SKU	Size Group
902-3030	Large



COMFOflex® Premium Leather Welding Gloves

Features:

- Heat and sweat absorbant COMFOflex® lining.
- Fully welted seams and 4-ply Kevlar® sewn.
- Next level heat resistance, with improved abrasion resistance.
- Excellent comfort, protection, and durability.

Size Group: Large

SKU	Lining	Style	Color
902-100GC	Full Sock	Wing Thumb	Russet
902-10-2000	COMFOflex®	Reinforced Palm and Thumb	Buck Tan

© 2026



High Heat Welding Gloves

Features:

- Excellent choice for heavy duty MIG, TIG, Plasma, gas welding and cutting applications.
- Industrial grade aluminized backing reflects 95% of radiant heat.
- 100% of stitching is done with 4-ply Kevlar® thread.
- Sweat absorbent palm.

SKU	Size Group
902-650H-XL	X-Large



Leather Welder's Gloves

Features:

- Excellent heat protection.
- One-piece palm has no exposed seams.

SKU	Size Group
902-300GCS	Small



Premium Welding Gloves

Features:

- Industrial and warehouse work gloves for many applications.
- Excellent comfort, protection, and durability.
- Kevlar Sewn.

SKU	Size Group	Material
902-B-20GC	Large	Split Cowhide



Quality Welding Gloves

Features:

- Heat and sweat absorbent COMFOflex® lining.
- Standard heat and improved abrasion resistance.
- Excellent comfort, protection and durability.
- Fully welted seams and 4-ply Kevlar® sewn.

SKU	Size Group	Material
902-700GC-L	Large	Split Cowhide

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Split Cowhide Kevlar® Welding Gloves

Features:

- Strong, 5-ply split cowhide gloves are sewn with Kevlar® for added strength.
- Split cowhide welding glove with Gunn-Wing thumb and full sock lining for comfort.
- Heat- and abrasion-resistant.

SKU	Size Group
902-18GC	Large



Split Cowhide Welding Gloves

Features:

- Quality leather construction.
- Fully welted seams and Kevlar® sewn.
- Designed for standard heat resistance, with improved abrasion resistance.
- Excellent comfort, protection, and durability.

SKU	Size Group
902-300GC	Large



Welding Gloves

Features:

- Heat and abrasion resistance.
- Fully Kevlar® sewn.
- Durable and flexible.

Cuff Style: Leather

SKU	Size Group	Includes
902-10-2054	Large	No Black Pad
902-4200AL	Large	Black Pad



110 Select Shoulder-Split Cowhide Stick Gloves

Features:

- Reliably consistent quality for standard stick welding protection.
- Cotton sock lining for comfort.
- Thumb strap reinforcement provides extra durability.
- Kevlar® stitching provides spark and abrasion resistance.

SKU	Size Group
800-110L	Large

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



25K Premium Kidskin TIG Gloves

Features:

- Supple and thin premium kidskin leather provides excellent hand and finger control.
- Exclusive DragPatch® reinforcement offers extra abrasion resistance and insulation.
- Unlined for dexterity.
- Kevlar® stitching provides spark and abrasion resistance.

SKU	Size Group
800-25KS	Small
800-25KM	Medium
800-25KL	Large
800-25KXL	X-Large



320 Side-Split Cowhide Stick Gloves

Features:

- High-quality side split cowhide with wide reinforcements in key stress areas.
- Exclusive CushionCore™ padded liner provides extra heat-blocking comfort.
- Wide reinforcement in high wear area.
- Kevlar® stitching provides spark and abrasion resistance.

SKU	Size Group
800-320M	Medium
800-320L	Large
800-320XL	X-Large



GM1540 Premium Goatskin MIG Gloves

Features:

- Ultra-soft premium goatskin provides lightweight protection.
- Padded DragPatch® for hot zone coverage.
- Seamless index finger for excellent trigger control.
- Lined palm provides extra defense from heat.
- Kevlar® stitching provides spark and abrasion resistance.

SKU	Size Group
800-GM1510-WT-LRG	Large



1540 revolution® Premium Goat Grain Unlined Palm TIG/Multi-Task Welding Gloves

Features:

- Kontour™ design gloves conform to the natural shape of the human hand and provide proper finger alignment.
- Kontour Thumb™ design moves the pesky seam away from the contact/wear area.
- Kontour Wrist™ patented wrist design to enhance comfort and safety.
- Supple yet durable premium genuine goat grain leather.
- Unlined padded palm and index for comfort.
- Sewn with Kevlar® for maximum seam strength.
- Complimentary 3 inch carabiner for keeping gloves together when not being used.

SKU	Size Group
607-1540-M	Medium
607-1540-L	Large
607-1540-XL	X-Large

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



1600 Goat Grain Leather/Cowhide Cuff Unlined Welding Gloves

Features:

- Resilient and durable goat grain leather gloves.
- Cowhide leather cuff.
- Constructed with Kontour™ form-fitting design.
- Sewn with Dupont™ Kevlar® thread.

SKU	Size Group
607-1600-M	Medium
607-1600-L	Large
607-1600-XL	X-Large



1812 revolution® Pig Grain FR Cotton Fleece Lined MIG/Stick Welding Gloves

Features:

- Constructed with BOARHIDE® pig grain leather, cowhide cuff, and Kontour™ form-fitting design.
- Insulated with FR (flame resistant) cotton fleece in-sock lining.
- Double layered protection features Lean-On and Heat-Shield Reinforcements on the left hand.
- Patented double-stitched palm padding and wear-patch.
- Patches, padding, and reinforcements for comfort and protection.
- Sewn with Dupont™ Kevlar® thread.
- Complimentary 3 inch carabiner to keep gloves together with exclusive Caiman® loops on each pair.

SKU	Size Group	Lining	Style	Color
607-1812-L	Large	In-Sock-Insulation with FR Foam/Fleece	1812 Revolution®	Gold; White
607-1812-XL	X-Large	Full Sock-Insulation with Flame-Resistant Fleece	Mig Welding Gloves	White/ Brown



1816 revolution® Deerskin FR Foam Fleece Lined MIG/Stick Welding Gloves

Features:

- Constructed with supple American Dearskin leather, cowhide cuff, and Kontour™ form-fitting design.
- Full sock-insulation with FR (flame resistant) foam/fleece.
- Patches, padding, and reinforcements for comfort and protection.
- Large pulse protector.
- Sewn with Dupont™ Kevlar® thread.
- Complimentary 3 inch carabiner to keep gloves together with exclusive Caiman® loops on each pair.

SKU	Size Group
607-1816-L	Large
607-1816-XL	X-Large



1868 revolution® Goat Grain FR Back Unlined Palm TIG/MIG Welding Gloves

Features:

- Constructed with top grain goat leather/cowhide and Kontour™ form-fitting design.
- Top grain leather fourchettes and finger tips.
- Unlined, padded, patches, and reinforced palm and thumb saddle for added protection and comfort.
- Flame Resistant (FR) insulated back.
- Large pulse protector and long leather cuff.
- Patented double-stitched palm padding and wear-patch.
- Sewn with Dupont™ Kevlar® thread.
- Complimentary 3 inch carabiner to keep gloves together with exclusive Caiman® loops on each pair.

SKU	Size Group
607-1868-L	Large
607-1868-XL	X-Large

© 2026



1878 21-in FR Insulated MIG/Stick Welding Gloves

Features:

- 21-inch glove with heavy-duty padding on the forearm and elbow for comfort.
- Super supple Genuine American Deerskin tanned in USA.
- Genuine leather heat shield patch, reinforced palm, cuff and lean-on patch.
- Sock-lined FR cotton fleece insulated.
- Boarhide™ leather pull-strap.
- Sewn with Kevlar® thread.
- Complimentary 3 inch carabiner to keep gloves together with exclusive Caiman® loops on each pair.
- Exclusive 3-dimensional, pre-curved fingers, and form-fitting design for ultimate fit, comfort, and dexterity.

SKU	Size Group
607-1878-5	Large



DEERSOsoft® Deerskin/Split Cowhide MIG/TIG Welding Gloves

Features:

- Supple grain deerskin, durable split cowhide cuff.
- Excellent heat resistance without sacrificing control or comfort to the welder.
- Resists sparks and spatter while still having superior fingertip control.
- Unlined for maximum precision.
- Kevlar® stitching.

SKU	Size Group
283-10-2304M	Medium; Size 8.5
283-10-2304L	Large; Size 9



Blue Beast Leather Welding Gloves

Features:

- Made of premium top grain goatskin with a 4.5 in blue split cowhide leather cuff.
- Supple leather contains natural lanolin that helps create a very soft feel.
- Strong tensile strength and excellent tactile sensitivity.
- Sewn with Dupont™ Kevlar®.

SKU	Size Group
127-4850L	Large



Blue Beast® Select Side-Split Leather Welding Work Gloves

Features:

- Features all cow blue select side leather with one piece back.
- Palm and the thumb strap are reinforced for durability and all seams are fully welted and sewn with DuPont™ Kevlar® thread.
- Lining consist of soft cotton jersey and cotton drill cuff lining.

SKU	Size Group
127-4600	X-Large

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Goat Mig/Tig Welders Gloves

Features:

- Grain kid goatskin.
- Greater softness for pleasant feel.
- Sewn with super-strong heat-resistant DuPont™ Kevlar® thread.
- Gloves provide excellent dexterity, easing delicate tasks.

SKU	Size Group
127-4840L	Large



Mustang Premium Top Grain Cowskin Leather Welding Work Gloves

Features:

- Made of premium grade cream grain cow leather, 4.5 inch russet split leather gauntlet cuff, and wing thumb.
- Sewn with DuPont™ Kevlar® thread to resist sparks and sharp metals which can unravel most gloves.

SKU	Size Group
127-4950M	Medium
127-4950L	Large
127-4950XL	X-Large



MIG Welding Gloves

Features:

- Offers outstanding comfort and dexterity in the fingers and palms.
- Choose from a variety of materials, such as cowhide, top grain elkskin, premium reverse deerskin, premium kidskin, top grain/split cowhide, top grain goatskin, or top grain pigskin.
- Sewn with DuPont™ Kevlar® stitching.
- Cut-resistance, abrasion-resistance, heat-resistant, and/or puncture-resistance styles available.

SKU	Size Group	Material	Lining
724-1350M	Medium	Top Grain Cowhide Palm/Back-of-Hand (BOH); Split Cowhide Cuff; DuPont™ Kevlar® Thread	Unlined
724-1350L	Large	Top Grain Cowhide Palm/Back-of-Hand (BOH); Split Cowhide Cuff; DuPont™ Kevlar® Thread	Unlined
724-35L	Large	Premium Reverse Deerskin Palm/Back-of-Hand (BOH); Split Cowhide Cuff; DuPont™ Kevlar® Thread	Foam Back; Unlined Palm



Stick Welding Gloves

Features:

- Offers superior protection from the rigors of stick welding.

SKU	Size Group	Material	Lining	Color
724-1018	Large	Slightly Select Split Cowhide Palm/Back-of-Hand (BOH)/Cuff	Cotton/Foam Back and Palm	Blue
724-750M	Medium	Split Elkskin Palm/Top Grain Elkskin Back-of-Hand (BOH)/Split Cowhide Cuff	Cotton/Foam Back with Unlined Palm	Pearl
724-750L	Large	Split Elkskin Palm/Top Grain Elkskin Back-of-Hand (BOH)/Split Cowhide Cuff	Cotton/Foam Back with Unlined Palm	Pearl
724-750XL	X-Large	Split Elkskin Palm/Top Grain Elkskin Back-of-Hand (BOH)/Split Cowhide Cuff	Cotton/Foam Back with Unlined Palm	Pearl
724-850M	Medium	Split Elkskin Palm/Top Grain Elkskin Back-of-Hand (BOH)/Split Cowhide Cuff	Cotton/Foam Back with Unlined Palm	Gold
724-850L	Large	Split Elkskin Palm/Top Grain Elkskin Back-of-Hand (BOH)/Split Cowhide Cuff	Cotton/Foam Back with Unlined Palm	Gold
724-850XL	X-Large	Split Elkskin Palm/Top Grain Elkskin Back-of-Hand (BOH)/Split Cowhide Cuff	Cotton/Foam Back with Unlined Palm	Gold

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

TILLMAN™



TIG Welding Gloves

Features:

- Maximizes dexterity and gives the welder the agility and sense of touch to laydown perfect welds with supreme comfort and protection.
- Choose from a variety of materials, such as goatskin, split deerskin, top grain goatskin/kidskin/pigskin.
- Sewn with DuPont™ Kevlar® stitching.
- Cut-resistance, abrasion-resistance, and/or puncture-resistance styles available.

SKU	Size Group
724-24CS	Small
724-24CM	Medium
724-24CL	Large
724-24CXL	X-Large

OccuNomiX



HEAT PAX™ Warmers

Features:

- Air activated, instant warmth.
- Options available for hand or toe warmers.

SKU	Quantity
561-1100-10R	5
561-1100-80D	40

Hand Pads & Warmers

Wells Lamont Industrial



Baker Pads and Hand Pads

Features:

- Provides comfort and protection while on the job.
- With two additional layers of terry cloth, the pad can protect in temperatures up to 460° F.
- The B-Pad also provides a hand hole for better accessibility.
- This pad is ideal for food processing, baking, kitchens, schools, and cafeterias.

SKU	Length	Width
815-B-PAD	11 in	9-1/2 in

ergodyne WORK GEAR



N-Ferno® Warming Packs

Features:

- To activate, just open the pack.
- All natural ingredients heat up when they make contact with oxygen.
- Seal from oxygen in resealable bag and reuse the next day.
- Stays warm up to 5 hours.

SKU
150-16990

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Body Belts

MSA The Safety Company



Miners Body Belts

Features:
- Straps for attaching battery and respirator.
- Not to be used for fall-arrest.
- Brightly colored polyester webbing improves worker safety through better visibility.

SKU	Size Group	Connection Type
454-415336	Medium	Fixed D-Ring

Fall Protection Kits

3M | DBI SALA



3M™ DBI-SALA™ Secura Span™ HLL Lifeline Assemblies

Features:
- Lifeline is ready for you to install to your existing or configured SecuraSpan™ system and provide the ultimate in horizontal mobility and fall protection.
- All metal construction provides the ultimate in jobsite durability and the galvanized finish offers corrosion resistance for longer service life.
- Extremely rugged and easy to use turnbuckle allows the user to tension the system to safe and secure levels.
- Saflok™ carabiners at each end for fast and safe attachment.
- Our user friendly, self locking and closing steel carabiners are easy to operate and allow you to easily attach the lifeline to the stanchion.
- Lightweight and portable design provides fast and easy handling.

Line Length: 140 ft

SKU	Weight Capacity
098-7403140	310 lb

3M | DBI SALA



3M™ DBI-SALA™ Secura Span™ Rebar/Shear Stud HLL Stanchions with Bases

Features:
- Stanchion with rebar/shear stud base, intermediate and end anchor brackets to configure your own SecuraSpan™ system.
- Customize your SecuraSpan™ I-beam system to suit your specific jobsite needs to provide the ultimate in horizontal mobility and fall protection.
- Integrated system has a wide range of adjustment for greater jobsite flexibility and versatility.
- Lightweight and portable design provides fast and easy handling, installation and storage for maximum worker productivity.
- All adjustments are made from the top of the beam for added ease of installation and complete user safety.
- Extremely rugged zinc plated steel construction provides corrosion resistance for longer service life.

SKU	Weight Capacity
098-7400215	310 lb



3M™ DBI-SALA™ Secura Span™ Rebar/Shear Stud HLL Tie-Back Bases with Chains

Features:
- Tie-back base and chain to configure your own SecuraSpan™ rebar/shear stud system.
- Customize your SecuraSpan™ I-beam system to suit your specific jobsite needs to provide the ultimate in horizontal mobility and fall protection.
- Integrated system has a wide range of adjustment for greater jobsite flexibility and versatility.
- Provides fast and easy handling, installation and storage for maximum worker productivity.
- Top mounted bolt and clamp adjustment system.
- All adjustments are made from the top of the beam for added ease of installation and complete user safety.
- Extremely rugged zinc plated steel construction provides corrosion resistance for longer service life.

SKU	Weight Capacity
098-7400214	310 lb

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

MILLER® BY PIP



Titan™ Harness/Shock-Absorbing Lanyard Combos

Features:
- Provides an easy one piece solution.
- Full body harness with mating buckle leg strap.
- Attached 6 ft tubular shock-absorbing lanyard.

Size Group: Universal
Fastening Method: Back D-Ring; 6 ft Lanyard w/ Snap Hook
Line Length: 6 ft

SKU	Includes	Weight Capacity
493-TK4051-Z7/U/6FTAK	Full-Body Harness with Mating Buckle Leg Straps; 6 ft Tubular Shock Absorbing Lanyard	Harness: 400 lb; Lanyard: 310 lb

MSA
The Safety Company



Temporary Horizontal Lifeline Systems

Features:
- Integrated locking and tensioning mechanism on the handle - eliminating the need for nuts, bolts and wrenches.
- Lightweight and flexible to help make installation easy to complete by a single worker.
- Locking and tensioning mechanisms are on the same side - no need to travel back and forth for set up.
- Easy-to-read red and green visual indicators let the user know the system is locked, tensioned and ready for use.
- Patented bypass shuttles help 2 users maintain 100% tie-off - increasing mobility without sacrificing safety.

Line Length: 60 ft

SKU	Includes	Weight Capacity
454-10219292	Kermantle Rope; Bypass Shuttles; Anchorage Straps	310 lb

3M



3M™ Protecta® Self-Retracting Lifeline with Carabiner

Features:
- Compact, lightweight design.
- Quick activating speed-sensing locking system.
- Available in multiple configurations, lifeline lengths, and material types.

Load Cap.: 310 lb

SKU	Applications
098-3100516	Climbing; Demolition; Inspection; Maintenance; Remediation

3M



3M™ Micro D-ring Cord Tool Attachment Points

Features:
- Designed to create an attachment point for tool tethers to connect with tools.
- Micro D-ring adheres to most surfaces, creating attachment points in a matter of seconds.
- Multiple attachment point and capacity options designed for a variety of applications.
- Micro D-Rings' low profile keeps the attachment point out of the way.
- Flexible notched surface allows the Micro D-Ring to attach to curved surfaces.
- Compatible with 3M™ DBI-SALA® fall protection for tools accessories.
- Heavy-duty industrial grade double-stick tape adheres to most surfaces.
- Designed for use with items such as cell phones, small cameras and radios.

SKU	Applications
098-1500010	Construction; General Industrial; Mining; Oil and Gas; Transportation

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



3M™ DBI-SALA® Lad-Saf™ X3 Detachable Cable Sleeves

Features:
- Sleeve for Lad-Saf™ 9.5 mm (3/8 in) vertical cable systems.
- Mobile design follows user for convenient climbing protection.
- Installs and detaches anywhere along the vertical lifeline.
- Dual independent locking mechanism.
- Built-in energy absorber and fall indicator with swivel.
- Saflok™ steel carabiner for secure connection to harness.
- Extremely compact, lightweight design, rugged and corrosion resistant construction.
- Order top and bottom brackets, cable and guides separately.

Load Cap.: 310 lb

SKU	Applications
098-6160054	General Industrial; Oil and Gas; Transportation; Utilities; Wind Energy



3M™ DBI-SALA® Web Tie-Off Adaptor

Features:
- Pass-thru type web tie-off adaptor.
- Lightweight and durable polyester web construction.
- Adjustable designs available to accommodates a variety of different sized structures.
- Compatible with various fall arrest systems.
- Features high-strength steel hardware.
- Anchorage connectors are built from quality materials providing strength and durability to stand up to tough environments.

SKU
098-1003000



Concrete D-Bolt Anchors

Features:
- Great for applications with concrete, lightweight concrete and grout-filled blocks that meet required specifications (min.
- 2000 psi).
- Versatile anchor can be installed on a vertical wall or overhead for versatility.
- Can be installed in a bottomless hole to allow for the insert to be driven flush with the surface after use.

SKU	Includes
493-417C/	5/8 in stud-type expansion anchor



Manual Rope Grabs

Features:
- Manual rope grabs move easily up and down vertical lifelines to provide continuous fall protection.
- In the event of a fall, rope grabs lock quickly.
- Compact design with corrosion-resistant stainless steel construction.
- Lightweight and easy to use rope grabs are a sturdy and dependable choice.

SKU	Load Cap.
493-8174/U	310 lb



MightEvac™+ Self-Retracting Lifelines with Tripod Bracket

Features:
- Self-Retracting Lifeline Series with a quick-activating retrieval mechanism for emergency evacuation.
- Durable and dependable, they are constructed of corrosion-resistant stainless steel and aluminum housing.

Load Cap.: 310 lb

SKU
493-MME-GCB1-02/50FT

© 2026



Relief Step™ Safety Devices

Features:
- Alleviates the effects of orthostatic intolerance, also known as suspension trauma.
- Easy to deploy and use.
- Attaches to any brand full-body harness.
- When used, the Relief Step Safety Device provides support and enhances blood circulation until rescue, permitting the ability to move and flex leg muscles.

Load Cap.: 400 lb

SKU
493-9099X/12-H5



Twist Lock Carabiners

Features:
- Twist-lock system ensures secure closure.
- Spring-loaded keeper simplifies use.
- Rust-resistant zinc-dichromate plating.

SKU	Load Cap.
493-17D-1/	400 lb



Ergonomic Tool Holders

Features:
- Vibration-absorbing design.
- Attach to broom handles and mops for better grip.
- Eases awkward hand positioning.
- Spark resistant for added safety.

SKU	Applications
454-507005	Up to 18 in Long Tools



Hand-Off™ Chisel Grips

Features:
- Keeps hands away from the point of contact: permits faster, safer, more accurate work.
- Vibration-absorbing handle.

Opening Size: 1 in

SKU
454-10040018



Rail Slider Anchors

Features:
- Sliding rail anchors fit over railroad tracks to provide a tie-off point for a personal fall protection system.
- Each side is placed around the track edge and the sides connect using a carabiner that is also used to connect the lanyard.
- Anchors should always be inspected and replaced after being exposed to a fall.

SKU	Opening Size	Load Cap.
454-SFPRS6000	2-1/2 in	310 lb



Rescuer Self Retracting Lifelines

Features:
- Allows the fallen worker to ascend or descend to a safe location.
- Fast, easy and intuitive fall protection with integral bi-directional retrieval capability.
- Ergonomic, stainless steel carrying handle can also be used as anchorage connection point.

SKU	Load Cap.
454-10158178	310 lb

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

MSA
The Safety Company



Sure Climb® Slider

Features:
- Provides fall protection when climbing or descending ladders or vertical structures up to 300 feet in height.
- Quick-acting and safe fall arrestor brake.
- Works well with both temporary and permanent cable systems.

SKU	Opening Size	Load Cap.
454-10040010	5/16 in	310 lb



V-SERIES™ Standard Shock Absorbing Lanyards

Features:
- Lightweight safety lanyards not only limit force on the body in a fall, but also on the anchor location.
- Shock absorbing pouch includes a clear, durable protective cover on the labels to increase service life, and allow for easy inspection.
- Available in single/twin leg configurations, adjustable/fixed length options, and CSA light-weight worker options.

Load Cap.: 400 lb

SKU	Type	Snaphook Size
454-10191755	Single	Small/Small
454-10191757	Single	Small/Large
454-10191758	Double	Small/Large



V-TEC® Personal Fall Limiters

Features:
- Selection is made easier with defined color coded housings, Green for Leading Edge and Gray for Overhead use only.
- Fully rotating attachment point for complete flexibility, both 360° and 180°.
- Polycarbonate case houses SRL, transparency allows for easy visual inspection of critical internal components.
- Components manufactured from high-grade stainless steel and engineered plastics.

SKU	Load Cap.
454-VTOHW-012-RF-A	400 lb

WERNER



Friction Bolt Anchors

Features:
- Lightweight design is easy to insert and remove.
- Portable anchorage connector used for underground mining and tunneling.
- It inserts directly inside friction rock bolts.

SKU
865-A810000



I-Beam Sliding Anchors

Features:
- Lightweight aluminum design moves smoothly across beam.
- Fits beams up to 1-1/4 in thick.
- Fits beam flanges from 3-1/2 in to 14 in.
- Easily adjusted with swivel D-ring for connection.

Load Cap.: 5000 lb

SKU
865-A550000



Reusable Concrete Anchors

Features:
- Lightweight design is easy to insert and remove.
- Drill hole of 3/4 inch with 3-1/2 inch minimum depth.
- Minimum 3000 psi concrete.
- Multi-directional use.

Load Cap.: 5000 lb

SKU
865-A510000



Reusable Swivel Concrete Anchors

Features:
- Push button removal, no tools required.
- Rigid and durable tri-wedge design.
- 360 degree loading.
- Horizontal, vertical, or overhead use.
- Stainless steel construction.

SKU	Load Cap.
865-A510300	5000 lb

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

Harness Parts & Accessories



3M™ DBI-SALA® Suspension Trauma Safety Straps

Features:
- Helps prevent the effects of suspension trauma after a fall.
- Allows worker who is suspended to stand up in their harness to relieve pressure.
- A safety accessory that can be attached to most harness brands/styles right in the field.

Length: 6-1/4 in - 9 in
Strap Material: Nylon

SKU	Load Cap
098-9501403	310 lb



Squids® Tool Lanyards

Features:
- Adjustable barrel lock for tool attachment.
- Aluminum carabiner.
- Cord stretches for full range of motion.
- Stretchable cord surrounded by tubular nylon webbing with silver Mylar reflective thread.
- Tethers tools to worker to help prevent injury and lost productivity from dropped tools.
- Lock stitching at both ends for extra security.

Length: 35 in - 42 in

SKU	Load Cap
150-19002	10 lb

Harnesses



3M™ DBI-SALA® Delta™ Safety Harnesses

Features:
- Automatic stand-up back D-ring enables efficient dorsal connections.
- Integrated suspension trauma straps included on most models.
- Impact indicators provide ease of inspection for webbing integrity.
- Revolving torso adjuster buckles available on select models.
- Equipped with auto-resetting lanyard keepers for fast and easy parking of snap hooks and carabiners.
- Available in multiple styles, configurations, and leg and chest connection options.
- Protected labels, equipped with 3M™ Connected Safety ID (CSID).

Connection Type: Back D-Ring
Fastening Method: Tongue Buckle Legs
Material: Repel™ Polyester

SKU	Size Group	Load Cap.
098-1102000	Universal	420 lb



3M™ DBI-SALA® ExoFit™ X300 Construction Harnesses

Features:
- Spring loaded torso buckles for quick and easy adjustment.
- Soft yet extremely durable anti-absorbent webbing.
- Strategically placed padding, and protective elements that prolong the service life of the harness.
- With comfort hip pad and belt.

Connection Type: Back & Side D-Rings
Material: Steel; Polyester

SKU	Size Group	Load Cap.
098-1113124	Medium	422 lb
098-1113127	Large	420 lb
098-1113130	X-Large	424 lb

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



3M™ DBI-SALA® ExoFit™ X200 Comfort Vest Climbing/Positioning Safety Harnesses

Features:

- Revolving Torso Adapters adjust harness fit with ease and speed and lock webbing into place to maintain a comfortable and safe harness fit.
- Equipped with anti-sliding dorsal D-ring pad to help greatly reduce dorsal D-ring slide.
- Integrated easy-link SRL adapter lets you quickly and easily connect and disconnect personal SRLs.
- Dual-locking quick connect buckles lock to harness webbing and prevent adjustments from slipping.

SKU	Size Group	Load Cap.
098-1402051	Medium	420 lb



3M™ DBI-SALA® ExoFit™ X200 Comfort Wind Energy Climbing/Positioning Safety Harnesses

Features:

- Equipped with anti-sliding dorsal D-ring pad to help greatly reduce dorsal D-ring slide.
- Integrated easy-link SRL adapter lets you quickly and easily connect and disconnect personal SRLs.
- Dual-locking quick connect buckles lock to harness webbing and prevent adjustments from slipping.
- Automatic stand-up D-ring enables efficient dorsal connections.
- Low-profile suspension trauma strap design integrated between harness webbing.
- Equipped with auto-resetting lanyard keepers for fast and easy parking of snap hooks and carabiners.
- 3M™ Connected Safety ID (RFID) integrated for simplified inventory, inspection, and record management.
- Revolving Torso Adapters to maintain a comfortable and safe harness fit.

Material: Aluminum Alloy; Zinc Plated Steel; Polyester

SKU	Size Group	Load Cap.
098-1402131	Medium	420 lb
098-1402132	Large	420 lb



3M™ DBI-SALA® ExoFit™ X300 Comfort Construction Positioning Safety Harnesses

Features:

- Revolving Torso Adapters adjust harness fit with ease and speed and lock webbing into place to maintain a comfortable and safe harness fit.
- Equipped with anti-sliding dorsal D-ring pad to help greatly reduce dorsal D-ring slide.
- Integrated easy-link SRL adapter lets you quickly and easily connect and disconnect personal SRLs.
- Auto-locking quick connect buckles secure contact with webbing, reducing the need to readjust.
- Automatic stand-up D-ring enables efficient dorsal connections.
- Low-profile suspension trauma strap design integrated between harness webbing.
- Equipped with auto-resetting lanyard keepers for fast and easy parking of snap hooks and carabiners.
- 3M™ Connected Safety ID (RFID) integrated for simplified inventory, inspection, and record management.

Material: Aluminum Alloy/Zinc Plated Steel; Aluminum Alloy/Stainless Steel; Aluminum; Polyester

SKU	Size Group	Load Cap.
098-1403100	Large	420 lb

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



3M™ Protecta® P200 Safety Harnesses

Features:

- Fixed D-ring reduces the need for readjustment throughout the workday.
- Moisture-wicking, breathable padding with soft edging for added comfort.
- Foam hip pad with mesh provides extra comfort and breathability.
- Durable and sturdy belt for tool bag-carrying convenience.
- Auto-resetting lanyard keepers for fast and easy parking of snap hooks and carabiners.
- Impact indicators make it easy to inspect the harness for prior damaging impact loads.
- Protected labels for long-term identification and inspection.
- Back and side D-rings, tongue-buckle Leg connection, pass-through chest connection.
- Low-profile suspension trauma straps integrated between harness webbing.
- Comfort Style has back padding and Standard Style has shoulder padding.
- Comfort Style also has easy-link web adapter to enable fast and easy attachment of personal self-retracting lifelines and keeps the D-ring available for lanyards, overhead SRLs, or rescue devices.

Load Cap.: 420 lb
Size Group: Medium/Large

SKU	Fastening Method	Style
098-1161205	D-Rings; Leg Buckles; Easy-Link SLR Adaptor	Comfort Construction Style Positioning Harness
098-1161309	D-Rings; Leg Buckles	Standard Construction Style Positioning Harness



DuraFlex® Python™ Ultra Harnesses

Features:

- Sleek, quick-connect buckles for chest and leg straps, interlock, similar to a seat belt, for easy donning and feature a dual-tab release mechanism to prevent accidental opening.
- Comfort-touch back D-ring pad is designed with woven, breathable material for cooler extended wear comfort.
- Orients harness for quick tangle free donning.
- Cushioned tubular webbing in the shoulder straps.
- Friction buckle shoulder straps.

Material: Cushioned Tubular Webbing

SKU	Size Group	Load Cap.
493-P950QC/UGN	Universal	400 lb



H500 Construction Full Body Harnesses

Features:

- Robust and ergonomic pressure-relief waist pad.
- Specially formulated, comfortable leg and shoulder webbing.
- User-friendly lanyard keepers.
- Construction Comfort (CC) with ergonomic Shoulder and back Padding, and Construction Standard (CS) with smart anti-tangle easy donning and soft removable shoulder pads Models available.

Material: Steel D-Rings

SKU	Size Group	Load Cap.
493-H5CS311022	Universal	420 lb
493-H5CS311023	2X-Large	420 lb

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



H500 Industry Comfort Full Body Harnesses

Features:

- Highly breathable, lightweight, ergonomic shoulder/back padding.
- Specially formulated, comfortable leg and shoulder webbing.
- User-friendly lanyard keepers.

Load Cap.: 420 lb

SKU	Size Group	Connection Type	Fastening Method
493-H5IC221002	Universal	Back D-Ring	Quick Connect (QC)
493-H5IC311122	Universal	Back/Front/Side D-Rings	Tongue Leg and Mating Chest Buckles
493-H5IC221102	Universal	Back/Front D-Rings	Quick Connect (QC)
493-H5IC311002	Universal Large/X-Large	Back D-Ring	Tongue Leg and Mating Chest Buckles



H500 Welding Harnesses

Features:

- Specially formulated Heat Resistant and flame-retardant (FR) webbing flexes to accommodate movement and body contours for optimum comfort around legs and shoulders.
- User-friendly resettable lanyard keepers.
- Easy visual sizing.

Load Cap.: 310 lb

SKU	Size Group	Fastening Method
493-H5WS1S1	S/M	Back and Side D-Rings
493-H5WS1S2	L/XL	Back and Side D-Rings
493-H5WS1S3	XXL	Back and Side D-Rings
493-H5WS2S1	S/M	Back D-Rings
493-H5WS2S2	L/XL	Back D-Rings
493-H5WS2S3	XXL	Back D-Rings



H500 Industry Standard Full-Body Harnesses

Features:

- Smart anti-tangle for hassle-free donning experience.
- Webbing flexes to accommodate movement and body contours.
- New side-adjustment straps for better ergonomic fit.
- Horizontal leg design for greater user comfort.
- Anatomically and ergonomically designed pressure-relief breathable shoulder/back padding on some models.
- User friendly resettable pull-free Lanyard keepers.
- Two clearly identifiable fall impact indicators.
- Improved visible stitch pattern.
- Lightweight aluminum quick-release buckles and highly visible protected label protection.
- Water repellent webbing.

Load Cap.: 420 lb

Material: Nylon/EVA Foam Shoulder Pads; Steel Hardware

SKU	Size Group	Connection Type	Fastening Method	Style
493-H5ISP311001	Small/ Medium	Back D-Ring	Mating Chest Buckles; Tongue Leg Buckles	IS1P Variant; Shoulder Pads; Vest
493-H5ISP311002	Universal (L/XL)	Back D-Ring	Mating Chest Buckles; Tongue Leg Buckles	IS1P Variant; Shoulder Pads; Vest
493-H5ISP221002	Universal (L/XL)	Back D-Ring	Quick-Connect Chest/Leg Buckles	IS5P Variant; Shoulder Pads; Vest
493-H5ISP111002	Universal (L/XL)	Back D-Ring	Mating Chest Buckles; Tongue Leg Buckles	IS6P Variant; Shoulder Pads; Vest
493-H5ISP311003	2X-Large	Back D-Ring	Mating Chest Buckles; Tongue Leg Buckles	IS1P Variant; Shoulder Pads; Vest
493-H5ISP221003	2X-Large	Back D-Ring	Quick-Connect Chest/Leg Buckles	IS5P Variant; Shoulder Pads; Vest
493-H5ISP311022	Universal (L/XL)	Back/Side D-Rings	Mating Chest Buckles; Tongue Leg Buckles	IS2P Variant; Shoulder Pads; Vest
493-H5ISP221022	Universal (L/XL)	Back/Side D-Rings	Quick-Connect Chest/Leg Buckles	IS9P Variant; Shoulder Pads; Vest
493-H5ISP311023	2X-Large	Back/Side D-Rings	Mating Chest Buckles; Tongue Leg Buckles	IS2P Variant; Shoulder Pads; Vest
493-H5ISP221023	2X-Large	Back/Side D-Rings	Quick-Connect Chest/Leg Buckles	IS9P Variant; Shoulder Pads; Vest

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

BUILT FOR THE SURGE. TRUSTED FOR THE FALL.

The **Miller H500 Arc Flash Full Body Harness** is engineered for professionals working at height in high-voltage environments. With flame-resistant webbing, dielectric hardware, and quick-connect buckles, it delivers uncompromising protection and all-day comfort—without sacrificing mobility or compliance





H700 Full Body Harnesses

Features:

- One-pull trauma relief step provides a state-of-the-art solution for suspension trauma relief.
- Configurable leg strap design for customizable comfort.
- Modular lightweight accessory straps for adjustability and convenience.
- Convenient Self-Retracting Lifeline (SRL) integrated connector allows for easy attachment of personal single/twin SRLs and carbineers.
- Tool tether anchors and lanyard keepers positioned in several convenient locations, including front and waist.
- New protected name plate identification and QR code.
- Lightweight full body harness offers workers at height less heft, more comfort, and easier movability.
- High-tech, multi-layered 3D padding is innovative and designed for enhanced breathability and venting.
- Construction Comfort (CC) and Industry Comfort (IC) styles available.

Load Cap.: 420 lb

SKU	Connection Type	Style
493-H7CC3A2	Back/Front/Side D-Rings	Construction Comfort (CC)
493-H7IC1A2	Back D-Ring	Industry Comfort (IC)



Revolution® Arc-Rated Full Body Harnesses

Features:

- Designed to protect workers from falls caused by electric arc-flash and arc-blast exposure when working at heights or in confined space applications near energized electrical sources.
- Leather insulators under all metal hardware offer additional protection for the worker.

SKU	Size Group	Load Cap.
493-RKNAR-QC/UBK	Universal	400 lb



Revolution™ Harnesses

Features:

- Unique rotary PivotLink™ connection.
- Integrated accessory system provides connection points for belts/tools/accessories.
- Easy, one-hand adjustment cam buckles.
- Semi-flexible ErgoArmor™ back shield.
- Web finials safely organize webbing.
- Self-contained label pack.

SKU	Size Group	Load Cap.
493-RDT-QC/UBK	Universal	400 lb



Titan™ II Non-Stretch Harnesses

Features:

- Designed for more comfort and better fit with lighter, strategically-placed padding that provides optimal airflow while working at heights.
- Easier vertical adjustability that stays in place.
- Back strap increases safety by preventing roll out in the event of a fall.
- Oversized ID tags provide quick and easy harness size identification.

Load Cap.: 400 lb

SKU	Size Group
493-T4500/S/MAK	Small/Medium
493-T4500/UAK	Universal (Large/X-Large)
493-T4500/XXLAK	2X-Large
493-T4500/XXXLAK	3X-Large

© 2026

MSA The Safety Company



V-FIT™ Derrick Harnesses

Features:

- Patent-pending RaceFLEX™ buckle allows for a close comfortable full body harness fit, eliminating the need for a bulky chest strap.
- Shoulder padding responds to your movement to conform to your body, eliminating pressure points and chafing.
- Athletic cut that contours to the body and allows for increased upper torso mobility.
- Pull-down adjustment allows for quick and easy harness adjustment that ensures a proper fit that lasts throughout the work day.
- Dedicated attachment point for Personal Fall Limiters allows quick and easy attachment and allows your back D-Ring to remain free for other use.

SKU	Size Group	Load Cap.
454-10195205	Standard	400 lb



V-FIT™ Full-Body Harnesses

Features:

- Patented RaceFLEX® buckle allows for a close comfortable full body harness fit, eliminating the need for a bulky chest strap.
- Athletic cut that contours to the body and allows for increased upper torso mobility.
- Pull-down adjustment allows for quick and easy harness adjustment to ensure proper fit.
- Dedicated attachment point for Personal Fall Limiters allows quick and easy attachment.
- Styles with shoulder padding conforms to your body, eliminating pressure points and chafing; can be removed for cleaning.
- Construction style harness has adjustable waist pad.
- Available in standard and construction configurations.

SKU	Size Group	Load Cap.
454-10194889	Standard	400 lb

MSA The Safety Company



V-FORM™ Full-Body Harnesses

Features:

- The patent-pending RaceFORM™ buckle allows for a close comfortable full body harness fit - eliminating the need for a bulky chest strap.
- Athletic cut that contours to the body and allows for increased upper torso mobility.
- Pull-down adjustment allows for quick and easy harness adjustment that ensures a proper fit that lasts throughout the work day.
- Variety of configurations available.

Material: Stainless Steel D-Ring; Steel Hardware
Load Cap:400 lb

SKU	Size Group	Fastening Method	Connection Type
454-10197196	Standard	RaceFORM™ Quick-Connect Chest Buckle; Qwik-Fit™ Leg Buckle	Back D-Ring
454-10196642	Standard	RaceFORM™ Quick-Connect Chest Buckle; Tongue Leg Buckle	Back D-Ring
454-10197200	Standard	RaceFORM™ Quick-Connect Chest Buckle; Qwik-Fit™ Leg Buckle	Back/Hips D-Rings
454-10197215	Standard	RaceFORM™ Quick-Connect Chest Buckle; Tongue Leg Buckle	Back/Hips D-Rings
454-10197231	X-Large	RaceFORM™ Quick-Connect Chest Buckle; Qwik-Fit™ Leg Buckle	Back/Hips D-Rings
454-10197216	X-Large	RaceFORM™ Quick-Connect Chest Buckle; Tongue Leg Buckle	Back/Hips D-Rings

Ladder Safety System Parts & Accessories

MILLER® BY PIP



GlideLoc® Parts and Accessories

Features:

- Parts and Accessories.
- Used with GlideLoc® Vertical Height Access Ladder System.

SKU	Material
493-FPH_14622	Galvanized Steel

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Ladder Safety Systems



Söll Vi-Go™ Vertical Cable System Fall Arresters

Features:

- Provides the ultimate in safety with continuous fall protection when climbing fixed ladders.
- Ergonomic and versatile vertical steel rope system with integrated fall protection.

SKU	Material
493-FPH-VC570	Stainless Steel



Vi-Go™ Ladder Climbing Top Bracket Assemblies

Features:

- For Vi-Go™ Ladder climbing safety system.
- Meets OSHA 1926.502, ANSI Z259.2.1 safety standards.

SKU	Material
493-TRTB-7/	Galvanized Steel



Vi-Go™ System Kits with Automatic Pass-Through

Features:

- Automatic pass-through cable guides secure lifeline to prevent cable wear and enable the system to accommodate curves.
- Cable sleeve sold separately.
- Easy, one-hand operation for attachment/ detachment from the system.
- The Vi-Go Cable Sleeve is constructed with durable, corrosion-resistant aluminum and stainless steel components.
- Uniquely-designed, patent-pending Vi-Go Cable Sleeve automatically bypasses intermediate cable guides, keeping both hands free for climbing: travels smoothly along cable and locks instantly in the event of a fall.

Length: 30 ft

Includes: Cable; Hardware; Instruction Manual;Automatic Pass-Through Intermediate Cable Guide;Bottom Bracket Assembly w/Lifeline Tensioner

SKU	Cable Material
493-VG/30FT	Galvanized Steel



Sure Climb® Ladder Cable Systems

Features:

- Don't just climb - Sure Climb® with a strong ladder cable system designed to provide fall protection when climbing or descending ladders or vertical structures up to 300 feet in height.
- Features a stainless steel fall arrester for additional security.
- Uses a durable 5/16" galvanized steel cable.

Length: 25 ft

SKU	Cable Material
454-SFPLS350025	Galvanized Steel

© 2026

Lanyards



3M™ DBI-SALA® EZ-Stop™ Shock Absorbing Lanyard

Features:
- Stretches in reaction to your movements.
- Aluminum D-rings on each leg end for rescue.
- Abrasion-resistant polyester webbing.
- Energy-absorbing design limits fall arrest forces.
- User friendly self-locking snap hooks at center.
- Self-locking aluminum rebar hook at leg ends.

Load Capacity: 130 to 310 lb for 12 ft Free Fall; 310 to 420 lb for 6 ft Free Fall

SKU	Length	Top Connector
098-1246032	6 ft	Rebar Hook



Nano-Lok™ Edge Self-Retracting Lifelines

Features:
- Designed for foot-level tie-off and sharp edge applications.
- Twin-leg 100% tie-off design.
- Built-in connector for twin-leg SRL direct attachment to harness.
- 8 ft.
- (2.4m) twin-leg lifelines with 3/16" (5mm) galvanized steel cable lifeline.
- Self-locking snap hook on each lifeline.
- Extremely compact, lightweight design.
- Tough and impact resistant thermoplastic housing.

Load Capacity: 420 lb

SKU	Top Connector
098-3500276	Single Pin Connector



3M™ DBI-SALA® Nano-Lok™ Self-Retracting Lifeline

Features:
- Extremely compact, lightweight design.
- Tough and impact resistant thermoplastic housing.
- High capacity external energy absorbers and impact indicators.

Load Capacity: 420 lb

SKU	Top Connector
098-3100546	Single Pin Connector



3M™ DBI-SALA® Smart Lock Self-Retracting Lifeline

Features:
- Rugged and extremely lightweight thermoplastic housing with built in ergonomic handle.
- Using advanced motion capture, horizontal use is designed to reduce nuisance lockups when compared to previous generation SRLs.
- Patented magnetic retraction control system allows lifeline retract smoothly, hands free.
- Swiveling anchorage point and carabiner included.
- Patented dual label system located within ergonomic cable handle to simplify inspections and reduce the need for replacement.

Load Capacity: 420 lb

SKU	Length	Top Connector
098-3503874	30 ft	Carabiner

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



3M™ DBI-SALA® Trigger X Adjustable Single Mode Rope Positioning Lanyard

Features:
- This lanyard has three work modes and is available in three hook configurations and three lengths 6 ft, 8 ft and 10 ft.
- Quick release trigger provides smooth and precise adjustments.
- Lightweight and durable rope adjuster with aluminum carabiner.

Load Capacity: 310 lb

SKU	Length
098-1234090	6 ft



3130M Coiled Cable Tool Lanyards

Features:
- Constructed with PU covered aircraft cable.
- Coil design prevents snag and tangle hazards.
- Swiveling design prevents tangles and fast recoil.
- Captive eye carabiner.

Load Capacity: 5 lb
No. of Legs: Single

SKU	Length
150-19131	48 in



Squids® 3100 Tool Lanyards

Features:
- Captive eye design better predicts direction of load on carabiner and prevents lanyard from sliding into carabiner gate.
- Durable, made with shock-absorbing tubular nylon webbing and lock stitching at both ends for added security.
- Locking screw-gate aluminum carabiner for easy, secure attachment to tools.

Load Capacity: 10 lb

SKU	Length
150-19003	42 in



Squids® 3108F(X) Tool Lanyards

Features:
- Shock absorbing properties reduce the dynamic force on the body or other anchor point if drop occurs.
- Low profile lightweight design reduces snag hazards and added weight.
- Ergonomic carabiner is designed for easily gripping and handling with gloves.
- Treaded loop end that grips the tool when attached.
- Single length construction eliminates weak points seen with multi-component lanyards.

Load Capacity: 15 lb
No. of Legs: Single

SKU	Length
150-19808	48 in

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



Squids® 3155 Elastic Hard Hat Lanyards with Clamps

Features:
- Comfortable high-stretch elastic material.
- Easily attaches to hard hats and other headwear.
- Quick-connect clamp attaches securely to fabric.
- Hard hat not included.

Load Capacity: 2 lb

SKU	Length
150-19155	48 in



300L Rope Lifelines

Features:
- These specialized vertical rope lifelines are made, using a blend of polypropylene and high modulus polyethylene resins that produce a co-polymer fiber rope.
- This rope has much higher abrasion resistance with low-elongation characteristics equivalent to pure polyester.
- 300L lifelines have a locking snap-hook on one end and loop on the other.

Load Capacity: 310 lb

SKU	Length
493-300L-Z7/50FTBL	50 ft



BackBiter™ Tie-Back Lanyards

Features:
- The innovative Miller BackBiter Tie-Back Lanyard with a 5K Snap Hook was designed from top to bottom for tie-back use.
- The webbing and snap hooks of regular lanyards are not designed to withstand the rigors of tying back.

Load Capacity: 310 lb

SKU	Length	Top Connector
493-913B/6FTGN	6 ft	Locking 5K Snap Hook



Falcon™+ Edge Self-Retracting Lifelines

Features:
- Designed to protect a worker in applications where the lifeline could come in contact with an edge.
- Can also be used in overhead applications as a traditional Self-Retracting Lifeline.

Load Capacity: 310 lb

SKU
493-MFS-LEP1-02/30FT



Falcon™+ Self-Retracting Lifelines

Features:
- Withstands the harsh rigors of the toughest applications.
- Pound for pound the strongest, most durable line of Self-Retracting Lifelines.

Load Capacity: 310 lb

SKU
493-MFS-OGC1-02/30FT

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Titan II Positioning and Restraint Rope Lanyards

Features:
- Attaches easily to a Miller body belt or harness.
- Lightweight and economical.
- Use for positioning and restraint only and not for fall arrest.

Load Capacity: 310 lb

SKU	Length
493-T9111R-Z7/6FTWH	6 ft



Titan II Positioning and Restraint Web Lanyards

Features:
- Attaches easily to a Miller body belt or harness.
- Lightweight and economical.
- Use for positioning and restraint only and not for fall arrest.

Load Capacity: 310 lb
Bottom Connector: Locking Snap Hook

SKU	Length
493-T9111W-Z7/4FTAF	4 ft



Titan II Tubular Shock-Absorbing Lanyards

Features:
- For ultimate fall protection and safety.
- Hi-Viz color for increased worksite safety.

Load Capacity: 310 lbs

SKU	Length
493-T5111-Z7/6FTAF	6 ft



Titan™ II Pack-Type Shock-Absorbing Lanyards

Features:
- Pack-type shock-absorbing lanyards include the shock-absorber pack as an integral part of a standard lanyard.
- In the event of a fall, the pack expands, reducing fall forces while a back-up safety strap deploys for added fall protection.
- The pack is designed with a specially-woven inner core that smoothly expands reducing fall arrest forces.

Load Capacity: 310 lb

SKU	Length
493-T6111V/6FTAF	6 ft



Titan™ II Stretch Tubular Built-In Shock Absorbing Lanyards

Features:
- Specially woven shock-absorbing inner core smoothly expands reducing fall arrest forces.
- Heavy-duty tubular outer jacket serves as a backup lanyard.
- Unique warning flag provides visual proof that a lanyard has been involved in a fall and must be removed from service.

Load Capacity: 310 lb

SKU	Length
493-T5122SS-Z7/6FTAF	6 ft

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



TurboLite™ TurboLite™+ Edge Cables

Features:

- Edge cable units meet the most stringent safety standards.
- Can be connected at foot level and above worker.
- Helps reduce your fatigue, increase your productivity.
- Easy to install and use.
- A wide range of working lengths in cable (6ft and 9ft) with a variety of lifeline connectors in both steel and aluminum options.

Load Capacity: 420 lb

SKU	Bottom Connector	No. of Legs
493-MTL-LEP1-61/6FT	Locking Snap Hook	1
493-MTL-LEP1-62/6FT	Locking Rebar Hook	1
493-MTL-LEP1-63/6FT	Captive Eye Carabiner	1
493-MTL-LEP1-67/6FT	Locking Snap Hook	1
493-MTL-LEP1-68/6FT	Locking Rebar Hook	1
493-MTL-LEP1-61/9FT	Locking Snap Hook	1
493-MTL-LEP1-63/9FT	Captive Eye Carabiner	1
493-MTL-LEP1-67/9FT	Locking Snap Hook	1
493-MTL-LEP2-61/6FT	Locking Snap Hook	2
493-MTL-LEP2-62/6FT	Locking Rebar Hook	2
493-MTL-LEP2-63/6FT	Captive Eye Carabiner	2
493-MTL-LEP2-67/6FT	Locking Snap Hook	2
493-MTL-LEP2-68/6FT	Locking Rebat Hook	2
493-MTL-LEP2-61/9FT	Locking Snap Hook	2
493-MTL-LEP2-62/9FT	Locking Rebar Hook	2
493-MTL-LEP2-67/9FT	Locking Snap Hook	2
493-MTL-LEP2-68/9FT	Locking Rebar Hook	2



Turbolite™+ Fall Limiters

Features:

- Available in 6 ft, 9 ft and 11 ft lengths.
- Combinations available for unit and lanyard ends, including steel rebar hook for concrete form work.
- Enhanced graphics, icons, and colors on UV-resistant scratch-resistant labeling.
- Designs aligned with Honeywell harnesses for mix and match protection.
- Abrasion-resistant webbing, integral swivel reduces lifeline twisting.

Load Capacity: 420 lb

SKU	Top Connector	No. of Legs
493-MTL-OHW1-01/6FT	Carabiner	1
493-MTL-OHW1-02/6FT	Carabiner	1
493-MTL-OHW1-11/6FT	Locking Snap Hook	1
493-MTL-OHW1-01/11FT	Carabiner	1
493-MTL-OHW2-22/6FT	Carabiner with G2 Connector	2
493-MTL-OHW2-28/6FT	Carabiner with G2 Connector	2



Turbolite™+ Scorpion Fall Limiters

Features:

- Available in 8 ft and 9 ft lengths.
- Combinations available for unit and lanyard ends, including steel rebar hook for concrete form work.
- Enhanced graphics, icons, and colors on UV-resistant scratch-resistant labeling.
- Designs aligned with Honeywell harnesses for mix and match protection.
- Abrasion-resistant webbing, integral swivel reduces lifeline twisting.

Load Capacity: 420 lb

SKU	Top Connector
493-MTL-OHS1-01/9FT	Carabiner

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

MILLER® BY PIP



Welding Lanyards

Features:
- Have the vital personal protection equipment required when working at heights.
- Energy absorbing lanyards.

Load Capacity: 310 lb
Bottom Connector: Rebar Hook

SKU	No. of Legs
493-FPLWLL-SUS	1
493-FPLWLL-TUS	2

MSA The Safety Company



V-SHOCK® EDGE Leading Edge Fall Limiters

Features:
- The V-SHOCK EDGE Leading Edge web PFL allows users to get the job done while working in leading edge scenarios with a product designed to perform in some of the most rigorous environments.
- Labels use clear iconography to help deliver critical SRL information in a clear and easy to understand format.
- Preloaded RFID allows you to quickly integrate the V-Shock line of SRLs with your MSA Fall Protection Asset Manager.

Load Capacity: 310 lb

SKU	No. of Legs
454-VSLEW-011-PF-A	1
454-VSLEW-012-PF-A	2

MSA The Safety Company



V-SHOCK® EDGE Leading Edge Self Retracting Lanyards

Features:
- The V-SHOCK EDGE Leading Edge web SRL allows users to get the job done while working in leading edge scenarios with a product designed to perform in some of the most rigorous environments.
- Labels use clear iconography to help deliver critical SRL information in a clear and easy to understand format.
- Preloaded RFID allows you to quickly integrate the V-Shock line of SRLs with your MSA Fall Protection Asset Manager.

Load Capacity: 310 lb

SKU	Length
454-VSLEG-061-NS-A	20 ft
454-VSLEG-101-NE-A	30 ft

3M | PROTECTA



3M™ Protecta® Personal Self Retracting Lifelines

Features:
- Swiveling anchorage connector loop and carabiner.
- Aluminum or thermoplastic housing design.
- Self-locking snap hook on lifeline.
- Compact, lightweight design.

Load Capacity: 310 lb

SKU
098-3100507

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



3M™ Protecta® Pro™ Stretch Shock Absorbing Lanyards

Features:

- Polyester tubular webbing.
- User friendly self-locking snap hook at center.
- Self-locking steel rebar hook at leg ends.
- Energy absorbing design limits fall arrest forces.

Load Capacity: 310 lb

SKU	Length
098-1340161	6 ft



3M™ Protecta® Self-Retracting Lifelines

Features:

- Compact, lightweight and durable housing is extremely easy to use, relocate and is built to last.
- Unique housing allows for stacking of multiple SRLs on top of each other to reduce overall space needed during storage.
- Integrated handle makes transport, set-up, use and storage quick and easy.
- Abrasion resistant and extremely durable lifeline provides added field longevity.
- The retractable design provides freedom of movement, keeps the lifeline out of the worker's way and reduces dragging, snagging and trip falls.
- Swiveling self-locking snap hook with impact indicator automatically locks and closes for added safety, swivels to limit lifeline twisting for ease of use and provides visual indication of fall arrest.
- Speed sensing all-metal brake system stops a falling worker within inches, and provides smooth consistent operation allowing the user to maintain normal work pace and not be interrupted with constant lock ups.

SKU	Length	Load Capacity
098-3100513	11 ft	310 lb
098-3590034	20 ft	420 lb



6 FT Bantam Compact Self Retracting Lifelines

Features:

- Lightweight and compact construction with 6ft Dyneema/Polyester web working length.
- Impact Resistant Nylon Housing with swivel top.
- Durable labels and shock pack cover to aid inspection.
- Meets ANSI z359.14, Class A and OSHA Standards.

Length: 6 ft

SKU	Hook Material
865-R431006-R	Aluminum Rebar Hook
865-R431006-SR	Steel Rebar Hook



Max Patrol™ Self Retracting Lifelines

Features:

- Galvanized steel cable lifeline with swivel snap hook.
- Carry handle allows for easier transport.
- Recessed labels and durable shock pack cover to aid inspection.
- Blue accent provides clear identification of Class 1: Overhead only and Yellow accent provides clear identification of Class 2: Leading Edge.

Material: Galvanized Steel Cable; ThermoPlastic

SKU	Type	Length
865-R410020	No Leading Edge Capability	20 ft
865-R410030	No Leading Edge Capability	30 ft
865-R410030LE	Leading Edge Capability	30 ft

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Rescue Systems



3M™ DBI-SALA® Confined Space 5-Piece Davit Hoist System

Features:
- Complete with two pulleys for winches/SRLs anchor point and adjustable feet.
- Provides 12" to 29" offset and swings 180° side to side.
- This lightweight aluminum davit is very portable, breaking down into five easy to manage pieces and sets up in minutes.
- This line also available with many permanent base options as well as other offsets and height adjustable components.

SKU	Includes
098-8518000	Upper Mast; Lower Mast; 3 Piece Base; Winch Mounting Brackets (no winch)



3M™ DBI-SALA® Confined Space Rescue Davit System with Winch

Features:
- Two-piece rescue davit system.
- 360° pivoting arm.
- Carrying handle and securing straps.
- Quad-pod style foldable base.
- Self leveling feet.
- The synthetic winch lifeline - Technora 12-strand rope - provides added protection against electrical conductivity and sparking.
- Permanent handle with fold-away crank.
- Offers 30 ft/min average winching speed with no power source required to help facilitate fast and efficient rescues.

Length: 50 ft (rope length)

SKU	Includes
098-8302500	2-Piece rescue davit system with folding base and arm; 50 ft (15 m) synthetic rope winch



3M™ DBI-SALA® Rollgliss™ R550 Rescue and Descent Device Kit

Features:
- Effective safety equipment for rescue, evacuation or assisted rescues.
- Light and compact design.
- Corrosion-resistant durable aluminum cast housing.
- Features fully automatic controlled descent.
- Integrated rope ears allow for greater descent speed control.
- Dual brakes provide additional safety and security.
- Super static kernmantle rope is lightweight, yet extremely strong and durable.

Length: 400 ft
Material: Zinc Plated Steel, Aluminum, Kernmantle, Braided Polyester Cover with Nylon Filament Core

SKU
098-3327400



3M™ DBI-SALA® Rollgliss™ Sloped Automatic Descenders

Features:
- Emergency rescue and evacuation from a wide variety of elevated work areas.
- Fully automatic controlled descent for sloped applications.
- Automatic retraction allows multiple evacuations.

Length: 200 ft
Material: Galvanized Wire Rope

SKU	Includes
098-3303015	Hardware Kit

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



DuraHoist™ Confined Space System Parts and Accessories

Features:

- Lightweight, high-strength aluminum construction for easy handling and long service life.
- Modular design adapts to many applications, lowering cost of ownership and providing effective safety solutions.
- Miller® DuraHoist™ Confined Space Systems provide safe, lightweight, portable and fixed base solutions for a variety of confined space applications, including confined space entry, rescue, positioning and personnel/material handling.
- OSHA 1910.66, OSHA 1926.502(d), ANSI A10.32.
- Provides three independent swivel tie-off points for fall arrest anchorage, three-stage/four-position telescoping design and horizontal lifeline capabilities.

SKU
493-DH-20SS/



Workman Confined Space Entry Kits

Features:

- Allow for non-entry rescue of a confined space entrant and great portability.
- Lift and lower materials and personnel via the hoist while having the ability to use an SRL.
- Tripod confined space entry kits provide simple ordering with all the necessary components for a complete safety system.

Length: 50 ft Rescuer; 65 ft Winch

SKU	Includes
454-10163033	(2) Carabiners; (2) Pulleys; 50 ft Workman Rescuer; 65 ft Workman Winch; 8 ft Tripod

CLOTHING PROTECTION

Aprons



Hycar® Aprons

Features:

- Poly/cotton reinforced aprons featuring 17-19 mil Hycar® nitrile blend on poly/cotton backing with sewn edge finish. Offers users a tough combination of chemical splash protection and flexible comfort, even in cold conditions
- Sealed grommets with two-piece 48 inch ties provide a durable, consistent and adjustable fit suitable for all sizes and styles.
- Aprons are designed for rugged wear, and are both durable and cost-effective.

Width: 35 in

SKU	Length
012-56-512	45 in



Bib Aprons

Features:

- High quality vinyl apron withstands a broad range of acids, solvents, grease, & chemicals.
- Adjustable shoulder & waist cloth strap.
- Apron conceals a large portion of the body.

Width: 35 in

SKU	Length
101-AG-100	45 in

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Chaps

Features:
- Adjustable waist belt and a quick release buckle.
- Thigh, knee and leg straps are fitted with adjustable snap fasteners.

Width: 14 in

SKU	Length
902-Q-13	40 in



Select Split Cowhide Leather Bib Aprons

Features:
- Constructed with select split cowhide.
- Sewn with Kevlar® thread.
- Riveted seams at major stress points for maximum durability.
- Adjustable, self balancing shoulder straps.
- 40 in adjustable waist with quick-release strap.
- Extension waist straps sold separately.

Width: 24 in

SKU	Length
902-Q-5	36 in

Coats & Jackets



Flame Retardant Cotton Sateen Jackets

Features:
- Attractive cotton sateen jacket features a full jacket collar.
- Adjustable black snaps on cuffs provide additional flashback protection.
- Made from 100% flame retardant (FR) cotton sateen fabric.

Length: 30 in

SKU	Size Group
902-CA-1200-M	Medium
902-CA-1200-L	Large
902-CA-1200-XL	X-Large
902-CA-1200-2XL	2X-Large
902-CA-1200-3XL	3X-Large



Leather/FR Sateen Combo Jackets

Features:
- Leather/FR sateen combo jacket provides comfortable protection.
- Five insulated snaps with spatter guard front closure keep wearer safe and secure.
- Flame retardant sateen body for cool protection.
- Leather sleeves for heat, flame and abrasion resistance.

SKU	Size Group	Length
902-1201-M	Medium	30 in
902-1201-L	Large	30 in
902-1201-XL	X-Large	32 in
902-1201-2XL	2X-Large	33 in

© 2026



F9-30C Flame-Resistant Cotton Welding Jackets

Features:

- 9 oz flame-resistant (FR) treated cotton.
- Standup Welder's collar for enhanced protection.
- 6 convenient snap buttons; including, collar button.
- Leather reinforcements on all snaps.
- Scribe pocket holds welding pencils, soapstone, and paint markers.
- Inside pocket keeps small items secure.

SKU	Size Group	Length
800-F9-30C-M	Medium	30 in; 34 in Sleeve
800-F9-30C-L	Large	30 in; 34 in Sleeve
800-F9-30C-XL	X-Large	30 in; 36 in Sleeve
800-F9-30C-2XL	2X-Large	30 in; 36 in Sleeve



JF1012 FR Safety Welding Jackets with 2 in Reflective Tape

Features:

- 9 oz flame-resistant (FR) cotton with 2-inch silver reflective tape.
- X reflective tape pattern on back.
- Standup Welder's collar helps protect neck.
- Back access slot for pass-through of fall protection harness.
- Inside pocket and scribe pocket.
- Snap front and wrists.

SKU	Size Group	Color	Length
800-JF1012-LM-MED	Medium	Safety Lime	34 in Sleeve
800-JF1012-LM-LRG	Large	Safety Lime	34 in Sleeve
800-JF1012-LM-XLG	X-Large	Safety Lime	36 in Sleeve
800-JF1012-LM-2XL	2X-Large	Safety Lime	36 in Sleeve
800-JF1012-LM-3XL	3X-Large	Safety Lime	37 in Sleeve
800-JF1012-OR-LRG	Large	Safety Orange	34 in Sleeve
800-JF1012-OR-XLG	X-Large	Safety Orange	36 in Sleeve
800-JF1012-OR-2XL	2X-Large	Safety Orange	36 in Sleeve
800-JF1012-OR-3XL	3X-Large	Safety Orange	37 in Sleeve



Tyvek® 400 Two Pocket Lab Coats

Features:

- Labcoat offers front snap closures for easy donning and doffing.
- Provides enhanced frontal protection.
- Laydown collar.
- Open wrists.
- Two front pockets for holding writing instruments, small tools or parts.

SKU	Size Group	Style
251-TY212S-SM	Small	Collar;Front Snap Closure;2 Pockets
251-TY212S-M	Medium	Collar; Front Snap Closure; 2 Pockets
251-TY212S-L	Large	Collar; Front Snap Closure; 2 Pockets
251-TY212S-XL	X-Large	Collar; Front Snap Closure; 2 Pockets
251-TY212S-2XL	2X-Large	Collar; Front Snap Closure; 2 Pockets
251-TY212S-4XL	4X-Large	Collar; Front Snap Closure; 2 Pockets



Tyvek® Lab Coats No Pockets

Features:

- Inherent barrier protection against dry particulate hazards.
- Even after abrasion, stops sub-micron particles better than reusable garments.
- Serged seams.

Length: 16 in

SKU	Size Group
251-TY210S-XL	X-Large

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Tyvek® Lab Coats No Pockets Knee Length

Features:

- Tyvek® 400 garments are composed of flash spun high density polyethylene which creates a unique, nonwoven material available only from DuPont.
- Protection is built into the fabric itself; there are no films or laminates to abrade or wear away.
- Tyvek® 400 fabric's durability advantage over microporous film fabrics delivers consistently better barrier, even after wear and abrasion.

Style: Laydown Collar; Front Snap Closure; Elastic Wrists; Serged Seams; Extends to Knee

SKU	Size Group
251-TY211S-M	Medium
251-TY211S-L	Large
251-TY211S-XL	X-Large

Coveralls & Overalls



Tychem® 2000 Coveralls

Features:

- A lightweight, and durable fabric, Tychem® 2000 fabric provides at least 30 minutes of protection against >40 chemical challenges.
- Tychem® 2000 is used for light splash protection in a variety of industrial environments, including petroleum refining, pulp and paper manufacturing, food processing, chemical processing, and pharmaceutical manufacturing.
- Many different options available.

Style: Serged Seams; Attached Hood; Elastic Wrists and Ankles; Zipper Front; Storm Flap

SKU	Size Group
251-QC127S-XL	X-Large
251-QC127S-2XL	2X-Large
251-QC127S-3XL	3X-Large



Tyvek® 400 Coveralls

Features:

- Composed of Tyvek® 400 flash-spun, high-density polyethylene which creates a unique, nonwoven material.
- Offers inherent barrier against particles down to 1.0 micron in size.
- Protection built into the fabric itself, no films or laminates to abrade or wear away.
- Comfort fit design enables a greater range of movement while stretching and bending with reinforcement in high stress areas.
- Available in many different styles.

Color: White

Resistance: Hazardous Aerosols/Dry Particles; Non-Hazardous Light Liquid Splash

Applications: Agriculture; Asbestos Abatement; Environmental Cleanup; Food Processing; General Maintenance/Operations; Mold Remediation; Spray Painting; Wind Turbine Manufacturing

SKU	Size Group
Serged Seams; Attached Hood (Respirator Fit); Elastic Waist, Wrists, Ankles; Front Zipper; Storm Flap	
251-TY127S-M	Medium
251-TY127S-L	Large
251-TY127S-XL	X-Large
251-TY127S-2XL	2X-Large
251-TY127S-3XL	3X-Large
251-TY127S-4XL	4X-Large
251-TY127S-5XL	5X-Large
Serged Seams; Collar; Elastic Waist, Elastic Wrists and Ankles; Zipper Front; Storm Flap	
251-TY125SWHMD002500	Medium
251-TY125SWHXL002500	X-Large
251-TY125S-2X	3X-Large
251-TY125S-4X	4X-Large
Serged Seams; Collar; Elastic Waist; Zipper Front; Open Wrists and Ankles; Storm Flap	
251-TY120S-M	Medium
251-TY120S-L	Large
251-TY120S-XL	X-Large
251-TY120S-2XL	2X-Large
251-TY120S-3XL	3X-Large
251-TY120S-4XL	4X-Large
251-TY120S-5XL	5X-Large
Serged Seams; Attached Hood (Respirator Fit); Attached Skid-Resistant Boot; Elastic Waist, Wrists, Ankles; Front Zipper; Storm Flap	
251-TY122S-M	Medium
251-TY122S-L	Large
251-TY122S-XL	X-Large
251-TY122S-2XL	2X-Large
251-TY122S-3XL	3X-Large
251-TY122S-4XL	4X-Large
Serged Seams; Collar; Elastic Waist, Elastic Wrists and Ankles; Zipper Front; Storm Flap	
251-TY125S-L	Large
251-TY125S-2XL	2X-Large
251-TY125S-5X	5X-Large
251-TY125S-6X	6X-Large

© 2026

DUPONT Tyvek Forward Together



The most trusted name in safety

Superior protection and comfort start with Tyvek® 400

Built from flash spun high-density polyethylene, DuPont™ Tyvek® 400 provides an ideal balance of protection, durability and comfort like no other limited-use fabric. The nonwoven structure provides an inherent barrier to particles down to 1.0 micron—with no films or laminates to abrade or wear off.

Designed for abatement, maintenance, spray painting and cleanup jobs, Tyvek® 400 delivers consistent performance that helps keep workers comfortable and safe shift after shift.

- Inherent barrier protection
- Designed for durability and breathability
- Ergonomic fit for enhanced comfort and mobility
- Hood, stormflap and elastic closures for full-body coverage
- Latex-free construction



Scan to find the right coverage with Tyvek® 400

© 2025 DuPont. All rights reserved. DuPont™, the DuPont Oval Logo, and all trademarks and service marks denoted with ™, ℠ or ® are owned by affiliates of DuPont de Nemours, Inc. unless otherwise noted.

DUPONT Tyvek



Tyvek® 500 HP Coveralls

Features:

- Ergonomic, protective design.
- Multiple access points to the full-body harness (worn underneath the garment) through four elasticized D-Ring sleeves.
- Off-centered zipper entry to accommodate the front D-Ring sleeve for front D-Ring connection.
- 3-piece hood, stitched seams, elasticated wrists, ankles, waist, and hood.

SKU	Size Group
251-TY178SWHSM0025HP	Small
251-TY178SWHMD0025HP	Medium
251-TY178SWHLG0025HP	Large
251-TY178SWHXL0025HP	X-Large
251-TY178SWH2X0025HP	2X-Large
251-TY178SWH3X0025HP	3X-Large
251-TY178SWH4X0025HP	4X-Large
251-TY178SWH5X0025HP	5X-Large

KLEENGUARD™



A35 Economy Liquid and Particle Protection Coveralls

Features:

- Lightweight coveralls are made of microporous film-laminated material that helps protect against liquids and dry particulates, such as dust and dirt.
- Economical way to help protect your workers during potentially hazardous tasks.
- Personal Protective Equipment (PPE) for protecting clothing and skin during tasks like pressure washing, painting, general industrial manufacturing and maintenance.
- Styles available for zipper front only, zipper front/elastic wrists/ankles, zipper front/elastic wrist/ankles and attached hood, or zipper front/elastic wrists/ankles and attached hood/boots.

SKU	Size Group
412-38939	X-Large

KLEENGUARD™



A40 Liquid & Particle Protection Coveralls

Features:

- Made of breathable, microporous film to keep out debris, non-hazardous liquid chemicals and dry particulates.
- Excellent fit and comfort and freedom of movement.
- Less lint, reducing the threat of cross contamination in critical areas.
- Zipper front only, zipper front/elastic wrists/ankles, zipper front/elastic wrist/ankles and attached hood, or zipper front/elastic wrists/ankles and attached hood/boots styles available.

SKU	Size Group
412-44323-15	Large
412-44324-16	X-Large
412-44325-17	2X-Large
412-44326-18	3X-Large



KleenGuard™ A20 Breathable Particle Protection Coveralls

Features:

- KleenGuard™ A20 are designed to protect against dirt, grime and dust and are made with breathable Microforce barrier fabric.
- Reflex Coverall Design offers excellent fit and freedom of movement.
- Passes NFPA 99 for antistatic (anti stat) materials.
- Meets the EPA Agricultural Worker Protection Standard (WPS) requirements for coveralls.

SKU	Size Group
Elastic Wrists/Ankles; Zipper Front	
412-49105	2X-Large
412-49106	3X-Large
Attached Hood; Elastic Back/Wrists/Ankles; Zipper Front with Storm Flap	
412-49112	Medium
412-49115	2X-Large
Attached Hood/Boots; Elastic Back/Wrists/Ankles; Zipper Front with Storm Flap	
412-49124	X-Large
412-49125	2X-Large
412-49126	3X-Large

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

Pants & Shorts



Tyvek® 400 Pants

Features:

- Pants with open ankle and elastic at waist for easy donning and removal.
- Suitable for applications that do not require the full body coverage of a coverall.

SKU	Size Group
251-TY350SWHMD005000	Medium



Tyvek® Pants with Elastic Waist

Features:

- Sturdy pants made from flash spun polyethylene provide a blend of comfort, protection and durability.
- Open ankle and elastic at waist allow for easy donning and removal.
- Suitable for applications that do not require the full body coverage of a coverall.

SKU	Size Group
251-TY350S-XL	X-Large

Rainwear



3-Pc Rainsuits

Features:

- Jacket is vented back for breathability, duo-layer front closer to prevent wet, two front patch pockets for storage, and a corduroy collar for comfort.
- Removable hood with drawstring.
- Adjustable suspenders for overalls with triangular buckles for perfect fit and single snap fly.

SKU	Size Group
101-9000-M	Medium
101-9000-L	Large
101-9000-XL	X-Large
101-9000-2XL	2X-Large
101-9000-3XL	3X-Large
101-9000-4XL	4X-Large



48 in Raincoats with Detachable Hood

Features:

- Vented cape back with storm flap.
- Detachable hood with drawstring.
- Corduroy collar for comfort.
- Two outside pockets with flaps.
- Storm flap with snap front closures.

SKU	Size Group
101-9010-M	Medium
101-9010-L	Large
101-9010-XL	X-Large
101-9010-2XL	2X-Large

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Shirts



WF2110 Flame-Resistant Cotton Work Shirts

Features:

- 7 oz flame-resistant (FR) treated cotton (100 washes).
- Stitched with durable FR threads.
- Shatter proof FR melamine buttons.
- Generous comfortable fit.
- Chest pockets with flaps and pencil slot.
- Curved hem provides enhanced protection when shirt is untucked.
- Meets the NFPA 2112 standards for flash fire protection and NFPA 70E standards for arc flash hazard protection.

SKU	Size Group
800-WF2110-GY-L	Large
800-WF2110-GY-XL	X-Large
800-WF2110-GY-2XL	2X-Large



Tyvek® 400 Front Snap Shirts with Collar and Open Wrists

Features:

- Ideal balance of protection, durability, and comfort.
- Offers an inherent barrier against particles down to 1.0 micron in size.
- Composed of flashspun high density polyethylene, non-woven material.
- No films or laminates to abrade or wear away.
- Shirt designed with front snap closures for easy donning and doffing.
- Features laydown collar, open wrists, and serged seams.
- Applications include lead and asbestos abatement/remediation, general maintenance/operations, spray painting, and general clean-up.
- Typically worn with TY350S WH pants.

SKU	Size Group
251-TY303S-XL	X-Large

Sleeves & Bibs



FR Sateen Sleeves

Features:

- Made with flame retardant (FR) cotton sateen.
- Elastic bicep with snap wrist for arm protection.

SKU	Size Group	Length
902-CA-340-18	One Size	18 in



F9 Flame-Resistant Cotton Sleeves

Features:

- 9 oz flame-resistant (FR) treated cotton.
- Elastic wrists and biceps for a secure fit.

SKU	Length
800-F9-18S	18 in
800-F9-23S	23 in



Tyvek® 400 Sleeves

Features:

- Inherent barrier protection against dry particulate hazards.
- Even after abrasion, stops sub-micron particles better than reusable garments.
- Serged seams.

SKU	Size Group	Length
251-TY500S	Standard	18 in

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

HexArmor



2043 Cut-Resistant Sleeves

Features:
- Lightweight HPPE and nylon blend knit.
- Seamless long knit shell for less bulky fit, breathability, and enhanced comfort.
- Thumb loop keeps sleeve in place.

SKU	Length
572-2043	22 in

FOOT PROTECTION

Boots & Shoes

DUNLOP PROTECTIVE FOOTWEAR



Chesapeake Rubber Boots

Features:
- Energy-absorbing Bay-Loc outsole.
- Lightweight modern design for long lasting comfort.
- 100% waterproof.
- Dunlop pull tab for easy on/off.
- Available in plain toe and steel toe styles.

Height: 14 in Boot; 1/2 in Heel

SKU	Size Group	Material
868-8677600.05	Unisex 5	PVC; Steel Toe
868-8677600.06	Unisex 6	PVC; Steel Toe
868-8677600.07	Unisex 7	PVC; Steel Toe
868-8677600.08	Unisex 8	PVC; Steel Toe
868-8677600.09	Unisex 9	PVC; Steel Toe
868-8677600.10	Unisex 10	PVC; Steel Toe
868-8677600.11	Unisex 11	PVC; Steel Toe
868-8677600.12	Unisex 12	PVC; Steel Toe
868-8677600.13	Unisex 13	PVC; Steel Toe
868-8677600.14	Unisex 14	PVC; Steel Toe
868-8677600.15	Unisex 15	PVC; Steel Toe
868-8677500.09	Unisex 9	PVC
868-8677500.10	Unisex 10	PVC
868-8677500.11	Unisex 11	PVC

DUNLOP PROTECTIVE FOOTWEAR



Chest Waders

Features:
- Cleated outsole for excellent traction clogging prevention in wet or muddy terrain.
- Chest high durable heavy PVC upper with non-absorbent lining provides excellent flexibility and comfort.
- Available in plain toe and steel toe styles.

Height: 16 in Boot; 35 in Inseam; 53 in Overall

SKU	Size Group
868-8606700.09	Men's 9
868-8606700.10	Men's 10
868-8606700.11	Men's 11
868-8606700.12	Men's 12



DuraPro® XCP Rubber Boots

Features:
- Provides extremely high chemical resistance.
- Next generation Chevron has canals for easy decontamination and slip resistance.
- DuraPro TPU insole for all day comfort.
- Available in plain toe and steel toe styles.

SKU	Size Group	Height
868-8408600.10	Men's 10	16 in Boot; 1/2 in Heel

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



DuroPro® Rubber Boots

Features:
- Provides moderate chemical resistance.
- Next generation Safety-Loc pattern designed for superior traction with canals for easy decontamination.
- DuraPro TPU insole for all day comfort.
- Available in plain toe and steel toe styles.

SKU	Size Group	Height
868-8908600.09	Men's 9	16 in Boot; 1/2 in Heel
868-8908600.10	Men's 10	16 in Boot; 1/2 in Heel



Hazmax Steel Toe/Midsole Rubber Boots

Features:
- Specially formulated PVC allow protects you from some of the worst chemicals around.
- Steel toe, steel midsole, and steel shank Ultragrip® Sipe outsole provides superior, slip resistance and protection.

SKU	Size Group	Height
868-8701200.11	Men's 11	16 in Boot; 1/2 in Heel
868-8701200.14	Men's 14	16 in Boot; 1/2 in Heel



Hip Waders

Features:
- Cleated outsole for excellent traction clogging prevention in wet or muddy terrain.
- Hip high lightweight PVC upper with non absorbent lining provides excellent flexibility and comfort.
- Available in plain toe and steel toe styles.

Height: 16 in Boot; 32 in Overall

SKU	Size Group
868-8605600.09	Men's 9
868-8605600.10	Men's 10
868-8605600.11	Men's 11
868-8605600.12	Men's 12



PolyGoliath Rubber Boots

Features:
- Polyblend compound offers superior resistance to fats, oils, and chemicals.
- Power Lug outsole powered by a multi tread design provides exceptional comfort and slip resistance.
- Available in plain toe and steel toe styles.

Height: 16 in Boot; 1/2 in Heel

SKU	Size Group
868-8968200.09	Men's 9
868-8968200.10	Men's 10
868-8968200.11	Men's 11
868-8968200.12	Men's 12

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

DUNLOP PROTECTIVE FOOTWEAR



Purofort® Thermo+ Rubber Boots

Features:

- Lightweight for use all day long.
- SRC rated, dirt-repellent outsole for perfect grip.
- Slip-resistant for protection under cold conditions.

Height: 16 in Boot; 1/2 in Heel

SKU	Size Group
868-E662843.09	Men's 9
868-E662843.10	Men's 10
868-E662843.11	Men's 11



White Rubber Boots

Features:

- Slip-resistant Safety-Loc outsole for superior traction on slippery surfaces.
- PVC upper provides mild chemical resistance and helps comply with HACCP guidelines.
- Available in plain toe and steel toe styles.

Height: 16 in Boot; 1/2 in Heel

SKU	Size Group
868-8101100.07	Men's 7
868-8101100.08	Men's 8
868-8101100.09	Men's 9
868-8101100.10	Men's 10
868-8101100.11	Men's 11

APPAREL AND ACCESSORIES ASSORTMENT



Overshoes

Features:

- FLEX-O-THANE construction provides added cold weather flexibility and durability.
- 4-way cleated outsole is self cleaning with excellent slip resistance.

SKU	Size Group	Height	Color
868-8603000.LG	Large; Men's Boot Size 10 to 11	17 in	Black
868-8603000.XL	X-Large; Men's Boot Size 12 to 13	17 in	Black
868-8603000.2X	2X-Large; Men's Boot Size 14 to 15	17 in	Black
868-8802000.2X	2X-Large; Men's Boot Size 14 to 15	10 in	Yellow

SERVUS



CT™ Economy Knee Boots

Features:

- Boot height increases with shoe sizes, assuring a better fit and greater comfort.
- Unique, tapered design won't catch on the back of your calf while walking.
- EVA foot form insole provides unsurpassed comfort for all-day wear.
- Contour heel cup reduces heel slippage.
- Unique, Trac10™ sole design ensures excellent traction.
- Plain-toe and steel-toe styles available.

SKU	Size Group
922-18821-050	5
922-18821-060	6
922-18821-070	7
922-18821-080	8
922-18821-090	9
922-18821-100	10
922-18821-110	11
922-18821-120	12
922-18821-130	13
922-18821-140	14
922-18821-150	15

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



XTP™ XTRA TRACTION Boots

Features:

- Seamless, injection molded footwear is 100% waterproof to ensure workers' feet are dry and comfortable.
- Outsole perimeter is formulated for tough, long-wearing support.
- Centersole is dual compounded for cushioning, long wear and traction on slick surfaces.
- Steel shank is longer, wider, and thicker for outstanding arch support.
- Removable FOOT FORM™ contour cushion insoles provide all-day comfort and support.
- Open pattern outsole design self-cleans liquid and debris with every step, helping to prevent slip and trip hazards.
- Plain-toe and steel-toe styles available.

SKU	Size Group
922-75109-050	5
922-75109-060	6
922-75109-070	7
922-75109-080	8
922-75109-090	9
922-75109-100	10
922-75109-110	11
922-75109-120	12
922-75109-130	13
922-75109-140	14



Industrial Ice + Snow All Purpose Traction Aids

Features:

- Pulse Grip tread design.
- Textured Diamond Knurling lining grips footwear and helps keep traction aids in place.
- 6 (12/pair) replaceable, military-grade Due North® Ice Diamond™ spikes provide more comfort under the foot and improved traction.
- Geometrically designed webbing and improved shape comfortably fit a greater variety of footwear.
- Special rubber compound maximizes durability while maintaining elasticity in subzero temperatures.
- Easy to take on and off, as well as easily adjustable.
- Compact design makes them easy to store in small places such as your coat pocket, handbag, briefcase, or the glove box in your vehicle.

SKU	Size Group
857-V3550270-L	Large
857-V3550270-XL	X-Large

Footwear Covers



Spats

Features:

- Elastic top with 2 buckles on back of leg.
- Metal reinforced boot.
- Sold per pair.
- Velcro fasteners that ensure a secure fit for various shoe sizes.
- Protects footwear.

SKU	Type
902-Q-15	Reinforced Spats
902-220	Metal Reinforced Spats



Mid-Sole Ice Cleats

Features:

- Available in Original, Low-Profile, and High-Profile styles to provide near-universal coverage of all footwear.
- Strategically placed ice-penetrating tungsten carbide spikes provide maximum traction on ice and snow.
- Easy to use design rotates to top of foot to allow driving, climbing, and indoor use.
- Black or hi-viz adjustable strap delivers a perfect fit regardless of shoe size.
- Specially formulated rubber pad provides maximum comfort and durability even in extreme cold weather conditions.

SKU	Material
891-V9770150-O/S	Polymer Blend

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

DUPONT Tyvek



Tyvek® 400 Shoe & Boot Covers

Features:

- Applications include: lead and asbestos abatement/remediation, general maintenance/operations, spray painting, general clean-up.
- Protection is built into the fabric itself, there are no films or laminates to abrade or wear away.
- Tyvek® fabric offers an inherent barrier to particles down to 1 micron in size.
- Tyvek® fabric's durability advantage over microporous film and SMS fabrics delivers consistently better barrier, even after wear and abrasion.
- Tyvek® garments are composed of flash spun high density polyethylene which creates a unique, nonwoven material available only from DuPont.
- Tyvek® provides an ideal balance of protection, durability and comfort of any limited use fabric technology.
- One size fits most.

SKU	Type	Fastening Method
251-TY450S	5 in H Shoe Cover w/Serged Seams; White.	Elastic Opening
251-FC450S	5 in H Shoe Cover w/Serged Seams; Gray	Elastic Opening; Elastic Heel/ Sole/Toe
251-FC454S	18 in H Boot Cover w/ Serged Seams; Gray	Elastic Opening
251-TY454S	18 in H Boot Cover w/ Serged Seams; White	Elastic Opening
251-TY454S-XL-SR	18 in H Boot Cover w/ Serged Seams; Skid Resistant; White.	Elastic Opening; Elastic Ankles

KLEENGUARD™



A20 Breathable Particle Protection Foot Covers

Features:

- KleenGuard™ A20 Breathable Particle Protection Shoe Covers are designed to move with you — and your employees — while helping protect against hazardous and non-hazardous dust.
- The A20 fabric is comprised of five layers of stacked barrier protection (SMMMS) against hazardous particles.
- Popular choice for dusty environments such as laboratories and remediation, as well as pesticide applications.

SKU	Material
412-36885	Spunbond Meltblown Spunbond (SMS)

KLEENGUARD™



A40 Liquid and Particle Protection Boot Covers

Features:

- Protect your boots from damage—convenient boot covers are designed with an elastic top for a comfortable fit.
- Made from breathable, microporous film laminate.
- Covers offer better liquid barrier and particulate protection than TYVEK®.

SKU	Size Group	Material
412-44495	X-Large	Microporous Film Laminate

PIP GLOBAL SAFETY



Posi-Wear® BA™ Disposable Shoe Covers

Features:

- PosiWear Breathable Advantage is made from PolyBreathe light material which provides the optimum balance between protection and comfort.
- Good for use in manufacturing, pressure washing, painting, resurfacing or fiberglass handling.
- Latex free.

SKU	Size Group	Material
813-3613	One Size	Posi-Wear® BA™

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

ERGONOMIC PROTECTION

Knee Pads



Value Contoured Hard Cap Knee Pads

Features:

- Ideal for most surfaces.
- Abrasion resistant and great for pivoting.
- EVA foam padding provides support and protection.
- PE plastic hard cap.
- Durable polyester and tricot fabrics.
- Adjustable hook-and-loop closure.

SKU
561-125



KneePro Ultra Flex III Knee Pads

Features:

- Articulating hinged design ensures proper placement all day long.
- Metal rivet hinge ensures long lasting protection while kneeling or walking.
- Specially designed Quick-Snap clips ensure quick and easy removal.
- Straps stay aligned with your legs in any position.
- Built with strong, flexible hard plastic outer shells that extend well above, below and to the inside/outside of the knee.

Size Group: Universal

SKU	Color
851-S96110	Gray; Orange
851-S96111	Black

HEAT STRESS PROTECTION

Activity Drinks



G Series 02 Perform® Thirst Quencher Instant Powders

Features:

- Hydrates with electrolytes that help them replace the carbs, electrolytes and fluids they lose when they sweat.
- Carbohydrates help stimulate rapid fluid absorption and fuel the active body.

SKU	Package Yield	Flavor	Packing Type
308-03944	2.5 gal	Fruit Punch; Lemon-Lime; Orange; Frost Riptide Rush	Pack
308-03970	2.5 gal	Orange	Pouch
308-33677	2.5 gal	Glacier Freeze	Pouch



G Zero Powder Sticks

Features:

- Gatorade® G Zero in convenient single serve sticks.
- Sugar-free G Zero packs are designed for those on the go, simply add to a 20 oz bottle of water.
- Gatorade® G Zero is an ideal electrolyte solution for those interested in maintaining a ketosis state.

SKU	Package Yield	Flavor
308-04458	16.9 oz	Glacier Cherry
308-04490	16.9 oz	Orange
308-04457	16.9 oz	Glacier Freeze
308-04713	16.9 oz	Fruit Punch
308-04712	16.9 oz	Grape

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

THE SCIENCE OF GATORADE

Over 60 years of research prove that Gatorade has the right blend for fueling and hydrating – the perfect balance of flavor, electrolytes, and carbohydrates.

Why Gatorade?

When the body can't shed enough heat to balance the warmth generated by physical labor and external sources, it heightens the risk of heat-related illnesses. This is when Gatorade steps in.

Plain water will not replace the electrolytes lost through sweat, nor will it supply the energy that working muscles need. Gatorade provides both.

What Factors Lead to Workers Becoming Overheated?

Several components contribute to workers experiencing overheating on the job. These include the environmental conditions they work in, the equipment and heavy protective clothing required for their tasks, and the internal heat generated by physical labor.

For every hardworking individual, Gatorade stands unrivaled as the most tested hydration beverage.



Osha.gov, SLTC, Heat Illness
Cdc.gov, Niosh, Topics, Heat Stress



Liquid Concentrates

Features:

- Drink mixes have a blend of electrolytes and carbohydrates to help speed hydration and restore energy.
- Caffeine-free.
- Mix with water per instructions.

SKU	Package Yield	Capacity Vol.
308-33977	6 gal	1 gal



Powder Sticks

Features:

- Powdered mix contains the same electrolyte formula found in the original Gatorade.
- The refreshing choice when you need to replace electrolytes lost from sweat while performing rigorous physical activity.
- Take these convenient packets with you anywhere

SKU	Package Yield	Flavor
308-04702	16.9 oz	Fruit Punch
308-04701	16.9 oz	Orange
308-04700	16.9 oz	Lemon Lime



Powder Packs

Features:

- Powder Pack mixes quickly and easily with water.
- Helps replenish fluids and electrolytes to prevent dehydration.

SKU	Package Yield	Flavor
690-159016040	2.5 gal	Lemonade
690-159016041	2.5 gal	Orange
690-159016044	2.5 gal	Fruit Punch; Grape; Lemon-Lime; Orange
690-159016048	2.5 gal	Mixed Berry



Qwik Stik® ZERO Sugar

Features:

- Great-tasting sugar-free electrolyte replacement.
- Ideal for diabetics and carb-conscious consumers.

SKU	Package Yield	Flavor	Packing Type
690-159060098	20 oz	ZERO Sugar Lemonade Tea	Tube
690-159060097	20 oz	ZERO Sugar Watermelon	Tube
690-159060200	10 oz	ZERO Sugar Orange	Pack
690-159060203	10 oz	ZERO Sugar Lemonade	Pack
690-159060204	10 oz	ZERO Sugar Grape	Pack
690-159060205	10 oz	ZERO Sugar Lemon-Lime	Pack
690-159060099	20 oz	ZERO Sugar Strawberry Lemonade	Pack
690-159060100	20 oz	ZERO Sugar Orange	Pack
690-159060101	20 oz	ZERO Sugar Mixed Berry	Pack
690-159060102	20 oz	ZERO Sugar Fruit Punch	Pack
690-159060103	20 oz	ZERO Sugar Lemonade	Pack
690-159060106	20 oz	ZERO Sugar Lemon-Lime	Pack
690-159060107	20 oz	ZERO Sugar Grape	Pack
690-159060109	20 oz	ZERO Sugar Cool Citrus	Pack
690-159060119	20 oz	Fruit Punch;Mixed Berry;Orange;Strawberry Lemonade	Pack

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



Sqweeze® Freezer Pops

Features:
- Great way to cool down the body during hot or fatiguing work situations.
- Just freeze and serve to administer a tasty way to provide electrolytes to any work crew.
- Formulated to be absorbed significantly faster than water, allowing the body to replenish electrolytes and minerals for proper hydration.

Flavor: Cherry; Grape; Lemon-Lime; Mixed Berry; Orange

SKU	Package Yield
690-159060962	3 oz



Sqweeze® ZERO Freezer Pops

Features:
- Great way to cool down the body during hot or fatiguing work situations.
- Just freeze and serve to administer a tasty way to provide electrolytes to any work crew but without the sugar.
- Formulated to be absorbed significantly faster than water, allowing the body to replenish electrolytes and minerals for proper hydration.

Flavor: Dragon Fruit; Mixed Berry; Orange; Punch; Watermelon

SKU	Package Yield	Capacity Vol.
690-159200231	3 oz	3 oz

Bandanas



Cool Offs Neck Wraps/Headbands

Features:
- Can be worn around neck or head.
- Keep cool all day long with our dual-use Cool Offs.
- Quilted in four sections for an even distribution of hydration material.
- Unique button hole closure.

Length: 38 in

SKU	Material	Color
037-8405-51	100% Cotton	Cowboy Blue



Cooling Towels

Features:
- Just add water.
- Towel temperature drops 15 to 20 degrees in 1 to 2 min.
- Once activated this product assists in lowering temperature.
- Absorbs up to 12 times its dry weight.
- Reusable.

Length: 27 in
Size Group: 17 in x 27 in

SKU	Material
118-91000	PVA Poly Vinyl Alcohol



Chill-Its® 6487 Cooling Multi-Bands

Features:
- The Chill-Its® 6487 Cooling Multi-Band offers protection from the sun, dust and flying debris, as well as cooling relief.
- It features evaporative technology for immediate cooling, and UPF 50+ protection against the sun's rays.
- Soft, stretchable knit material can be worn several different ways – wear as a cooling headband, neck gaiter, face mask, hat, dew rag and more.

SKU	Material
150-42201	Microfiber; Polyester; Spandex

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Chill-Its® 6602 Evaporative Cooling Towels

Features:
- Super-evaporative PVA material to absorb water to then allow it to evaporate slowly for instant, long-lasting cooling relief.
- Designed to create a feeling colder than ambient air temperature and absorb and hold more water than other cooling towels on the market for a longer-lasting cooling.
- Can last up to 4 hours, simply re-wet to increase cooling duration.
- Run the PVA cooling towel under water for one minute or until saturated, wring out excess water and twirl or snap in the air for no-drip cooling.
- Perfect cooling headwear for anyone working in the heat and exposed to possible heat-related illnesses like heat cramps, heat strokes, or heat exhaustion are possible.

Length: 29-1/2 in

SKU	Color
150-12439	Hi-Vis Lime
150-12420	Blue



Chill-Its® 6700 Evaporative Cooling Bandanas

Features:
- Activated polymers bring cooling power where you need it most.
- Activate by soaking in water for 2-5 minutes.
- Remains hydrated for up to 4 hours.
- Re-usable: just soak in water to re-activate.
- Bandana/headband - tie closure.

Length: 36.5 in

SKU	Color
150-12303	Stars/Stripes
150-12305	Red Western
150-12307	Solid Blue



Chill-Its® 6603 Evaporative Cooling Bands

Features:
- Advanced PVA cooling technology.
- Super-evaporative, feels significantly cooler than ambient air.
- Activates fast and easy - run under cold water for one minute.
- 1/3 the size of the Chill-Its® 6602 with the same cooling power.
- Use as a neck wrap by pulling end of wrap through slit.
- Wear for hours or for quick relief.
- Simply re-wet to reactivate.
- Machine washable.

Closure Type: Slot
Length: 29-1/2 in

SKU	Material	Color
150-12418	PVA	Blue



MiraCool® Cooling Towel

Features:
- Lightweight super absorbent material holds water without weighing you down.
- Instant cooling relief, just add water; reusable, easy to charge.
- Machine washable.

Length: 29.5 in

SKU	Material
561-931-BL	Poly Vinyl Acetat

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



MiraCool® Neck Bandanas

Features:
- Increase alertness and productivity.
- Provide a great way for workers to reduce heat stress in outdoor and other high-heat environments.
- Soak the MiraCool® bandana in cold water for 30 minutes, and the cooling crystals activate, staying hydrated for several days.
- Works without freezing or ice.

SKU	Color	Length
561-940-12	Assorted	6.10 in
561-940-018	Navy	34.75 in
561-940-WAV	Wavy Flag	34.75 in

Hydration Packs



Squeeze Bottles

Features:
- The fast-cap design provides quick hydration, while the high-flow valve prevents liquid loss.
- Hydrate on the go just like professional athletes.

SKU	Capacity Vol.
308-50313SM	20 oz.

Sweat Bands



Headgear Sweatbands

Features:
- Individually packaged.
- Hook & loop closure allows the fit onto most major brand headgear.
- Sweat absorbent air cushioned layer lined with 100% fleece cotton.

SKU
101-SB320V



Leather Sweatbands

Features:
- Individually packaged.
- Snaps on any headgear.
- Absorbent air cushioned layer lined with 100% fleece cotton.

SKU	Color
101-SB700	Bucktan
101-SB701	Tan

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Wool Sweatbands

Features:
- Head gear pad.
- Soft and durable.
- Snaps on any headgear.
- Non-corrosive metal snaps.

SKU	Color	Material
101-SB888	Tan	Sheep's Wool



Headgear Sweatbands

Features:
- Air cushioned, sweat absorbing layer surrounded by 100% fleecy cotton cover.
- Flame retardant for industrial use.
- Hook & loop closure allows the fit onto most major brand headgear.

SKU	Used With
902-SB310V	Non-Suspension Headgear
902-SB340	Suspension Headgear



Chill-Its® 6609 Hard Hat Sweatband Liners

Features:
- Prevents sweat from dripping into eyes.
- Four-snap button closures securely attach to forehead of suspension.
- Low-profile for no-bulk wear with hard hats.
- Machine washable.

SKU
150-12440



Comfort Enhancing Sweatbands

Features:
- Welding helmet sweat bands.
- Circulating air evaporates sweatband moisture for cooling effect.

SKU	Color	Material	Used With
280-FM44T	Black	Terry Cloth	Primair FM 300 headgear
280-FM67	Gray	Soft Grain Leather	Welding and Faceshield Headgear
280-FM68	Black	Cotton	Welding and Faceshield Headgear



SuperEight™ Cotton Jersey Sweatbands

Features:
- Convenient SuperEight™ sweatbands can easily be removed, cleaned, and replaced.
- Designed for comfort and durability.
- Soft cotton jersey for added comfort.

SKU
280-FM69



Sweatbands

Features:
- Highly absorbent fabric.
- Can easily be removed, cleaned, and replaced.

Used With: E1 E2 and P2 Series Helmets
Strap Type: SuperEight™ Swing Strap

SKU
280-FM44RTV

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



Sweat Bands

Features:
- Prevents perspiration from getting into eyes.
- Effective when dampened with cold water.
- Washable.

Used With: Hard Hat Series A49 and A49R

SKU	Material
068-SB470	Terry Cloth



Cloth Sweatbands

Features:
- Great for absorbing moisture and keeping your head dry.
- Designed to add padding and comfort to the forehead area.

Used With: SC-6 and SC-16 Hard Hats

SKU	Material
138-14958	Terry Cloth



Drybrow Sweatbands

Features:
- Keeps you cool and prevents perspiration from running into your eyes.
- Soft, cellulose sponge pad to absorb perspiration.
- Cotton pad between layers of sponge for increased durability.
- Waffled sponge provides added durability with gauze scrim-reinforced design.
- Durable 14 inch elastic band.
- Ideal for all applications where workers need to be kept cool and comfortable.
- Perfect accessory when working in hot and humid conditions.

SKU
138-16750



Custom Terri-Band Sweatbands

Features:
- Sturdy sweatbands are washable for repeated use.
- Works to protect eyes and face from sweat and drips.
- Easily snaps into all MSA industrial helmets.

SKU	Strap Type
454-10068911	Snap
454-696688	Clip-On



Cellulose Sweatbands

Features:
- Anti-mold treated.
- Sustainable manufacturing.
- No harmful dyes.

SKU	Material
561-SBX-100	Cellulose



Disposable Pre-Moistened Cellulose Sweatbands

Features:
- Absorbent cellulose headbands provide a convenient disposable option for busy workers.
- Headbands provide cooling relief during hot tasks.
- Easy to use; simply dip in cold water, squeeze out and wear.

SKU	Quantity
561-SBR25	25
561-SBR100	100

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



MiraCool® Headbands

Features:
- Stays hydrated for several days.
- Works without freezing or ice.
- Increases alertness and productivity.

SKU
561-954-018



Original Disposable Sweatbands

Features:
- Ultra thin yet absorbent.
- Won't tear, break, flake or become dry and brittle.
- Contains no chemicals.
- Never requires hydration to soften.

SKU	Quantity
561-SB100	25
561-SB25	100



Terry Toppers® Clip-On Hard Hat Sweatbands

Features:
- Designed with single napped cotton terry on one side plus a middle layer durable foam sponge.
- Installs in an instant with insulated metal stays.
- One size fits almost every hard hat.
- Machine washable.
- Easily attaches to hard hat suspension with fold over clips.

SKU
561-880-01



Terry Toppers® Snap On Hard Hat Sweatbands

Features:
- Easily attaches to hard hat suspension with snaps.
- Soft material made to absorb and wick away sweat.
- Machine washable.
- Snap-on hard hat sweatbands.

SKU	Color
561-870-01	Navy
561-870-15	Beige
561-870B20-01	Navy



Sweatbands

Features:
- Convenient sweatband adds comfort and security, attaching easily to front of helmet headgear.
- Great for everyday use in uncomfortably hot situations.
- Excellent for use in all seasons—absorbs sweat in the summer and adds warmth in the winter.

Used With: Optrel P550;P330;e600

SKU	Material
808-5004.073	Cotton

FIRST AID SAFETY

Antiseptics



Respirator Cleaning Pads

Features:
- Quick and easy answer for cleaning rubber respirator face pieces and other personal safety equipment.
- Individually foil-packaged, non-woven cloths saturated with 70% Isopropanol.

SKU
037-1001

© 2026

Bandages & Dressings



Fabric Bandages

Features:
- Ideal for minor cuts, abrasions and puncture wounds.
- Fabric is designed to stretch and conform to the wounded area.
- Latex-Free.

Bandage Length x Width: 3 in x 1 in

SKU
579-G121



Liquid Bandages

Features:
- Liquid Skin Adhesive Bandage is a 100% waterproof bandage that stays on hard-to-cover areas.
- Easy-to-apply, sting free liquid bandage forms a breathable, protective layer that promotes healing.
- Helps prevent infection by reducing exposure to dirt and germs.

Bandage Length x Width: 3 in x 4 in

SKU
899-92848

Cold Packs



Instant Cold Packs

Features:
- Temporarily relieves minor pain and swelling for sprains aches and sore joints.
- No pre-chilling required.
- Perfect as a first aid refill or standalone.

Length: 5 in
Width: 4 in
Height: 5 in

SKU
579-21-004

Eye Wash and Showers



Porta Stream® I Emergency Eyewash Stations

Features:
- Portable/no plumbing.
- Fluid flushing options.
- Easy to use nozzle strap.
- One-piece, molded construction.
- Large fill hole.
- Illustrated operating instructions.

Flow: 6 min

SKU
203-32-000100-0000



Eye and Skin Flush Emergency Station/ Replacement Twin Bottles

Features:
- Eye flush kit with 2 bottles and wall mount station.
- Helps to clear eyes of foreign material such as dust, pollen, and chemicals and to relieve itching and burning.
- Bottles of sterile isotonic buffered solution for washing, flushing, and irrigating the eyes and skin.

SKU	Capacity Vol.
579-24-102	16 oz
579-24-300	32 oz

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

FIRST AID ONLY



Eye Flush Bottles

Features:

- Bottle of sterile isotonic buffered solution for washing, flushing, and irrigating the eyes and skin.
- Helps to clear eyes of foreign material such as dust, pollen, and chemicals and to relieve itching and burning.
- Plastic squeeze bottle and nozzle help create a fluid stream to direct solution into the affected areas.

SKU	Capacity Vol.
579-7-006	4 oz
579-24-101	16 oz

Guardian



AquaGuard Gravity-Flow Eye Wash Refills

Features:

- Bacteriostatic additive refill.
- Eyewash unit should be inspected regularly and water in unit should be changed at least once every six months.
- One 8 oz bottle will preserve up to 20 gallons of potable water for up to six months.

SKU
333-G1540BA-R

Guardian



AquaGuard Gravity-Flow Eye Wash Units

Features:

- Self-contained gravity flow eye wash units use gravity to deliver water through dual spray heads.
- Top operate unit, fill unit with clean potable water and add bacteriostatic additive (supplied with unit).
- Water flow is activated by pulling down on bright yellow eye wash tray.
- Integral full flow nozzles deliver soft spray of water, swing tray up to storage position to stop flow.
- Waste water is directed into drain opening in tank basin, 3 ft.
- long drain hose in basin directs discharge into floor drain, storage tank or other receptor.
- Furnished with epoxy coated steel bracket for mounting unit on wall, unit can also be placed on countertop or other flat surface.

Hose Length: 3 ft

SKU
333-G1540



Eye Wash & Shower Stations

Features:

- Eye wash is activated by flag handle, two GS-Plus™ spray heads deliver a flood of water for rinsing eyes.
- Shower Valve: 1 in IPS chrome plated brass stay-open ball valve, furnished with stainless steel actuating arm and 29 in stainless steel pull rod.
- Spray Head Assembly: Two GS-Plus™ spray heads, each has a "flip top" dust cover, internal flow and filter to remove impurities from the water flow.
- Eye Wash Valve: 1/2" IPS chrome plated brass stay-open ball valve, remains in operation until flag handle is returned to closed position.
- Pipe and Fittings: Schedule 40 galvanized steel, furnished with orange polyethylene covers for vertical piping for high visibility and corrosion resistance.

Shower Head Diam: 10 in
Flow: 20 GPM

SKU	Bowl Diam	Bowl Material	Shower Head Material
333-G1902HFC-SSH	11-1/2 in	Stainless Steel	Stainless Steel
333-G1902P	11-3/4 in	ABS Plastic	ABS Plastic

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

Guardian



EyeSafe™ Eye Wash Converter Faucets

Features:

- Converts any faucet into an emergency eye wash station without interfering with normal faucet operation.
- Float off dust covers to protect outlet heads.
- Forged brass diverter valve.
- Body has 55/64 in-27 female thread.
- Pull knob to activate eye wash.
- Water pressure holds eye wash in operation, leaving user's hands free.

SKU
333-G1100



Heated Eyewash/Shower Stations

Features:

- Furnished with stainless steel actuating arm and 29" stainless steel pull rod.
- Heating is controlled by thermostat that shuts heat off when ambient temperature is over 50°F.
- Self-regulating heat tracing cable with regulating heat tracing cable with external braid guards.
- Shower Valve: 1" IPS brass stay-open ball valve.
- Spray Head Assembly: Two FS-Plus™ spray heads, each head has a "flip top" dust cover and internal flow control.
- Valve is US made with chrome plated brass ball and PTFE seals.

Shower Head Diam: 10 in
Flow: 20 GPM
Bowl Material: ABS Plastic
Shower Head Material: ABS Plastic
Inlet Size: 1 1/4 in NPT(F) Top

SKU
333-GFR3100

Guardian



Portable Eyewash/Drench Hose Units with Heated Insulation Jackets

Features:

- Self-contained heated eyewash and/or drench hose unit delivers over ten gallons (37.9 liters) of water for 15 minutes.
- Heated and insulated to endure sustained low or freezing temperatures over long periods of time.
- Fully freeze-resistant, and tempered, for both indoor and outdoor environments.
- Ideal for low traffic areas, where installation of plumbed equipment is not cost effective.
- To operate unit, fill with clean potable water and add bacteriostatic additive (supplied with unit).
- Additive protects against growth of bacteria, fungus, algae and acanthamoeba inside unit.
- After filling with water, pressurize unit to 80 PSI air pressure.
- If necessary, adjust pressure regulator to achieve maximum flow for 15 minutes.

Flow: 0.65 GPM
Shower Head Material: Chrome Plated Brass
Inlet Size: 1/2 in IPS
Hose Length: 6 ft
Hose Material: PVC

SKU
333-G1562HTR

fend-all BY PIP



Tank-Style Eyewash Station Cleaning Kits

Features:

- Helps remove contaminants from tank interior.
- For use with all tank-type, eyewash stations.
- Use prior to refilling to remove contamination to interior tank walls.

SKU
203-32-000518-0000

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Eye Wash Saline Concentrates

Features:

- Buffered saline eyewash.
- Sterile and pH-balanced solution is more hygienically reliable than conventional tap water which may contain contaminants.
- Simple to use -- just mix with clean, potable water (10:1 ratio).
- For use with Fendall Porta Stream® Eyewash systems.

SKU	Capacity Vol.
203-32-000509-0000-H5	70 oz
203-32-000513-0000-H5	180 oz



Eyewash Wall Stations

Features:

- Mounts to wall with provided screws.
- Overhang protects bottles from dust and debris.
- Twist off, tamper resistant tabs prevent leaking and are easily removed in an emergency.
- Holds factory-sealed, sterile, preserved, buffered saline solution bottles firmly in place for easy access in an emergency.
- Simple, highly visible, operating instructions are provided on each unit.
- Durable, easy to clean plastic.

SKU	Type	Capacity Vol.
203-32-000460-0000	Single Bottle	16 oz
203-32-000465-0000	Double Bottle	16 oz
203-32-000461-0000	Single Bottle	32 oz
714-32-000462-0000-H5	Double Bottle	32 oz



Personal Eye Wash Solutions

Features:

- Portable and readily available for use.
- Designed for flushing nuisance particles such as pollen, dust, sawdust, smoke as well as for immediate treatment.
- Bottles contain a buffered, saline solution that is sterile and superior to tap water for emergency eye care.
- Blow-fill-seal bottles with extended-flow nozzles are tamper resistant, yet easily removed in an emergency.
- Deliver drops or an irrigating stream of solution, depending on the squeeze pressure applied to the bottle.

SKU	Capacity Vol.
203-32-000454-0000-H5	16 oz
203-32-000455-0000-H5	32 oz



Personal Eyewash Products

Features:

- Eyesaline® solution delivery.
- Easy open top.
- User-controlled volume delivery.
- Quality assured manufacturing.

SKU	Capacity Vol.
203-32-000451-0000	1 oz
203-32-000452-0000	4 oz
203-32-000445-0000	8 oz

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



2000™ Sterile Emergency Eyewash Station Replacement Parts

Features:

- Replacement Parts for Fendall 2000™.
- Genuine parts you can trust.

SKU
203-32-001017-0000



Dust Covers

Features:

- Protects eyewash basin from dirt, dust and debris.
- Attaches to the eyewash activation handle or pull strap.
- Cover and activation handle or pull strap are detached in one motion.

SKU
203-32-001015-0000



Fendall Porta Stream® II Reflective Jackets

Features:

- Protective cover helps maintain fluid temperature.
- Use in environments of high solar energy.
- Flap and pull strap are removed in one quick and easy motion.

Flow: 15 GPM

SKU
203-32-000532-0000



Pure Flow 1000® Emergency Eyewash Stations

Features:

- Delivers Eyesaline® Solution: purified, contaminant-free and physiologically correct from a sealed, integrated delivery module.
- Constant fluid flow rate and stream height for 15 minutes.
- Highly visible green color provides easy identification in an emergency situation.
- Sure-grip handle provides instant, simple activation.
- Activation straps display expiration date.
- Integral drain valve allows easy draining of reservoir after use.
- Integral fluid reservoir captures waste fluid, eliminating potential safety hazards and simplifying fluid disposal.
- Provision for locking device.
- Cover keeps dirt and trash from collecting in the basin and nozzle.
- Upon activation, the dust cover rotates downward, exposing the nozzles and collection basin.
- Eye Solution (Not Included) order separately 32-001050-0000.

Flow: 0.4 gpm

SKU
203-32-001000-0000



Pure Flow 1000® Recommended Refills & Accessories

Features:

- Up to 24 month cartridge life.
- Preserved, buffered, pH balanced, saline solution.
- Cartridge change takes less than 5 minutes.

SKU
203-32-001050-0000-H5

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Universal Eyewash Stands

Features:

- Viable alternative to wall mounting.
- Constructed of lightweight, sturdy steel tubing.
- Compact and easy to assemble.

SKU
203-32-001065-0000



Universal Eyewash Station Mobile Cart

Features:

- Use with all portable devices.
- Provides quick, easy potability for self-contained, gravity-fed emergency eyewash devices.
- Reliable, hand-truck design ensures durability.

SKU
203-32-001060-0000



Portable, Self-Contained, Gravity-Fed Eyewash Stations

Features:

- Portable design with carrying handles and concealed mounting bracket make moving and relocating easy.
- High-visibility color is easy to identify in emergency situations.
- Can be wall mounted or used on a bench or tabletop.
- Easy to maintain, wide-fill opening enables quick inspection, cleaning and filling.

Flow: 1.5 LPM

SKU
400-16GFEW

First Aid Kits



10 Person First Aid Kits

Features:

- 10 person first aid kit.
- ANSI Standard compliant.
- Durable plastic case.
- Water resistant gasket.

Length: 5.5 in
Width: 8.75 in
Height: 3 in

SKU
101-10-9-FAKP

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



25 Person First Aid Kits

Features:
- 25 Person First Aid Kits, ANSI.
- Come with either a durable plastic or metal case.

Height: 3 in

SKU	Case Material	Length	Width	ANSI Standard
101-25-3-FAKP	Plastic	10 in	7 in	ANSI Z308.1-2003
101-25-9-FAKP	Plastic	10 in	7 in	ANSI Z308.1-2009
101-25-3-FAKM	Metal	11 in	7.5 in	ANSI Z308.1-2003
101-25-9-FAKM	Metal	11 in	7.5 in	ANSI Z308.1-2009



3 Shelf First Aid Cabinets and Refills

Features:
- First Aid Cabinet with 3 shelves and 800 pieces included, serves 150 employees.
- There is a 640 piece refill kit available, sold separately.
- Durable heavy gauge steel construction with door pockets for organization.
- ANSI Z308.1-2009 compliant.

Length: 17 in
Width: 14 in
Height: 5.75 in

SKU
101-3SH-M-FAC



4 Shelf First Aid Cabinets and Refills

Features:
- First Aid Cabinet with 4 shelves and 1,100 pieces included.
- There is a 1,000 piece refill kit available, sold separately.
- Durable heavy gauge steel construction with door pockets for organization.
- ANSI Z308.1-2009 compliant.

SKU	Case Material	Length	Width	Height
101-4SH-9-FAC	Steel	22.75 in	15.5 in	5.75 in
101-4SH-RFL-CAB	Cardboard	12.5 in	17 in	4.5 in



Bloodborne Pathogen Kits

Features:
- Blood borne pathogen hazardous waste kits include blood spill clean-up tools.
- Kit has a wall mounted bracket and increased mobility case.

Length: 10 in
Width: 8.5 in
Height: 4 in

SKU
101-BBPK-1-12

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

FIRST AID ONLY.



10 Person ANSI First Aid Kits

Features:
- Neat, orderly interior packaging makes content easy to locate and use.
- Weatherproof.

Length: 5 in
Width: 3 in
Height: 8 in

SKU
579-6060



10 Person ANSI Plus First Aid Kits

Features:
- Supplies to cover just about any workplace injury.
- Neatly ordered interior compartment.
- Weatherproof case.

Length: 5 in
Width: 3 in
Height: 8 in

SKU
579-6410



100 Person Industrial First Aid Kits

Features:
- Door pouch.
- Two shelves.

Length: 15.5 in
Width: 4.75 in
Height: 10.75 in

SKU
579-6135

FIRST AID ONLY.



25 Person ANSI Plus First Aid Kits

Features:
- Neat, orderly interior packaging makes contents easy to locate and use.
- Weatherproof gasket keeps contents free from dust and moisture.
- Carry-handle or is wall mountable.

Length: 7 in
Width: 3 in
Height: 10 in

SKU
579-6430



25 Person First Aid Kits

Features:
- First aid kit is ideal for contractors, fleet vehicles, worksites or small companies with up to 25 employees.
- It carries 17 critical products.
- You can mount it on the wall or take it by the carrying handle.
- An assortment of fabric bandages is ideal for cuts on a finger or knuckle so you can keep the job going and be protected.

Length: 9 in
Width: 2.5 in
Height: 8 in

SKU
579-223-U/FAO

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

FIRST AID ONLY



25 Person Industrial First Aid Kits

Features:
- Supplies to cover just about any workplace injury.
- Neatly ordered interior compartment.
- Weatherproof case.

Length: 7 in
Height: 10 in

SKU	Case Material	Width
579-6084	Weatherproof Plastic	3 in
579-6086	Steel (Non-Gasketed)	3in



25 Person Vehicle First Aid Kits

Features:
- Supplies to cover just about any workplace injury.
- Neat, orderly interior packaging makes contents easy to locate and use.

Length: 7 in
Width: 3 in
Height: 10 in

SKU	Case Material
579-6420	Weatherproof Steel

FIRST AID ONLY



25-Person Weatherproof ANSI First Aid Kits

Features:
- Neat, orderly interior packaging makes content easy to locate and use.
- Weatherproof seal.

Length: 9.6 in
Width: 3 in
Height: 6.31 in

SKU
579-6082



3-Shelf Industrial First Aid Stations

Features:
- Durable steel cabinet with carry handle.
- Inner door pouches for easy access to contents.
- Wall-mountable.

Length: 13.75 in
Width: 5.5 in
Height: 16.5 in

SKU	Usage
579-6155	100 Person



4-Shelf Industrial First Aid Stations

Features:
- Durable steel cabinet with carry handle.
- Inner door pouches for easy access to contents.
- Wall-mountable.

Length: 22.25 in
Width: 5.75 in
Height: 15.25 in

SKU	Usage
579-6175	150 Person

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

FIRST AID ONLY



50 Person ANSI First Aid Kits

Features:
- Kit has 50 units that come with a weatherproof plastic case.
- OSHA compliant box is wall-mountable.

Length: 9.38 in
Width: 9.38 in
Height: 3 in

SKU
579-6088



50 Person Industrial First Aid Kits

Features:
- Neat, orderly interior packaging, makes content easy to locate and use.
- Wall mountable.
- Weatherproof steel.

Length: 14 in
Width: 3 in
Height: 10 in

SKU
579-6450



ANSI A Type III Weatherproof Bulk First Aid Metal Kits

Features:
- Weatherproof metal case comes with a carrying handle and is wall mountable.
- Contents meet the 2015 ANSI Class A requirements.
- Designed for use in small offices, vehicles and work sites.

Length: 8 in
Width: 2.375 in
Height: 5 in

SKU
579-90755

FIRST AID ONLY



ANSI B Type III Weatherproof 50 Person Bulk First Aid Kits

Features:
- Contents meet the 2015 ANSI Class B requirements and are sufficient to treat 50 or more people.

Length: 9.50 in
Width: 3 in
Height: 6.50 in

SKU
579-90566



Bloodborne Pathogens Kits

Features:
- Supplies to cover just about any workplace injury.
- Neatly ordered interior compartment.
- Weatherproof case.

Length: 7-1/2 in
Width: 4-1/2 in
Height: 2-3/4 in

SKU
579-3060



Eye Flush Sets

Features:
- Take care of your eyes, with a convenient eye care kit just in case of emergencies.
- Includes essential supplies to keep on hand for basic eye wounds and irritations.
- Includes four-ounce eye flush, eye pads, eye cup and adhesive fastening strips.

SKU
579-7-600

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

MEDI-FIRST®



First Aid Kits

Features:

- General purpose first aid kits to treat common workplace injuries and illnesses.
- Kits contain bandages, antiseptics, and other supplies that treat non-critical conditions.
- Choose from kits or cabinets.
- Kit fills subject to change.

SKU	Usage	Case Material	Width	Height
899-821M1	Small Vehicle Kit	Metal	4-3/4 in	7-3/4 in
899-807M1	Large Vehicle Kit	Metal	9-1/2 in	14 in
899-733ANSI	10 Person ANSI-A Kit	Plastic	8.5 in	6 in
899-821ANSI	10 Person ANSI-A Kit	Metal	9-1/2 in	14 in
899-740ANSI	25 Person ANSI-A Kit	Plastic	10 in	7 in
899-818ANSI	25 Person ANSI-A Kit	Metal	7-3/4 in	11 in
899-768ANSI	50 Person ANSI-A Kit	Plastic	9-1/4 in	13-11/16 in
899-787ANSI	50 Person ANSI-B Kit	Plastic	9-1/4 in	13-11/16 in
899-807ANSI	50 Person ANSI-A Kit	Metal	9-1/4 in	13-11/16 in
899-887ANSI	50 Person ANSI-B Kit	Metal	9-1/2 in	14 in
899-756ANSI	Two-Shelf ANSI-B Cabinet for Home or Small Business Settings	Metal	15 in	10.25 in
899-BMD745ANSI	Three-Shelf ANSI-B Food Service Cabinet	Metal	13-1/2 in	16 in
899-745ANSI	Three-Shelf ANSI-B Cabinet for Small to Medium Industrial Work Settings	Metal	13.5 in	16 in
899-BMD734ANSI	Four-Shelf ANSI-B Food Service Cabinet	Metal	13-1/2 in	16 in
899-734ANSI	Four-Shelf ANSI-B Cabinet for Medium to Large Industrial Work Settings	Metal	15 in	22 in
899-738ANSI	Five-Shelf ANSI-B Cabinet for Large Industrial Work Settings	Metal	20 in	30 in

MEDI-FIRST®



Cotton Tip Applicators

Features:

- All-purpose swabs have an absorbent cotton tip at one or both ends for soaking up liquids and picking up tiny particles.
- They are primarily used to clean wounds and apply topical medicines.
- Each applicator is designed for single use and its latex-free construction makes it safe for all users and patients.
- Perfect addition to any first aid kit.

Length: 3 in

SKU
899-60474

Medique®



Splinter-Out® Splinter Probes

Features:

- For removing small objects in the skin.
- Individually wrapped sterile splinter removers with unique beveled tip.
- Disposable removers eliminates the need to sanitize instruments.

Length: 4.5 in
Width: 0.25 in

SKU
899-76512



Tongue Depressors

Features:

- Instant cold compress.
- Used for a variety of applications including checking teeth and tonsils, as well as applying medicine and salves.
- Made of thin, smooth wood, making them flexible but not easily breakable.
- Individually wrapped sterile tongue depressors for use in surgical settings.

Length: 6 in
Width: 3/4 in

SKU
899-63213

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Squeeze Bottles

Features:

- Thick gel cools and soothes minor burn injuries.
- Stops burn progression and cools the skin, relieves pain and protects against airborne contamination.
- Dressings provide fast, one-step relief for emergency first aid for burns.

SKU
899-66624

Insect Repellents & Sunscreens



SunX30 Sunscreen Lotion Packets

Features:

- Contains aloe vera gel & Vitamin E and broad spectrum sunscreen with UVA/UVB protection.
- FDA rated water & sweat resistant with max allowed duration time (80 minutes).
- PABA free & oil free.

SKU	Capacity Vol.
579-18-350	1/4 oz



Deep Woods® Insect Repellent V

Features:

- Formulated with 25% DEET provides up to 8 hours of protection against mosquitoes.
- Provides long-lasting protection against biting insects such as ticks, mosquitoes, black flies, sand flies, chiggers, and gnats.
- It also repels fleas and no-see-ums.

SKU	Capacity Vol.
889-334689	6 oz



Deep Woods® Sportsmen™ Aerosol Insect Repellents

Features:

- Formulated with 30% DEET provides up to 7 hours of protection against mosquitoes.
- Provides long-lasting protection ideal for the outdoor enthusiast.
- It repels mosquitoes, ticks, chiggers, stable flies, black flies, gnats, and no-see-ums.

SKU	Capacity Vol.
889-334684	6 oz

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

SCRUBS®



Insect Shield™ Insect Repellent Wipes

Features:

- EPA-approved insect repellant formula combined with a large, lint-free towel.
- With 30% DEET, INSECT SHIELD™ Insect Repellant Towels provide a safe, yet highly effective level of protection.
- Once applied, the INSECT SHIELD™ Insect Repellant formula is waterproof and greaseless.

SKU
253-91401



Sunscreen Lotions

Features:

- A broad spectrum, SPF 30 sunscreen lotion in a convenient single-dose pouch.
- The non-greasy formula offers UVA/UVB protection and is PABA-free and oil-free.
- Contains added aloe vera gel and vitamin E.
- Passes lineman's glove test.
- Sweat and water resistant for up to 80 minutes.

SKU	Capacity Vol.
253-92101	1/4 oz

Ointments

FIRST AID ONLY



Petroleum Jelly

Features:

- Provides visible relief for dry skin.
- Soothing formula offers relief of minor burns.
- Protects skin from wind burn and chapping.
- Ideal for protecting minor cuts, scrapes, and burns.

Active Compound: White Petroleum USP
Size: 2.7 in x 4.2 in

SKU	Capacity
579-12-850	13 oz



Triple Antibiotic Ointments

Features:

- Helps prevent infection in minor cuts, scrapes, and burns.
- Provides three-in-one strength.
- Dose packets are ideal for fast application.
- Packets small enough to be stored anywhere.
- Perfect to keep in your work vehicle to help prevent infection.

Active Compound: Bacitracin Zinc; Neomycin Sulfate; Polymyxin B Sulfate

SKU	Quantity	Size
579-12-001	12 per Box	0.8 in x 4.1 in
579-G460	25 per Box	0.8 in x 4.1 in
579-M462-144	144 per Box	2.75 in x 4.25 in

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

MEDI-FIRST®



Triple Antibiotic Ointments

Features:

- Effective protection against infection from minor cuts, burns and abrasions.
- Single dose packets.
- Fight off infections and keep those minor injuries from becoming big problems.
- Simply clean the wound and surrounding area and apply a small amount of product.

Active Compound: Bacitracin; Neomycin Sulfate; Polymyxin B Sulfate

SKU
899-22335

WATER-JEL® TECHNOLOGIES



BURN JEL® Burn Care Ointments

Features:

- Dissipates heat and protects injuries from infection.
- Thick gels cool and soothe minor burns.

Active Compound: Lidocaine

SKU	Capacity
899-66622	1.8 oz

Pain Relievers

Advil®



Pain Reliever Tablets

Features:

- Temporarily relieves minor aches and pains due to headache, toothache, backache, menstrual cramps, the common cold, muscular aches, minor pain of arthritis.
- Temporarily reduces fever.

SKU	Active Compound
899-40933	Ibuprofen

FIRST AID ONLY®



PhysiciansCare® Ibuprofen Tablets

Features:

- Anti-inflammatory, fever reducer, and pain reliever.
- Temporarily relieves headache, muscular aches, toothache, minor pain of arthritis, backache, and menstrual cramps.
- Perfect for standalone first aid or as a refill for a kit.

SKU	Active Compound
579-90109	Ibuprofen

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

FIRST AID ONLY



PhysiciansCare® Acetaminophen

Features:

- Fights against minor headaches and pains.
- Temporary relief from headaches, arthritis, bursitis and overexertion.
- Packets conveniently fit in a pocket, purse, or glove compartment.
- Easy access for when you are on-the-go.

SKU	Active Compound
579-90016	Acetaminophen 500mg

Médique®



Medi-Lyte® Electrolyte Replenishers

Features:

- Relief from heat stress, fatigue and muscle cramping due to minerals lost to heat and perspiration.
- Unit dose, tamper-evident dual layer foil packets.
- English and Spanish labeling.

SKU	Quantity
899-03033	50
899-03013	250



Mediproxen Pain Relievers

Features:

- Long-lasting relief from pain associated with headaches, muscular aches and minor arthritis.
- Effectively reduces fevers from colds and flu.
- Unit dose, tamper-evident dual layer foil packets.

SKU	Active Compound
899-23733	Naproxen Sodium

Médique®



Pain-Off® Pain Relievers

Features:

- For extra strength relief from the pain of headache, toothache, muscle aches and arthritis.
- Unit dose, tamper-evident packets.
- Spanish labeling where possible.

SKU	Active Compound
899-22833	Acetaminophen; Aspirin; Caffeine

PhysiciansCARE by FIRST AID ONLY



PhysiciansCare® Ibuprofen Tablets

Features:

- Anti-inflammatory, fever reducer, and pain reliever.
- Temporarily relieves headache, muscular aches, toothache, minor pain of arthritis, backache, and menstrual cramps.
- Perfect for standalone first aid or as a refill for a kit.

Quantity: 50 packets

SKU	Active Compound
579-90015-004	Ibuprofen

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Detector Parts & Accessories

MSA The Safety Company



Altair® 4X Multigas Detector Spare Parts

Features:
- Designed for use with Altair® 4X Multigas detectors.
- Reliable and engineered to resist pressure spikes that can cause false alarms.
- Keep your detector running smoothly.

SKU
454-10106722

Detectors

Honeywell



Clip Single-Gas Detectors

Features:
- One button operation.
- Operates up to two years use without calibration, sensor replacement, or battery recharging/replacement.
- Wide angle flash which alerts simultaneously with audible and vibrating alarm.
- Automatic logging of the 35 most recent gas events.
- Compatible with IntelliDoX, Fleet Manager II Software.

Temp. Range: -40° F - 122° F
Sound Level: 95 dBA
Display Type: LCD

SKU	Gas Type
126-BWC2-H	Hydrogen Sulfide
126-BWC2-M	Carbon Monoxide
126-BWC2-X	Oxygen

Honeywell



MicroClip Multi-Gas Detectors

Features:
- Slim and compact.
- Provides protection from atmospheric gas hazards.
- Easy one button operation.

Gas Type: LEL; Oxygen; Carbon Monoxide; Hydrogen Sulfide
Temp. Range: -4° F - 122° F
Sound Level: 95 dBA
Display Type: LED
Run Time: 18 h

SKU
126-MCXL-XWHM-Y-NA

MSA The Safety Company



ALTAIR® 4XR Multigas Detectors

Features:
- Quickly update MSA ALTAIR 4XR settings via the ALTAIR Connect app (available on the Google Play Store).
- Send event notifications via text message with the ALTAIR Connect app.
- Confirm compliance quickly with the Bump LED and on-screen checkmark.
- Stay connected with alerts from the field for live gas readings, InstantAlert™ distress calls, MotionAlert™ man-down alarms, and non-compliance warnings.
- Survives 25 drops from 4 ft and an incidental 25-ft drop onto concrete.
- Waterproof and dustproof IP68 rated.

Gas Type: Carbon Monoxide (CO); Hydrogen Sulfide (H2S); Lower Explosion Limit (LEL); Oxygen (O2)
Temp. Range: -40° F (-40° C) - 140° F (60° C)
Sound Level: 95 dB at 1 ft
Power Source: Rechargeable Li-Polymer Battery
Run Time: 24 hr

SKU	Includes	Sensor Type
454-10178557	Charcoal Case; North American Charger	XCell®

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

MSA The Safety Company



ALTAIR® Single-Gas Detectors

Features:
- Maintenance-free, with visual, audible and vibrating triple alarm.
- Datalog provides up to 25-event records.
- Can be calibrated if it fails a bump test.
- Proprietary leak-free sensor for better stability in extreme temperatures.
- Wrapped in rubberized armor for superior impact protection.
- Survives multiple 20 ft drops onto concrete.
- Waterproof and dustproof IP67 rated.

Gas Type: Hydrogen Sulfide (H2S)
Temp. Range: -4° F (-20° C) - 122° F (50° C)
Sound Level: 95 dB at 1 ft
Display Type: LCD
Run Time: 24 months

SKU
454-10092521

KIDDE



Pro Multi-Purpose Fire Extinguishers

Features:
- Meets code requirements when installed and maintained in accordance with NFPA 10.
- QR code on extinguisher offers an easy way to access product information and customer support making servicing documentation more efficient.
- Rechargeable extinguisher can stay in service longer.
- Choose from lightweight aluminum cylinders or heavy-duty steel cylinders.

Fire Type: ABC
Operating Temp.: -40° F - 120° F

SKU	Capacity Wt.	Operating Distance
408-21032142	5.5 lb	12 ft - 18 ft
408-21032149	10 lb	20 ft - 20 ft
408-21032152	18 lb	20 ft - 20 ft

Fire Extinguishers

KIDDE



FA110 Multipurpose Home Fire Extinguishers

Features:
- Clear instruction label using graphics to show steps required to operate extinguisher.
- Easy-to-read gauge tells you fire extinguisher is charged and ready for use.
- Easy-to-pull safety pin.

Fire Type: Class A, B and C Fires
Operating Temp.: -40° F - 120° F
Operating Distance: 6 ft - 8 ft

SKU	Capacity Wt.
408-466142MTL	2.5 lb

LOCKING DEVICES

Lock Boxes

BRADY



Slimview™ Group Lock Boxes

Features:
- Rugged steel body and polycarbonate door stand up to all of your toughest jobs.Clear door gives you clear view into everything you need during your group lockout.Convenient storage with built-in padlock and key hangers.Room for a dozen—storage space for up to 12 padlocks.Easy to wall mount with button mount holes

Height: 6.06 in

SKU	Width
262-150505	10.51 in

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Group Lock Boxes

Features:
- Red lockout color identifies the safety lockout application.
- Effective alternative to requiring each authorized lockout team member to place one of their personal safety locks at every lockout point in the system.
- Up to 13 workers can apply their personal safety locks.

Length: 9-1/4 in
Height: 6 in

SKU	Width
470-498A	3-3/4 in



Cable Lockout Devices with Steel Core Cables

Features:
- Cable lockout with adjustable steel core cable.
- Cable features a plastic coating for added durability and visibility.

No. of Padlocks: 4

SKU
470-S806

Lockouts & Hasps



Electrical Lockout Tagout Kits

Features:
- Safely power down faster when you power up your lockout tagout readiness with one convenient, easily accessible and portable kit.
- Built to last – all kit components meet Brady's highest standards for quality, durability and reliability.
- Extremely portable – toolbox keeps padlocks and devices at the ready and goes where you go.
- All components specially designed for electrical lockout scenarios, including non-conductive nylon-body padlocks.

No. of Padlocks: 3
Includes: 1: 3-in-1 Plug Lockout ; 1: Clamp-on Circuit Breaker Lockout 480/600V; 1: Lockout Toolbox; 1: Wall Switch Lockout; 10: Lockout Tags; 10: Zip Ties; 2: 1in Lockout Hasps; 2: Clamp-on Circuit Breaker Lockout 120/277V; 2: Universal Multipole Breaker Lockout; 3: Nylon Safety Lockout Padlocks

SKU
262-153670



Grip Tight™ Circuit Breaker Lockouts

Features:
- Secure and simple mounting for a solid lockout.
- Grips tight with simple thumb turn and clamping handle.
- Accept all American Lock and Master Lock safety padlock shackles and lockout hasp diameters.
- Durable construction with powder coated steel and reinforced polymer allows operation in harsh environments.

Width: - 3/4 in
Used With: Standard Single and Double Toggles

SKU	Length
470-493B	3 in

© 2026



Grip Tight™ Plus Circuit Breaker Lockouts

Features:
- Consistently attaches to breakers and remains secure.
- Compatible with wide variety of circuit breaker handle shapes and sizes.
- Lightweight, one-piece designs that require no tools for installation.

Width: - 0.75 in

SKU	Length
470-S3821	2.06 in



Labeled Snap-On Lockout Hasps

Features:
- Complete with high-visibility, tri-lingual permanent safety labels that can be written on to identify the responsible person, then erased for the next job.
- Snap-On hasp - combines multiple-person lockout and tagout information - up to 5 workers can apply their locks.
- Easy-To-Apply "Snap-On" advantage with it's spring-loaded locking arm.
- Fits more lockout points than alternative rivet-hinge labeled lockout hasps.
- Anodized aluminum and stainless steel construction for combined corrosion-resistance and strength.
- Red lockout color identifies the safety lockout application.

Width: - 2-7/8 in
Shackle Length: 2-1/8 in
No. of Padlocks: 5

SKU	Length
470-427	7 in



Portable Lockout Kits

Features:
- Kit includes padlocks and electrical focused high-use products.
- Supplies store securely in a rugged toolbox to help keep important lockout devices and padlocks together.
- For added individual worker convenience, padlocks are supplied keyed alike.

Width: 25/32 in Body -
Shackle Length: 1-1/4 in
No. of Padlocks: 4
Includes: (1) S1017 Durable Lockout Toolbox; (3) 410KARED Zenex™ Padlocks; (1) 7C5RED Circuit Breaker Padlock; (1) 427 Red Labeled Snap-On Lockout Hasp; (3) 493B Circuit Breaker Lockouts; (2) 491B Circuit Breaker Lockouts; (1) 496B Wall Switch Cover; (1) 497A Do Not Operate Laminated Safety Tags (12-pack)
Depicted Text: Danger Do Not Operate; Danger Locked Out Do Not Remove

SKU
470-1457E410KA



Safety Lockout Hasps

Features:
- Compatible with No.
- 3, 410, 411 and 6835 safety lockout padlocks.
- Allows for lockout by up to six workers.
- Heavy gauge steel resists prying.

No. of Padlocks: 6

SKU	Length	Width	Shackle Length
470-420	4-1/2 in	1-3/4 in	1 in
470-421	5 in	2-3/8 in	1-1/2 in

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Safety Series™ Do Not Operate I.D. Tags

Features:
- Durable polyester laminate resists water, grease and extreme temperatures.
- Heavy-duty construction withstands up to 80 lbs.
- of pullout force (Meets OSHA Requirements).
- Prevents accidental removal.
- Customize with name, department, expected completion.
- 7/16" diameter brass grommet accepts all safety padlocks.

Width: - 3-1/8 in
Includes: (12) Tags; (12) Ties

SKU
470-497A



Sesamee® Keyless Padlocks

Features:
- All-brass internal mechanisms for non-corrosive durability.
- Lifetime guarantee.
- You set the combination

Shackle Diam: 5/16 in
Shackle Inner Width: 1 in

SKU	Shackle Length	Finish	Packaging Type
197-K436	1 in	Brass	Carded
197-K500-3/4	1 in	Black Epoxy	Box
197-K437	2-1/4 in	Brass	Carded
197-437	2-1/4 in	Brass	Box

Padlocks & Cables



Solid Aluminum Padlocks

Features:
- Highly corrosion resistant.
- Laser engravable.
- Available in silver, red, blue, black, green, orange, purple, gold, and brown colors.

Shackle Diam: 1/4 in
Shackle Inner Width: 3/4 in

SKU	Shackle Length	Color
045-A1105BLU	1 in	Blue
045-A1105GRN	1 in	Green
045-A1105RED	1 in	Red
045-A1106BLK	1-1/2 in	Black
045-A1106BLU	1-1/2 in	Blue
045-A1106GRN	1-1/2 in	Green
045-A1106ORJ	1 1/2 in	Orange
045-A1106RED	1-1/2 in	Red
045-A1107RED	3 in	Red



Super Sesamee™ Keyless Padlocks

Features:
- All brass mechanisms.
- Hardened steel jacket.

Shackle Diam: 7/16 in
Shackle Inner Width: 7/8 in

SKU	Shackle Length
197-K637	1 in

© 2026



No. 1 Laminated Steel Padlocks

Features:

- Non-rekeyable cylinder or universal pin, laminated steel body for superior strength.
- Hardened boron alloy shackles for extra cut resistance.
- Proprietary rustproofing for longer life.
- Commercial grade padlock features superior protection from drilling and prying.
- Dual ball bearings locking for maximum pry resistance making it ideal for industrial applications.
- Choose between Keyed Different (KD), Master Keyed (MK), and Master Keyed/Keyed Alike (MKKA).

Shackle Diam: 5/16 in
Shackle Inner Width: 3/4 in

SKU
470-1DCOM



No. 140 Solid Brass Padlocks

Features:

- Select style and strength—this lock with a solid brass lock body is stylish and sturdy.
- Hardened steel shackle for extra cut resistance.
- 4-pin cylinder prevents picking and the dual locking levers provide resistance against prying and hammering.

Shackle Diam: 1/4 in
Shackle Inner Width: 13/16 in

SKU	Shackle Length
470-140D	7/8 in



No. 1500 Combination Padlocks

Features:

- Hardened steel shackle for extra cut resistance.
- Combination security for keyless convenience.
- 3-digit dialing and 1,500 combinations for maximum security.

Shackle Diam: 9/32 in
Shackle Inner Width: 13/16 in

SKU	Shackle Length
470-1500	3/4 in



No. 175 Combination Brass Padlocks

Features:

- Set-your-own combination convenience.
- Resettable to any of 10,000 personalized combinations.

Shackle Diam: 5/16 in
Shackle Inner Width: 1 in

SKU	Shackle Length	Packaging
470-175	1 in	Box
470-175DCOM	1 in	Carded
470-175DLH	2-1/4 in	Carded
470-175LH	2-1/4 in	Box

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



No. 178 Solid Brass Combination Padlocks

Features:
- Set-your-own combination convenience and security.
- 4 digit dialing allows for thousands of possible combinations.

Shackle Diam: 5/16 in
Shackle Inner Width: 1 in

SKU	Shackle Length
470-178BLK	1 in



No. 3 Laminated Steel Padlocks

Features:
- Non-rekeyable W1 cylinder or Universal Pin, laminated steel body for superior strength.
- Hardened steel shackles for extra cut resistance.
- Proprietary rustproofing for longer life.
- Commercial grade padlocks feature superior protection from drilling and prying.
- Choose between Ink Stamped on Bottom of Padlock (INK), Keyed Different (KD), Master Keyed (MK), Master Keyed/ Keyed Alike (MKKA), and Universal (UP) styles.
- Assorted bumper colors available.

Shackle Diam: 9/32 in
Shackle Inner Width: 5/8 in

SKU	Color
470-3DLHCOM	Silver; Blue Bumpers
470-3RED	Silver; Red Bumper
470-3YLW	Silver; Yellow Bumper



No. 5 Laminated Steel Padlocks

Features:
- Non-rekeyable cylinder, laminated steel body for superior strength.
- Hardened boron alloy shackles for extra cut resistance.
- Proprietary rustproofing for longer life.
- Commercial grade padlock features superior protection from drilling and prying.
- Dual ball bearings locking for maximum pry resistance making it ideal for industrial applications.
- Choose between Keyed Different (KD), Master Keyed (MK), Master Keyed/Keyed Alike (MKKA), and Universal Pin (UP).
- Full range of sizes to best secure your applications.
- Assorted bumper colors available.

Shackle Inner Width: 15/16 in

SKU	Shackle Diam
470-5DCOM	3/8 in



Zenex™ Thermoplastic Safety Lockout Padlocks

Features:
- Designed exclusively for lockout tagout applications.
- Durable, lightweight, non-conductive Thermoplastic lock body.
- Customize on-site with permanent, write-on labels.
- Compliance with "One Employee, One Lock, One Key" directive.
- High security, reserved-for-safety cylinder.
- Key retaining, ensures that padlock is not left unlocked.
- 6-pin tumbler for Keyed Alike (KA), Keyed Different (KD), and Master Keyed (MK) styles.
- Choose from 1-3/4 inch (406 and 410) or 3 inch (411) body heights.
- Dielectric (406) options available.

Shackle Inner Width: 25/32 in

SKU	Color
470-410BLK	Black
470-410BLU	Blue
470-410GRN	Green
470-410LTRED	Red
470-410ORJ	Orange
470-410RED	Red
470-410YLW	Yellow
470-411BLU	Blue
470-411RED	Red

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

SAFETY STORAGE

Safety Can Parts & Accessories

Justrite



Funnel Attachments for Type I Steel Safety Cans

Features:
- Economical way to aid pouring into smaller openings.
- Bolt-on funnel with galvanized hose.
- For Type I steel cans only.

Dia.: 0.5 in

SKU
400-11202Y

Safety Cans

EAGLE
Justrite Safety Group



Safety Cans

Features:
- Constructed of 24-gauge hot dipped galvanized steel, stainless steel, or poly.
- Funnel (F15FUN) available with certain Type I metal models or sold separately.
- Available in a variety of Type I and Type II sizes and colors for the safe handling and storage of kerosene (blue), diesel (yellow), combustible liquids, such as oils (green), DOT and Lab cans.

Dia.: 12-1/2 in
Height: 13-1/2 in

SKU	Capacity Vol.	Type	Color
925-UI50FS	5 gal	Flammables	Red
925-UI50FSY	5 gal	Diesel	Yellow

Justrite



Red Oily Waste Cans

Features:
- Self-closing cover isolates contents from fire sources.
- Rugged, lead-free galvanized steel body with durable powder coat paint finish.
- Raised flow-through base dissipates heat.
- Convenient carrying handle.
- Trilingual safety label.

Material: 24-gauge Premium Coated Steel
Resistance: Flame Retardant; Wear; Combustibles
Includes: Foot Operated Cover

SKU	Capacity Vol.	Dia.	Height
400-09100	6 gal	11-7/8 in	15-7/8 in
400-09300	10 gal	13-15/16 in	18-1/4 in



Type I Steel Safety Cans

Features:
- Color coding avoids accidents.
- Self-closing lid controls spills.
- Leakproof, auto-venting lid prevents explosion.
- Available with funnel for cans 1 gal or larger.
- Cans up to 1 quart feature a trigger-release handle, while larger capacities have a swinging handle to greatly ease carrying of heavier loads.

SKU	Capacity Vol.	Type	Dia.	Height	Color
400-7150210	5 gal	Diesel	11.75 in	16.875 in	Yellow
400-7150200	5 gal	Diesel	11.75 in	16.875 in	Yellow
400-7110100	1 gal	Gas	9.5 in	11.5 in	Red
400-7120100	2 gal	Gas	9.5 in	13.75 in	Red
400-7125100	2.5 gal	Gas	11.75 in	11.5 in	Red
400-7150100	5 gal	Gas	11.75 in	16.875 in	Red
400-7150110	5 gal	Gas	11.75 in	16.875 in	Red

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Justrite



Type II AccuFlow™ Safety Cans

Features:

- Color coding avoids accidents.
- Stainless steel flame arrester prevents flashback ignition.
- Easy-to-use Safe-Squeeze® trigger for controlled pouring.
- Two-openings, one for targeted pouring, one with ergonomically designed lift-lever for easy filling.

SKU	Capacity Vol.	Dia.	Height	Hose O.D.	Color
400-7210120	1 gal	9.5 in	10.5 in	5/8 in	Red
400-7220120	2 gal	9.5 in	13.25 in	5/8 in	Red
400-7225120	2.5 gal	11.75 in	12 in	5/8 in	Red
400-7250120	5 gal	11.75 in	17.5 in	5/8 in	Red
400-7250130	5 gal	11.75 in	17.5 in	1 in	Red
400-7250230	5 gal	11.75 in	17.5 in	1 in	Yellow

Safety Storage Cabinets

EAGLE
Justrite Safety Group



Flammable Liquid Storage Cabinets

Features:

- Reinforced double wall construction with 1-1/2 inch air space on sides, top, bottom, back, and doors.
- Constructed of 18-gauge steel.
- Lead-free, high-gloss, baked-on powder finish.
- Continuous piano hinges.
- Ground connection.
- Flush mounted door handle with key lock.
- Choose from manual close, self-closing, and sliding self-closing (select 30 and 45 gal only) door styles.
- Also available are combo cabinets with Type I safety cans with funnels and Tower™ cabinets with legs.

Depth: 18 in
Width: 43 in
Height: 65 in

SKU	Capacities
925-1947X	45 gal

Justrite



Sure-Grip® EX Flammable Safety Cabinets

Features:

- 18-gauge thick double-wall, welded steel with 1-1/2-in of insulating air space.
- Adjustable, patented SpillSlope® galvanized steel shelves direct spills to back and bottom of 2-in leakproof sump.
- 3-point stainless steel bullet latching system.
- U-Loc™ handle with two keys—accepts optional padlock.
- Trilingual warning with Haz-Alert™ reflective labels.
- Includes dual vents with flame arresters, adjustable leveling feet, and grounding connector.
- Choose from self-close or manual styles; including, single/double doors.

SKU	Capacities	Depth	Width	Height
400-893000	30 gal	18 in	43 in	44 in
400-893020	30 gal	18 in	43 in	44 in
400-894500	45 gal	18 in	43 in	65 in
400-894520	45 gal	18 in	45 in	65 in
400-896000	60 gal	34 in	34 in	65 in
400-899000	90 gal	34 in	43 in	65 in
400-899020	90 gal	34 in	43 in	65 in

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

TRAFFIC SAFETY

Detectable Safety Tapes



3M™ Diamond Grade™ DG³ Reflective Sheeting 4083

Features:
- Used for signs in areas warning the presence of non-motorized traffic, such as students in/near school zones, pedestrians, and bicyclists.
- Provides level of luminance needed by older drivers.
- Accommodates drivers of large vehicles.
- Fluorescent for added visibility during dawn, daytime, dusk and inclement weather.
- Warranted performance for up to 10 years.

Width: 24 in
Length: 50 yd

SKU
405-051135-34396



3M™ High Intensity Grade Prismatic Reflective Sheeting Series 3930

Features:
- Series 3930 prismatic sheeting with pressure sensitive adhesive is a reflective sheeting with a unique construction providing high levels of retroreflectivity for multiple traffic situations.
- Non metalized microprismatic lens reflective sheeting is designed for production of reflective durable traffic control signs, work zone devices and delineators.

Length: 50 yd

SKU
405-051115-77363

Safety Cones



Collapsible Safety Cones

Features:
- Top-Mounted red LED flasher runs on (2) AAA batteries (not included).
- Two large high-reflect stripes and tough Nylon® construction will take a beating.

Width: 12.5 in

SKU	Height
205-1191	28 in



Solar Powered Strobes

Features:
- 60 x-minute flash sequences are seen out to over 1,600 ft.
- Fits all standard molded rubber Traffic Safety Cone top-hole.
- Has on/off switch.
- Highly Weatherproof.
- Long-life NiMH Battery lasts up to 120 hours per solar charge.
- Mount allows either vertical or horizontal mounting (and has locking screw security).
- Unit body also has color-matched reflective stripe.

Width: 8.5 in

SKU	Height
205-1197	8 in

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



DW Series Traffic Cones

Features:

- Made from injection-molded PVC with a wide body design.
- Rugged and durable for use in a variety of work zones.
- Available in a variety of sizes and colors, including with or without collars.

SKU	Height	Type
831-03-500-05	18 in	Not Reflective
831-03-500-10	28 in	Reflective
831-03-500-07	28 in	Not Reflective
831-03-500-06	36 in	Reflective



PVC Traffic Cones

Features:

- Brightly colored for high visibility.
- All-vinyl construction assures durability and flexibility in all weather conditions.
- Ultraviolet stabilized color provides maximum resistance to fading.
- Wide-body design with rugged base.
- High-density base creates low center of gravity for maximum stability.

Includes: 6 in Upper Reflective Collar
Width: 12 in

SKU	Height
831-03-500-21	18 in



Triangle Warning Kit

Features:

- Ensure your safety, even in an emergency, with a sturdy triangle reflector kit - the flourescent plastic is bright and provides effective warning, even in daytime.
- The entire kit is easy to erect and break down, with single triangle flares that unfold from a weighted blow-molded tube base.
- A convenient living hinge box allows for quick and compact storage.

Includes: 3 Triangles in Living Hinge Storage Box
Width: 18 in

SKU	Height
831-95-03-009	18 in



W Series Traffic Cones

Features:

- Injection molded PVC.
- Wide body design.
- Colored base.
- Available with reflective collars.
- MASH Approved.

SKU	Height
831-03-500-100	28 in

© 2026


Safety Fences



Safety Fences

Features:
- Super high strength.
- Safe with no sharp edges.
- UV stabilized.
- Highly visible orange color.
- Easy to install, handle, or relocate.

SKU	Height	Length	Applications
101-ML-500	4 ft	100 ft	Barrier and Warning at Construction and Excavation Sites; Agricultural Boundary Marker
101-FEN1009	4 ft	100 ft	Lighweight and flexible fence, that is used for safety at construction sites, ski slopes, etc.



Safety Fences

Features:
- Convenient, highly visible safety fencing.
- Durable safety fences are UV stabilized.
- Rugged and reusable, great for building barriers on the job.

SKU	Height	Length
831-03-900	4 ft	50 ft

Safety Flags & Pennants



Pennants

Features:
- Durable, weather-resistant vinyl pennant is a reliable choice for drawing attention to demarcated areas.
- Suitable for work zones and construction sites.
- Superior tensile strength.

Length: 100 ft (String)

SKU
831-03-400



Marking Whiskers

Features:
- Virtually indestructible, these APWA color-coded whiskers spring back up when run over by lawn mowers, graders and heavy equipment.
- Easily and conveniently attached to wood stakes or to 60-penny nails (not included).
- Can be used alone or in conjunction with other marking products.

Height: 6 in

SKU
764-W6-PG



Pennant Flags

Features:
- Each pennant is constructed of 4 mil polyethylene and double sewn into a plastic covered, sag-resistant rope.
- Pennant Flags are ideal for drawing attention to an event or defining an area perimeter.

Material: Polyethylene

SKU	Color	Length
764-SPF91260R	Red; Red	60 ft
764-SPF912100M	Multi-Color	100 ft

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

PRESCO
SAFETY MARKING PRODUCTS



Stake Flags

Features:
- From utility construction to line locating, hardware to forestry, landscaping to pet containment – these flags ensure consistent communication and long-lasting visibility for your project.
- Steel wire staff is constructed of high-carbon alloy steel for added tensile strength and bend-resistant stability.

Height: 21 in

SKU	Flag Size Width X Length
764-4521W	4 in x 5 in

Safety Guards & Protectors

3M



3M™ Bumpon™ Protective Products

Features:
- Bumpon™ Protective Products feature a urethane composition.
- Easy application with 3M pressure-sensitive adhesives.
- High skid-resistance, won't scratch or stain surfaces, reduces vibration and noise.
- Designed to be used as feet, stops and spacers.

Height: 0.3 in
Length: 0.811 L

SKU
500-738877

CHECKERS
Justrite Safety Group



All-Terrain Heavy Duty Wheel Chocks

Features:
- Lighter weight and tough urethane construction.
- Resistant from oil, fuels, and lubricants.
- Recessed carrying handle on the backside of the chock.

Height: 8 in
Length: 15 in

SKU	Outside Dia.
916-AT3512-AC-Y	28 in to 38 in

CHECKERS
Justrite Safety Group



General Purpose Utility Wheel Chocks

Features:
- Weather-resistant, lightweight polyurethane construction.
- Resistant to oils, fuels, and solvents.
- Mounting hole for ropes or chains.
- High-visibility orange color.

SKU	Outside Dia.	Height	Length	Material
916-UC1700	27 in to 35 in	6.25 in	8.5 in	Urethane
916-UC1500-6	Up to 46 in Tire	8.5 in	11.5 in	Polyurethane
916-UC1210	46 in to 65 in	14 in	17 in	Urethane



General-Purpose Rubber Wheel Chocks

Features:
- Highly durable rubber construction.
- Resistant to weather elements.
- Resistant to weather elements.
- Either side can be positioned against the tire.
- Ideal for small vehicles and trailers.
- Small design for easy storage.

Height: 5.5 in

SKU	Length	Used With
916-RC450-S	10 in	Industrial Industry
916-RC815	10.5 in	Trailers and Trucks



Heavy Duty Wheel Chocks

Features:
- MC series are approved and used by CAT and mines worldwide.
- Tough, Weather resistant urethane construction.
- Resistant from oil, fuels, and lubricants.
- Meets MSHA Specs.

Height: 9.5 in
Length: 18 in

SKU	Outside Dia.
916-MC3010	65 in to 105 in Tires

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



EZ Grab Delineator Post

Features:
- Post is made from 100% impact-resistant polyethylene material.
- EZ-Grab handle provides portability, allowing you to move post from place to place with ease.
- The sturdy rubber base ensures that the post stays put.
- Each post comes with two high intensity reflective bands.

Height: 45 in

SKU	Outside Dia.
831-03-734RBC	3 in



Wheel Chocks

Features:
- Provides maximum durability and skid protection.
- Constructed to withstand extreme weather conditions.
- Includes zinc-plated eyebolt.

Height: 6 in
Length: 10 in

SKU	Outside Dia.
831-2048WC	8 in
831-2048WCC	20 in

Safety Signs



Quadra Flex™ Roll-Up Utility Work Ahead Signs

Features:
- Fluorescent color provides maximum visibility.
- Lexan Polycarbonate pockets on all corners.
- Fiberglass Ribsets are included and are ready for use.
- Ribs are coated to prevent splinters and fraying.
- Overlays available for changeable message signs.
- Available in 36 in and 48 in sizes.

Width: 48 in
Height: 48 in

SKU
831-07-800-4046-L



Safety Paddles

Features:
- Silk screened or reflective Engineer Grade (EG), HI-intensity (HI), or Diamond Grade (DG) sheeting.
- Letter size 8 inches for 24 inch paddles or 6 inches for 18 inch paddles.
- Ideal for school crossing guards, police, and plant security guards.
- Extremely durable ABS material or 0.080 aluminum with scratch resistant paint finish.

SKU	Depicted Text	Length	Dia.
831-03-851	STOP/SLOW	9 in Polygrip Handle	18 in
831-03-822P	STOP/SLOW	81 in Plastic Handle	24 in
831-03-827P	STOP/SLOW	81 in Plastic Handle	24 in

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Floor Pop-up Safety Cones

Features:
- Collapsible, automatically deployed cone.
- Wall-mounted storage tube allows for easy and compact storing.

Length: 21 in
Width: 21 in
Height: 30 in

SKU
640-FG9S0100YEL



Floor Safety Signs

Features:
- Large, 13 in 4-sided warning triangle with bold graphics.
- Closed warning message imprinted in English, French, German and Spanish for effective communication to broad audiences.
- Folding design for convenient storage.
- Durable plastic construction.
- Bright yellow design meets OSHA requirements.
- Stable base with low center of gravity to prevent tipping.

Length: 26 in
Width: 11 in
Height: 25 in

SKU
640-FG611277YEL

Safety Tags

BRADY



Heavy Duty Lockout Tags

Features:
- Constructed of heavy duty polyester, durable tag offers completely encapsulated graphics that withstand moisture, grease, chemicals and extreme temperatures.
- Tags accept pencil, pen and marker (pen and marker can be completely erased using isopropyl alcohol, allowing for repeated use).
- Heavy duty construction holds up to 80 lbs of pull force, preventing accidental removal.
- 3/8 inch diameter heavy-duty brass grommet accepts most padlock shackles.

Height: 5.75 in

SKU	Width
262-65520	3 in



Lockout Tags

Features:
- Two-sided tag with warning messages and graphics.
- Both sides have lines for writing additional information.
- Write-on surface allows for authorized signatures, dates and other special instructions.
- 3/8 inch diameter brass eyelet will accept most pad-lock shackles.
- Can be used in conjunction with locks to enhance visual awareness.

Height: 5.75 in

SKU	Material	Color
262-76224	Polyester	Black/Red on White
262-66050	Economy Polyester; Not Laminated	Black/Red on White
262-65452	Paper Cardstock; Not Laminated	Red/White Stripes and Black
262-66064	Economy Polyester; Not Laminated	Red/White Stripes and Black

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

BRADY



ScaffTag® Green Inspection Inserts

Features:

- Durable, weatherproof plastic tag inserts provide a clear inspection trail giving integrity and control of work carried out.
- Saves valuable time when preparing safety audits and is essential for companies working with ISO9000 clients.
- Internationally used and recognized to assist with the control of scaffolding from first build to dismantle.

Height: 7.62 in

SKU	Width
262-104113	3.12 in



ScaffTag® Tag Holders

Features:

- Tag insert holders are made of durable, weatherproof plastic and have a printed warning not to use equipment that's visible when the insert is missing.
- Saves valuable time when preparing safety audits and is essential for companies working with ISO9000 clients.

Height: 11.75 in

SKU	Width
262-104111	3.5 in

Master Lock



Do Not Operate Safety Tags, Spanish/English

Features:

- Heavy Duty English/Spanish Safety Tags feature durable polyester laminate to resist water, grease and extreme temperatures.
- The heavy duty construction withstands over 50 lbs.
- (23kg) of pull force to meet and comply with the OSHA lockout/tagout standard.
- The 7/16 in (11mm) diameter brass grommet accepts all safety padlocks.
- Tags are customizable with name, department and expected completion date.

Height: 5-3/4 in

SKU	Width
470-497AX	3-1/8 in

ANCHOR BRAND



Economy Barrier Tape

Features:

- Sturdy safety tape.
- Repeat wording clearly identifies hazard.
- Bright colors and Bolder Print to attract attention.
- Durable, yet easily disposable.

Width: 3 in
Length: 1000 ft

SKU	Depicted Text	Color
101-Y10003	Caution	Yellow
101-R10003	Danger	Red

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



6924AU/6925AU Hi-Viz Safety Polyester Fleece Hoodies

Features:

- Hoodie meets requirements for those working in dangerous settings where visibility is the highest priority, including EMS, construction & traffic work.
- Double stitched StarTech® reflective tape on torso and arms provides excellent visibility.
- Sweatshirt is made of premium 10.5 oz (360 GSM) polyester fleece and has a front reversible zipper closure, it also has a detachable drawstring hood, elastic cuffs and hem, 2 pockets, and radiophone clip straps, also available in a variety of sizes from Small thru 5XL.
- Comes in fluorescent Yellow/Green and Orange colors, offering supreme visibility and safety on the job.

SKU
852-V1060461U-XL



5209U Class 3 High Visibility Safety Bomber Jackets

Features:

- This bomber jacket meets ANSI/ISEA Class 3 Type P & R requirements for those working in dangerous settings where visibility is the highest priority, including EMS, construction, and traffic control.
- Silver StarTech reflective tape provides high-visibility.
- Jacket is 100% waterproof, windproof, has a removable hood with conceal pouch, and inner detachable fleece liner.
- Its shell is made of premium PU-coated oxford polyester.
- Heavy duty coat can be worn as rain or snow work gear and has 2 large zipper pockets, a cell phone pocket, inside chest pocket, radiophone clip straps, a 2-way zipper, and elastic ribbed wrist cuffs and waist.
- Jacket comes in fluorescent Yellow with a Black bottom to conceal soiling.

SKU	Size Group
852-V1130460U-XL	X-Large
852-V1130460U-2XL	2X-Large

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

Safety Vests



GloWear® Safety Vests

Features:
- High visibility.
- Variety of closure types and pocket configurations available.
- Non-Certified and Certified options.

Material: Polyester Mesh

SKU	Size Group	Closure Type	Color
150-20040	One Size	Hook and Loop	Lime
150-21023	Small/Medium	Hook and Loop	Lime
150-21045	Large/X-Large	Zipper	Orange
150-21047	2X-Large/3X-Large	Zipper	Orange
150-21053	Small/Medium	Zipper	Lime
150-21055	Large/X-Large	Zipper	Lime
150-21057	2X-Large/3X-Large	Zipper	Lime
150-21295	Large/X-Large	Zipper	Lime



Class II Economy Safety Vests

Features:
- This vest features a hook and loop front closure, 2 inch silver reflective stripes, 2 outer and 1 inner pocket.
- Good for traffic and security applications.

SKU	Size Group
611-VCL2SLL	Large
611-VCL2SLXL	X-Large
611-VCL2SLX2	2X-Large
611-VCL2SLX4	4X-Large



General Purpose Safety Vests

Features:
- Bright fluorescent colors and help you to stand out and be seen in your surroundings.
- Light weight fabric.
- Available in a variety of configurations and colors.
- One size fits most unless otherwise stated.
- Formerly known as River City® Garments.

SKU
611-V211R



Luminator™ Class II Safety Vests

Features:
- Highly visible fluorescent safety vest with 4 1/2-inch orange/silver reflective stripes for ample contrast.
- Zipper front closure.
- Two inner pockets.

SKU
611-WCCL2LL

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



6914AU/6916AU Hi-Vis Flame Resistant Vests

Features:

- Must be worn over FR sleeved garment.
- FR treated polyester mesh with 3 snap button front; flame resistant gear comes in unisex sizes Small to 5XL.
- Proprietary StarTech® reflective tape.
- 5 point tear-away, extra comfortable tear-away chest panels with back D-ring slot access ID pocket, 2 flap pockets with hook and loop closure.
- 1 cell phone pocket on left chest, 3 pen slots on right chest.

SKU	Size Group
852-V2510860U-L/XL	L/XL
852-V2510860U-2/3XL	2/3XL



Class 2 Type R Two-Tone Surveyors Vests

Features:

- Solid front and mesh back for breathability.
- 2 in two-tone tape for optimum visibility.
- Zipper closure.
- 2 mic tabs with reinforced stitching.
- 2 lower external flap pockets.
- 2 internal lower pocket.
- 1 chest radio pocket.
- 1 chest pocket with 4 pen pockets in front.

SKU
112-302-0500-YEL/M



SV6 Type R Class 2 Two Tone Surveyor Mesh Safety Vests

Features:

- Has the same features as the SV7 Surveyor safety vest, with the addition of contrasting trim on the stripes and a clear badge holder for the radio pocket.
- Two-tone, contrasting trim on reflective stripes make workers much more noticeable in low light and broad daylight.
- Very functional pocket configuration so you can carry the tools you need to do your job.
- Available in hi-vis green or hi-vis orange.

SKU	Size Group
292-SV6-2ZGM-XL	X-Large



LHV-207-3G Safety Vests

Features:

- Zip-N-Rip™ closure.
- 3M® Scotchlite™ reflective material with contrasting trim.
- 5 Point Breakaway.
- Mic Tab on Both Shoulders.
- Adjustable Waistband.

Color: Hi-Vis Green; Red Trim
Material: 100% Polyester Mesh

SKU	Size Group
292-LHV-207-3G-FIR-R	Medium to X-Large

© 2026

SPILL CONTROL SAFETY

Sorbent Kits

BRADY



SPC Allwik® Drum Spill Kits

Features:
- Allwik for oil, water based and chemical spills.
- Tough, secure and highly visible, this top quality screw topped over pack drum meets UN and DOT specifications.
- For large spill response.
- For oil, water based and chemical spills.

Absorption: 41 gal

SKU	Width
655-SKA55	24 in



SPC® Economy Portable Spill Kits

Features:
- Highly visible yellow PVC bag.
- Perfect for small spills.
- Right price, right size and the right value.

Absorption: 5 gal

Includes: (10) 15 in x 19 in Pads; (2) SOCs; 3 in x 4 ft; Nitrile Gloves; (1) Disposal Bag; Instruction Sheet

SKU	Width	Length
655-SKA-PP	16 in	20 in

Sorbents

3M



3M™ High-Capacity Petroleum Sorbent Pads

Features:
- Selectively absorb petroleum-based liquids and repel water, making them not only exceptionally effective but also economical.
- Twice as thick as a standard pad, these petroleum sorbent pads offer high capacity in a low-profile design.
- That means you can get extra sorbency in tight areas.
- These pads can be placed directly on machinery or tucked in and around machines to catch and contain leaking lubricants or wipe contaminated surfaces.

SKU	Length	Width	Absorption
498-HP-157	13 in	34 in	77.4 gal
498-HP255	19 in	17 in	33.3 gal



3M™ Petroleum Sorbent Booms

Features:
- These booms can be linked together by built-in connectors to overlap and contain large areas.
- Designed for long-term deployment, they are recommended for containing and absorbing spills and effluent discharges in ditches, streams, rivers, lakes, and terminal docks and piers.
- UV resistant, they will not deteriorate, disintegrate or sink, and, have an inner scrim to eliminate linting.
- Unique double-cylinder design maximizes absorption and minimizes the escape of traces of oil in flowing water.

Absorption: 20 gal Per Boom; 80 gal Per Case

SKU	Length	Width
498-T-270	10 ft	8 in

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



3M™ Petroleum Sorbent Pads

Features:

- Extremely easy to apply, retrieve, and reuse, these pads are double the standard thickness and recommended for congested areas such as under docks, in shallow water, rocky shorelines, marshes, and beaches.
- Pads can also be used to wipe off oil-contaminated rocks, boats, and equipment.
- Like rolls, they are ideal for in-plant use in place of clay granules.
- Idea for small spills and wiping contaminated areas.
- Convenient size.

Absorption: 38.7 gal

SKU	Length	Width
498-HP-156	20 in	17 in



Oil-Only Sorbent Pads

Features:

- White absorbents pick up petroleum-based fluids, paints and non-water soluble chemicals while repelling water - great for indoor & outdoor use.
- Meltblown polypropylene absorbents feature economical, single-ply construction.
- Perforations provide cost control and reduce waste by allowing you to use only what you need.

SKU	Length	Width	Absorption	Quantity
103-AB-BPO500	17 in	15 in	17 gal	100 Sheets
103-AB-BPO100	17 in	15 in	20.5 gal	100 Sheets
103-AB-BPO200	17 in	15 in	34 gal	200 Sheets



Universal Sorbent Pads

Features:

- Highly versatile, grey absorbents pick up water-based, petroleum-based and non-aggressive, chemical fluids.
- Meltblown polypropylene absorbents feature economical, single-ply construction.
- Perforations provide cost control and reduce waste by allowing you to use only what you need.

SKU	Length	Width	Absorption	Quantity
103-AB-BPU500	17 in	15 in	17 gal	100 Sheets
103-AB-BPU100	17 in	15 in	20.5 gal	100 Sheets
103-AB-BPU200	17 in	15 in	34 gal	200 Sheets



Universal Sorbent Rolls

Features:

- Highly versatile, grey absorbents pick up water-based, petroleum-based and non-aggressive, chemical fluids.
- Heavy weight - specifically designed for continuous leaks and larger spills so you use less material.
- Meltblown polypropylene absorbents feature economical, single-ply construction.
- Perforations provide cost control and reduce waste by allowing you to use only what you need.

Absorption: 38 gal

SKU	Length	Width
103-AB-BRU120	150 ft	30 in

© 2026

BRADY



SPC Env™ Oil Sorbents-Contractor Grade

Features:

- Ideal for environmental applications.
- Made of the best available basic meltblown polypropylene.
- ENV™ Oil Sorbents are packed in distinctive green bags and are the obvious choice when you need low cost plus high performance.
- Economy, heavyweight.
- For use with oil and petroleum based fluids.

SKU	Length	Width	Absorption	Quantity
655-ENV300	19 in	15 in	24 gal	100
655-ENV200	19 in	15 in	32 gal	200



SPC Premium Oil Absorbent

Features:

- It is a recycled waste product that contains naturally occurring microorganisms and nutrients.
- Oil Gator® is an all-natural, biodegradable absorbent with the ability to encapsulate 2-6 times its weight in oil or oil-based products.

Absorption: 2 to 6 gal

SKU	Length	Width
655-GS-10	19 in	15 in

BRADY



SPC® Dri-Zorb® Granular Absorbents

Features:

- An all-natural corncob product that quickly absorbs cutting oils, grease, water and other liquids.
- Dri-Zorb® is particularly useful as an alternative to clay when disposal methods dictate your absorbent medium.
- Not for use with aggressive liquids.

Absorption: 8.5 gal

SKU
655-DZ-100



MAXX® Enhanced General Purpose Absorbents

Features:

- General Purpose MAXX® Enhanced absorbents are economical but offer the look, feel and performance of a premium product.
- Highly versatile, gray absorbents pick up water-based, petroleum-based and non-aggressive, chemical fluid.
- General purpose absorbents are made with MAXX® Technology for superior absorbency and greater strength without the added weight.
- 1-ply Meltblown Polypropylene dimpled construction.
- Perforations provide cost control and reduce waste by allowing you to use only what you need.
- Options available for heavy/light/medium weights.

SKU	Length	Width	Absorption	Quantity
655-GP100	19 in	15 in	30 gal	100
655-GP200	19 in	15 in	44 gal	200

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

BRADY



MRO Plus™ Absorbents

Features:

- MRO Plus® products are strong, durable and medium-linting, making them the perfect go-to products for nearly every industrial setting.
- Highly versatile, gray absorbents pick up water-based, petroleum-based and non-aggressive, chemical fluids.
- 3-ply Meltblown (MMM) Polypropylene dimpled construction is designed for general industrial applications.
- Perforations provide cost control and reduce waste by allowing you to use only what you need.
- Options available for heavy or medium weight, single/double (DP)/no perforations, and pads or rolls.

SKU	Length	Width	Absorption
655-MRO300	19 in	15 in	20.5 gal
655-MRO100	19 in	15 in	26 gal
655-MRO350-DP	150 ft	30 in	38 gal

SPHAG SORB



Industrial Absorbents

Features:

- Absorbs fuels, organic chemicals, paints, glycol and more.
- Effective for cleanup and removal.
- Nontoxic.

Absorption: 12 gal

SKU
671-SS-2-60

CLEANING PRODUCTS

Cleaners & Degreasers

CRC



Brake Parts Cleaners

Features:

- Maintaining clean brake and disc parts can improve the life of your car's braking system and keep you safe on the roads.
- Using a brake cleaner for cleaning and degreasing is a great way to maximize the performance and increase the longevity of your entire brake system.
- Formulated to quickly and effectively remove grease, brake dust, brake fluids, oils, and other contaminants from brake parts, lining, pads.
- Options available for chlorinated and non-chlorinated formulas, including non-chlorinated that is less than 45% VOC (05084), ultra low VOC that complies with SCAQMD Rule 1171 (05151), and compliant with VOC regulations for all 50 states (05050).

SKU	Capacity Vol.	Chemical Compound
125-05084	14 oz	Solvent
125-05088	20 oz	Organic Solvents/Alcohol
125-05089	20 oz	Tetrachloroethylene



QD™ Contact Cleaners

Features:

- Suitable for cleaning sensitive electronics and electrical equipment without leaving a residue.
- Evaporates quickly, leaves no residue and is safe to use on all plastics.
- Use where lower flashpoint cleaners are acceptable.
- Options available for NSF P1 Registered and NSF K2 Registered.

SKU	Capacity Vol.
125-03130	11 oz

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



Industrial Cleaners and Degreasers

Features:

- All-purpose cleaner, degreaser and deodorizer.
- Concentrate dilutes up to 1:30.
- Easily cuts through thick grease, oils, hydraulic fluids and built-up grime on all washable surfaces.
- Non-abrasive, non-corrosive, non-flammable and VOC compliant formula.
- Safe for use in cleaning equipment including floor scrubbers, carpet cleaners and parts washers.
- Orally non-toxic and readily biodegradable formula*.
- EPA Safer Choice product.
- Safer than caustic cleaners and solvents.

SKU	Capacity Vol.
676-2710200613005	1 gal
676-2700000113008	55 gal



Crazy Clean All Purpose Cleaners

Features:

- Spray on and wipe off to remove dirty hand prints from walls and doors, scuff and crayon marks, grease spots, soot stains and smoke film.
- Cleans & deodorizes.
- Non-abrasive.
- Breaks up grease and grime.
- Wide range of cleaning applications.
- Floral scent.

SKU	Capacity Vol.
893-SW031	20 oz

SPECIAL ORDERS

Don't see it here? Just ask.



D3 Citrus Degreasers

Features:

- This natural citrus degreaser attacks oil, grime, grease, tar and other oil based contaminants on hard surfaces.
- Works on contact and leaves little or no residue.

SKU	Capacity Vol.
893-SW286	20 oz

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Dishwashing Cleaners



Manual Pot and Pan Dish Detergents

Features:

- The grease-fighting power of Dawn® dish soap, specifically formulated for tough business jobs.
- New and improved formula with more of Dawn® Professional's powerful and proprietary grease-fighting dish-washing surfactants.
- Long lasting suds provide greater cleaning capacity with less sink changeover.

SKU	Capacity Vol.
608-45112	38 oz

Floor & Carpet Cleaners



Oil-Based Non-Sanded Floor Sweeping Compounds

Features:

- Non-abrasive sweeping compound safe to use on any floor.
- Perfect for collecting dirt and dust on all types of wood, tile, terrazzo, and finished concrete floors without scratching.

SKU	Capacity
103-FLOORSWEEP	50 lb



Oil-Based Sanded Floor Sweeping Compounds

Features:

- Popular regular formula features sanded grit with an oil base.
- Effective as an abrasive for loosening grime and dirt on warehouse floors.
- Suitable for unfinished wood or concrete surfaces.
- Ideal for heavy-duty industrial cleaning tasks.

SKU	Capacity	Color
103-FLOORSWEEP-GRIT	50 lb	Red
103-FLOORSWEEP-GR	50 lb	Green
103-FLOORSWEEP-DRM300	300 lb	Red

Glass Cleaners



Glass Cleaner Wipes

Features:

- Pre-moistened with a powerful, ammonia-free formula, Glass Cleaner Wipes will remove dust, dirt, oil and grease smudges, water spots, fingerprints and smoke film from any glass surface.
- No.
- 933 Glass Wipes won't leave behind streaks or a stickly film to cloud your visibility.

Quantity: 40

SKU
893-SW933

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



Glass Cleaners

Features:
- For cleaning and polishing glass, mirrors, windshields and windows.
- This easy-to use, fast acting product uses a clinging foam to break up soils and hold them - even on vertical surfaces.
- There is no dripping, no running and no streaking.

Capacity Vol.: 20 oz

SKU
893-SW050

LUBRICANTS & PENETRANTS

Oils



Kroil Penetrating Oils

Features:
- Kroil quickly loosens rusted nuts and bolts, frees frozen shafts, pulleys, and more.
- Will not attack or damage metals.
- Penetrates quicker and deeper than similar products.
- Use on any corroded threads or tight parts.

Temp. Range: - 122° F
Flash Point: 132° F

SKU	Capacity Vol.
885-KS102C	10 oz



Marvel® Air Tool Oils

Features:
- Specially formulated for use in all piston type and rotary air tools, as well as in-line air lubricators.
- Prevents rust formation while providing positive lubrication for smooth starting and longer tool life.
- Assures maximum performance by dissolving gum and sludge that cut down tool speed and reduce power output.

SKU	Capacity Vol.
465-MM085R1	32 oz



Multi-Purpose Lubricants

Features:
- Lubricating ingredients are widely dispersed and hold firmly to all moving parts.
- Dissolves adhesives, allowing easy removal of labels, tape, stickers, and excess bonding material.
- Protects metal surfaces with corrosion-resistant ingredients to shield against moisture and other corrosive elements.
- Loosens rust-to-metal bonds and frees stuck, frozen or rusted metal parts.
- Product displaces moisture quickly and dries out electrical systems to eliminate moisture-induced short circuits.

Temp. Range: -50 °F - 300 °F

SKU	Capacity Vol.	Flash Point
780-490040	11 oz	131 °F
780-490057	12 oz	131 °F
780-490088	16 oz	122° F

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Silicone Lubricants



Food Grade Silicone Lubricants

Features:
- Harmless to Most Rubbers and Plastics.
- Wide effective temperature range .
- Excellent release agent and lubricant for all surfaces.
- Convenient 360° spray valve - can be sprayed from any position.

Temp. Range: -40 °F - 400° F
Container Size: 16 oz

SKU	Applicable Materials
125-03040	Most Metals; Rubber; Plastic

Corrosion Inhibitors



Preventive & Lubricants

Features:
- Is a lanolin based rust/corrosion preventive and lubricant that provides long term protection and lubrication for all metal surfaces.
- Locks out and displaces moisture while lubricating moving parts for extended periods of time.

Temp. Range: 32° F - 120° F
Chemical Compound: Petroleum Oil
Flash Point: 405° F

SKU	Capacity Vol.
275-AS11	11.75 oz

Anti-Seize Compounds



Regular Grade Compounds

Features:
- Protects against rust, corrosion, carbon fusion and seizure at high temperatures.
- Keeps parts working longer with less wear, and enables faster disassembly when repairs are needed.

Temp. Range: -297°F - 1800 °F

SKU	Capacity Wt.
535-30803820	8 oz

Fluids



EP-Xtra® Cutting Fluids

Features:
- Outstanding performance for any cutting operation on any metal.
- Absolutely without equal on hard metals and on cuts requiring extreme pressure or long cutting times.
- Metal cutting fluid used to increase speed, extend tool life and improve cut quality

SKU	Container Size
702-10016E	16 oz

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

Grease



JT-6® Hi-Temp Grease

Features:
- Formulated with a high dropping point for use over a wide temperature range.
- Provides excellent protection in severe service and outstanding shock load protection.

Temp. Range: -10° F - 325° F

SKU	Capacity Vol.
122-665005002080	14 oz

LEAK DETECTORS & PENETRANTS

Penetrants



PB™ Penetrating Catalysts

Features:
- Great for loosening rusted or frozen screws and bolts.
- Effective rust inhibitor.
- Non-evaporating lubricant.
- Penetrates into hard-to-reach areas.
- Suitable for brake, exhaust and suspension system jobs.
- Available with ProStraw™ with Control Flow Technology™ (16-PB-DS).

SKU	Capacity Vol.
108-16-PB-DS	11 oz



Spotcheck® SKC-S

Features:
- Non-chlorinated cleaner/remover.
- Used as a precleaner, a post cleaner and a penetrant remover.
- Recommended general purpose.

SKU	Capacity Vol.
387-01-5750-78	16 oz

Surface Irregularity Testing Product Accessories



Spotcheck® SKD-S2 Solvent Developers

Features:
- Non-halogenated, ready-to-use solvent developer.
- Suspends white developing particles in a fast drying solvent.
- Produces opaque white coating that provides excellent contrasting background for penetrant indications.

SKU	Capacity Volume
387-01-5352-78	11.6 oz

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

PAINT & PAINT SUPPLIES

Paints

RUST-OLEUM INDUSTRIAL BRANDS



High Performance V2100 System Enamel Spray Paints

Features:
- Tough, professional finish that resists chipping, cracking and peeling.
- High-output tip covers 50% faster.
- Dries to the touch in 20 minutes.
- Withstands heat to 200°F.
- Meets USDA requirements for incidental food contact; accepted for use in federally registered Canadian food facilities; VOC-compliant nationwide.

Application Temp. Range: 50° F - 100° F
Dry Heat Resistance: 212° F

SKU	Capacity Vol.	Color
647-V2192838	15 oz	Gloss White

Spray Gun Parts & Accessories

ALLEGRO INDUSTRIES



Spray Socks

Features:
- Provides comfortable protection against overspray and other particulates.
- Spray sock fits over the head and can be worn with goggles, half mask, or full mask respirators.

SKU
037-1410-12

INSECT CONTROLLING PRODUCTS

Insect Killers

CRC



Wasp and Hornet Killer Plus™ Insecticides

Features:
- Fast acting, high strength insecticide.
- Ergonomic trigger that provides control, even with gloved hands.
- Accurate up to 20 feet away.
- For any outdoor worker around electric and power utilities, telecommunications equipment and installation sites, bridge and tower maintenance, cable and wire installation sites, industrial plant grounds, warehouses, farm structures and buildings.

SKU	Container Size
125-14010	20 oz

TAPE PRODUCTS

Duct Tapes

3M



3M™ DT8 All Purpose Duct Tapes

Features:
- Instant adhesion to a wide variety of surfaces, including metal, glass, plastic and sealed concrete, by an aggressive natural rubber adhesive.
- Woven cloth scrim allows tape to tear easily by hand.
- Conformable backing is good for use on contoured surfaces.
- Good tensile strength for light duty bundling, repair, and holding.

Width: 1.88 in
Length: 60 yd
Thickness: 8 mil

SKU
405-689330-17225

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

Electrical Tapes

Scotch



Scotch® Super 33+™ Vinyl Electrical Tape

Features:
- Premium grade tape that provides electrical insulation for all wires and cables rated up to 600 V.
- Designed for above/below grade, indoor/outdoor, low and high voltage applications, and for harnessing cables.
- Offers electrical and mechanical protection with the combination of a pressure sensitive, rubber resin adhesive and elastic, PVC backing.
- Provides a protective jacket for high voltage cable splices.
- Highly resistant to UV rays, abrasion, moisture, alkalis, solvents, and many acids.
- Compatible with solid dielectric cable insulation, synthetic cable insulations, jackets, and splicing compounds.

Thickness: 7 mil

SKU	Length	Width
500-061335	52 ft	3/4 in
405-638060-29035	76 ft	3/4 in

Masking Tapes

Scotch



Scotch® Multi-Surface Painter's Tapes

Features:
- This tape removes cleanly without adhesive transfer or surface damage for up to 14 days, even in direct sunlight.
- It is a medium adhesion tape that is ideal for painted walls and trim, woodwork, glass and metal.

Width: 2 in
Roll Length: 60 yd
Thickness: 5.4 mil

SKU
405-051115-03686

ADHESIVE PRODUCTS

Adhesives & Glues

3M



3M™ Super 77™ Multi-Purpose Spray Adhesives

Features:
- Multipurpose spray adhesive bonds to many surfaces.
- Great for use in home, office and craft projects.
- Versatile, quick drying and transparent.
- Fast, permanent bond provides quick results.
- Aggressive tack provides high initial grab with enough time to position materials properly.
- Resists dripping or running when used in vertical applications.
- Also available with Low VOC.

SKU	Capacity vol.
405-021200-21210	16.75 oz

Devcon



5 Minute® Epoxies

Features:
- Rapid-curing, general-purpose adhesive/encapsulant which easily dispenses and mixes in seconds.
- Dries in 15 minutes and reaches functional strength in 1 hour.
- Bonds rigid durable substrates such as metals, glass, ceramics, concrete and wood in all combinations.
- Forms a clear hard rigid bond self-leveling liquid in minutes.

SKU	Capacity vol.	Color
230-14250	25 mL	Colorless to Light Yellow

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

WRENCHES

Pipe Wrenches

RIDGID



Aluminum Straight Pipe Wrenches

Features:
- Nearly 40% lighter than comparable cast-iron models.
- Jaws and all other parts identical to Ridgid heavy duty wrenches.

SKU	Pipe Cap.	Overall Length
632-31100	2-1/2 in	18 in
632-31105	3 in	24 in
632-31110	5 in	36 in
632-31115	6 in	48 in

PLIERS & CUTTERS

Specialty Pliers

BEST WELDS®



MIG Welding Pliers

Features:
- Strong, sharp welding pliers is a must tool for mig welding operations.
- Multipurpose tool with 8 functions resulting in more efficient time and production.
- Durable carbon steel construction paired with an easy to use spring operated handle.

SKU	Overall Length	Wire Diam
900-YS-50	21 cm	0.8 mm - 1.5 mm

Tongue & Groove Pliers

CHANNELLOCK



Tongue and Groove Pliers

Features:
- CHANNELLOCK BLUE® grips for comfort.
- Undercut tongue and groove design won't slip.
- Patented reinforcing edge minimizes stress breakage.
- PermaLock® fastener eliminates nut and bolt failure.
- Choose from a variety of Straight, Smooth, or V-Jaw styles.

Jaw Shape: 420® Straight
Jaw Type: Serrated
No. of Adjustments: 5

SKU	Overall Length	Jaw Opening
140-420-BULK	9.50 in	1.50 in

CLAMPS & VISES

Clamps & Spreaders

IRWIN VISE GRIP



The Original™ Locking C-Clamps with Regular Tips

Features:
- Wide-opening jaws provide greater versatility in clamping a variety of shapes.
- Turn screw to adjust pressure and fit.
- Constructed of high-grade heat-treated alloy steel.
- Classic trigger release designed to provide maximum locking force.

Throat Depth: 2-5/8 in

SKU	Opening Size	Overall Length
586-11R	4 in	11 in

© 2026



WORLD-CLASS MAINTENANCE, REPAIR, AND OPERATIONS SOLUTIONS

As a leader in the MRO industry, LPS® delivers superior maintenance chemicals to industrial, aerospace, food processing, military, contractor, and energy development facilities worldwide. These premium-performance chemicals save time and money by extending equipment life, reducing repair time, and lowering frequency of preventative maintenance.

THE AMES COMPANIES®
est. 1774

MADE TO HANDLE IT ALL







TRUE TEMPER® UnionTools® Jackson® PROFESSIONAL TOOLS RAZORBACK® PROFESSIONAL TOOLS

KNIVES & MULTI-PURPOSE TOOLS

Knife Blades

STANLEY



Heavy Duty Utility Blades

Features:
- Fits most standard utility knives.
- Precision honed edge.
- 5 Blades Per Card

SKU	Quantity
680-11-921A	100 PK with Dispenser

IRWIN TOOLS



Self-Retracting Safety Knives

Features:
- Self-retracting spring action returns blade safely into the housing when not in use.
- Interlocking nose reduces blade wobble.
- Ergonomic grip fits comfortably in the hand.
- Two blade positions - 2mm extension for box cutting and full extension for general use.
- Tool-free entry.

SKU	Overall Length
586-2088600	6 in

STANLEY



Classic 99® Retractable Utility Knives

Features:
- Pro-grade, carbon alloy steel blade is built for durability and long-term reliability.
- Interlocking nose tightly holds knife edge in place.
- Choose between 3 different positions for best use.
- Storage space for up to 10 additional blades in handle.

Blade Length: 2-7/16 in
Includes: (3) 11-921 1992® Heavy-Duty Blades

SKU	Overall Length
680-10-099	6 in



Self-Retracting Utility Knives

Features:
- Spring-loaded blade retracts into knife automatically when pressure on slide button is released.
- Knife can't be left around or put in a pocket with the blade exposed.
- INTERLOCK® nose secures blade safely between knife halves.

SKU	Overall Length
680-10-189C	5-7/8 in

LAWN & GARDEN TOOLS

Shovels & Spades

UnionTools



Square Point Transfer Shovels

Features:
- Perfect for moving loose garden material, sand, top soil, or debris.
- Can also be used to shape beds, mix concrete, level off areas that need to be flat, or to scrape stubborn material off driveways or other hard surfaces.
- Options available for poly D-Grip short handled and long handled shovels.

Handle Material: Hardwood

SKU	Handle Length
760-40184	44 in

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Sprayers

CHAPIN
COVER MORE GROUND



3.5 gal Industrial Concrete Open Head Sprayers

Features:
- Tri-Poxy lined steel tank provides triple protection against rust, corrosion and damage from denting.
- Featuring a large 4 in-wide mouth opening for easy filling and cleaning.
- Chemical-resistant seals and gaskets designed to handle a variety of chemicals.
- Brass pump, wand, nozzle and shut-off with lock-on feature.
- Reinforced hose with thread fittings.

Operating Pressure: 40 to 60 psi
Extension Type: Brass Wand
Hose Length: 48 in
Wt.: 11 lb

SKU	Capacity Vol.	Extension Length
139-1949	3-1/2 gal	24 in

MARKERS

MARKAL



Paint-Riter® Valve Action® Paint Markers

Features:
- Variety of colors for improved mark identification, quality control, and parts inspection.
- Fast-drying, permanent paint for immediate handling reduces work downtime.
- Xylene-free paint reduces user health risks and makes for a safer marking tool.
- Dura-Nib medium bullet tip resists wear to provide long marking life.
- Durable metal barrel and clip-cap reduce breakage and store easily in pocket.

Tip Size: 1/8 in

SKU	Color
434-96820	White
434-96821	Yellow
434-96822	Red
434-96823	Black
434-96825	Blue

MARKAL



Paintstik® Original B® Solid Paint Markers

Features:
- Solid paint marker combines the durability of paint in the convenience of a crayon.
- Superior marking performance on oily, icy, wet, dry, or cold surfaces.
- Weather-resistant and UV-resistant for long-lasting marks.
- Works on rough, rusty, or dirty surfaces.

Length: 4-3/4 in

SKU	Dia.
434-80220	11/16 in



Quik Stik® All Purpose Solid Paint Markers

Features:
- Fast-drying, permanent, vibrant paint marks dry in 5 to 7 minutes.
- Marks on virtually any surface-wet, smooth, rough, or hot.
- New Easy Grip Airtight Cap for convenient pocket storage, self-storing cap keeps the marker clean and fresh between uses.
- Weather-resistant and UV-resistant paint for long-lasting marks.
- Solid paint marker advances and retracts in plastic holder by turning twist-up knob.

Length: 6 in

SKU	Dia.
434-61051	11/16 in

SOAPSTONES

BEST WELDS®



Soapstones

Features:
- All white texture for excellent marking quality.
- Grain cut to ensure good strength and long service life.
- Marks will not contaminate welds and are easily removed.
- Low water content for increased hardness and resistance to breakage.

Length: 5 in

SKU
900-FL-5

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

YOUR WORKSITE IS NO OFFICE.

Your marker shouldn't be either.

Would you use an office stapler to rivet steel? Then why reach for an "everyday" marker, only for it to fail when you need it most? A marker that isn't designed for the grit, the grime, or the demanding surfaces you encounter daily creates a performance gap that isn't just noticeable—it's critical.

Markers prone to smudging, fading, fraying, and poor adhesion, lead to errors and rework. Markal® markers feature specialized inks for adhesion to virtually any material, and unparalleled resistance to the elements. From the fabrication shop to the construction site, ensure your critical marks last as long as your work does.

Bold, long-lasting marks

Lay down bold, visible marks on virtually any surface. Marks even on rough or dirty metals and pipes.

Built to endure

Extra-tough tips won't spread or mush. Long cap-off time prevents premature dryout. Impact-resistant barrel withstands drops and bangs.

Weather Resistant

Marks won't fade or disappear from wear, water, or extreme weather conditions.

Fast Drying

Industrial-strength ink creates clear, crisp lines that won't smudge or smear.

Available Colors

434-96022	Red	434-96025	Blue
434-96023	Black	434-96026	Green

MARKAL

THE MARK OF WORK®

DURACELL



Procell® Batteries

Features:
- AA, AAA, C and D batteries are guaranteed for 7 years in storage, 9V batteries are guaranteed for 5 years in storage.
- Recommended for scheduled battery replacement programs.
- Economically packaged in bulk and individually date-coded for effective inventory management.

SKU	Batt. Size	Voltage	Quantity
243-PC1300	D	1.5 V	12 per pack
243-PC1400	C	1.5 V	12 per pack
243-PC1500BKD	AA	1.5 V	24 per pack
243-PC1604BKD	9.0 V	9V	12 per pack
243-PC2400BKD	AAA	1.5 V	24 per pack

Energizer



Industrial Alkaline Batteries

Features:
- Designed for industrial, professional use.
- Long-lasting power source.
- Batteries operate well in extreme conditions.
- Date-coded and 100% mercury-free.

Voltage: 1.5 V
Quantity: 24

SKU	Batt. Size
827-EN91	AA
827-EN92	AAA

RAYOVAC



Lithium Photo Batteries

Features:
- Excellent performance and real value for all camera needs.
- Guaranteed performance.

Voltage: 3 V

SKU	Batt. Size
620-RL123A-2G	CR123A



Ultra Pro Alkaline Reclosable Batteries

Features:
- Specially engineered for professional use.
- Mercury-free formula.
- Reclosable container helps organize and protect batteries from damage and short circuiting.

Voltage: 1.5 V
Quantity: 24

SKU	Batt. Size
620-ALAAA-24PPJ	AAA



Ultra Pro™ Alkaline Batteries

Features:
- These powerful cells make excellent power sources for a wide variety of household devices including smoke alarms, security systems, radios, and much more.
- The batteries come with a lengthy 5 year shelf life so you can keep them stored around the house or at your workplace for when you need them most.
- Mercury-free.

Voltage: 1.5 V

SKU	Batt. Size	Quantity
620-ALAA-24PP	AA	12
620-ALAA-8J	AA	8
620-ALAAA-8J	AAA	8

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

RAYOVAC



Ultra Pro™ C Batteries

Features:
- General purpose batteries to power flashlights, toys, and a wide variety of other electronics.
- Mercury-free cells perform well under prolonged use and high-drain demands.
- Resealable container keeps them organized and protects them from short-circuiting and other potential damage.

Voltage: 1.5 V
Quantity: 12

SKU
620-ALC-12PPJ

FLASHLIGHTS & LANTERNS

STREAMLIGHT



Trident® Headlamps

Features:
- Offers the versatility of switching between either a bright light to illuminate objects at a distance, or a soft flood light for tasks at arm's length.
- Push button switch is easy to use when wearing gloves.
- 90 degree tilting head prevents neck fatigue.
- IPX4 rated for water resistance and 2 meter impact resistance tested.
- Includes batteries, elastic headstrap and rubber hard hat strap.

Run Time: 150 h - 1 LED
Lamp Life: 100000 h

SKU	No. of Batteries	Batt. Size
683-61050	3	AAA

WELDING & CUTTING ACCESSORIES

Anti-Spatter & Chemicals

SPATTER WELD-AID PROTECTION



Nozzle-Kleen #3 Anti-Spatters

Features:
- Reduces downtime, increases the speed of production.
- Contains no silicone or fluorocarbons-less contamination issues.
- Ideal for protecting nozzles, tips, and diffuser.

SKU	Capacity Vol.
388-007033	12 oz

Ground Clamps

JACKSON SAFETY



Ground Clamps

Features:
- Large contact areas, high-clamping pressure and long-levered handles for easy jaw opening.
- Clamps have fully insulated pivots and springs.
- The cable jacket is held securely inside the conductor body with a cable bar for improved holding ability and longer cable life.

Jaw Opening: 1-5/8 in

SKU	Amps	Cable Cap.
138-14731	300 A	1/0; 2/0

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Tip Cleaners



Tip Cleaner Sets

Features:
- Uniform ridges wipe and polish the orifice wall.
- Tapered ends allows smooth easy entry without scratching.
- Attractive aluminum case with a contained spool assembly.
- Smooth leader pilot.
- Tangle-free closed loops.

Size Group: 6 to 26

SKU	Includes
326-STANDARD	(13) Cleaners; Case; File


Welding Blankets, Curtains, & Rolls



See-Thru Orange Welding Curtains

Features:
- Filters 100% of far/near UV radiation and blue light.
- Arc image dispersed throughout the curtain.
- Puts light back into welding booth.
- For low to high amperage.
- Made from 14 mil transparent vinyl material.
- Ready to hang.

SKU	Length	Width
138-36307	8 ft	6 ft



Stur-D-Screen Frames

Features:
- Single-panel frame allows for a variety of configurations to fit multiple work environments.
- Square 19-gauge steel tubing, bolted corner clamps, and platform T legs reduce slipping and twisting off the unit.
- Black powder-coated enamel finish.
- Pre-drilled for caster installation.

SKU	Length	Width	Includes
138-36336	6 ft	6 ft	Square Steel Frame; Lacing Ties; Platform T Legs; Brackets
138-36338	8 ft	6 ft	Square Steel Frame; Lacing Ties; Platform "T" Legs; Brackets



Welding Curtain Hooks

Features:
- Welding Curtain Hooks make it easy to hang your choice of welding curtains on a portable frame.
- These versatile, heavy-duty hooks thread through welding curtain grommets and attach to the frame.

SKU
138-36687

© 2026

NON WOVEN ABRASIVES

Non Woven Pad Abrasives

Scotch-Brite™



Scotch-Brite ™ Hand Pads

Features:
- Hand pads are a great alternative to steel wool, similar performance without the shredding, rusting, or splintering.
- May be used by hand, with a hand pad block, or on an in-line sander.
- Available in a variety of grades, including aluminum oxide, nepheline syenite, or silicon carbide abrasive materials.

SKU	Roughness Grade
405-048011-04029	Very Fine

COVERING PRODUCTS

Tarps

ANCHOR BRAND



Multiple Use Tarps

Features:
- Sun and fade resistant.
- Rot and rust proof.
- Reinforced hem.
- Heat-sealed seams.
- Grommets every 3 ft.

Material: Polyethylene
Thickness: 5 mil

SKU	Length	Width
101-0608	8 ft	6 ft
101-0810	10 ft	8 ft
101-1012	12 ft	10 ft
101-1016	16 ft	10 ft
101-1620	20 ft	16 ft
101-2020-TARP	20 ft	20 ft
101-2030	30 ft	20 ft

CHAIN, CABLE, ROPE & ACCESSORIES

Straps & Bungee Cords

KEEPER



Ratchet Tie-Down Straps

Features:
- Webbing is abrasion-resistant, won't rot or mildew, and maximizes strength.
- Ratchet provides greater tension with minimal force.
- Safety-first, spring-loaded release mechanism prevents ratchet from opening accidentally.

Length: 14 ft
Load Cap.: 500 lb
Break Strength: 1500 lb

SKU	Width
130-05514	1 in

STRAPPING PRODUCTS

Cable Ties

GB Gardner Bender

Standard Cable Ties

Features:
- Patented DoubleLock™ design has teeth on both sides of the tie, ensuring 50% greater strength than industry standards.
- Made from durable 6/6 nylon material.
- Serviceable through temperatures of 32° - 185° F.
- Great for bundling wire, cable, hose, ducts, and countless other applications.

Thickness: 0.055 in
Tensile Strength: 75 lb
Bundle Diam: 4 in

SKU	Length	Width
623-46-315UVB	14 in	0.17 in

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

COOLERS & CHESTS

IGLOO®



400 Series Coolers

Features:

- Ultratherm® insulation for maximum cold retention and maintains ice for up to 3 days in temperatures as high as 90°F.
- HDPE hide won't chip, peel, buckle, or rust.
- UV stabilizers prevent fading and cracking in all exposures.
- White FDA Grade liner is easy-to-clean and resists stains and odors.
- Wide mouth pressure fit lid for easy filling.

SKU	Width	Length	Height
385-451	13 in	14-1/2 in	20.38 in

WIPING PRODUCTS

Towels & Wipers

WYPALL BRAND



WypAll® L30 Wipers

Features:

- Ideal for general-purpose, light-duty cleanups.
- DRC (Double Re-Creped) design provides greater surface softness.
- Reinforced grid weave delivers added strength for wet surface wiping and cleaning.

SKU	W x L per sheet	Quantity
993-05816	9.8 in x 16.4 in	120/Box

Kleenex® BRAND



Hard Roll Paper Towels

Features:

- Absorbency Pockets™ absorb lots of water fast for superior hand drying performance, so guests use fewer paper towels.
- Paper towel rolls combine a soft feel with the premium performance of commercial paper towels.

SKU	Width Per Sheet	Roll Length
993-01080	8 in	425 ft

Scott® BRAND



Original™ Multi-Purpose Shop Towels

Features:

- Ideal for changing oil, refilling fluids and general maintenance.
- Strong, absorbent towel is great for wiping hands, tools and cleaning up grease, oil, grime and fluids.
- Works well when wet.

SKU	W x L per sheet	Packing Type
993-75190	9 in x 12 in	Pop-Up® Box
993-75130	11 in x 9.4 in	Roll

Sprayway®



Crazy Clean Wipes

Features:

- Water-based hand and surface cleaner that cuts through tar, grease, wax, ink, paint, lubricants and adhesives.
- Aggressive, citrus scented towels are industrial strength, yet gentle enough for your hands.

SKU	Scent
893-SW983	Citrus

WYPALL BRAND



X60 Cloth Wipers

Features:

- Absorbs more water and oil than rags for faster cleanup.
- Tough enough for big jobs, soft enough for face and hands if skin is uncompromised.
- Clean and consistent cloth every time.
- Portable, convenient point-of-use options enhance productivity.
- Available in a variety of convenient formats.

SKU	W x L per sheet
993-34790	8.34 in x 16.8 in

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

WYPALL BRAND



X80 Heavy-Duty Cloths

Features:
- Replaces shop towels and white cotton rags.
- Doesn't fall apart when tackling the most demanding jobs - even in solvents.
- Absorbs 30% more water significantly faster, and leaves 3X less lint than shop towels.
- Rinse and reuse - reduces waste and cost.
- Clean and consistent cloth every time.
- Portable dispensers allow you to keep product where you work.

Quantity: 475 sheets per roll

SKU	W x L per sheet
993-41055	12.2 in x 12.4 in

PERSONAL HYGIENE

Hand Cleaners

GOJO



Natural Orange™ Pumice Hand Cleaners

Features:
- Pumice scrubbing particles get hands clean fast.
- Lotion formula provides powerful yet gentle cleaning performance.

Odor/Scent: Citrus
Capacity Vol.: 1 gal

SKU
315-0955-04

SCRUBS



Hand Cleaner Towels

Features:
- Clean, citrus-scented formula loosens and dissolves industrial soils while leaving hands free from dryness and irritation.
- Rough Touch® blue towel locks in soil to prevent it from transferring back onto hands and surfaces.
- Hands are left feeling clean with no sticky residue and no rinsing required.

Odor/Scent: Citrus

SKU	W x L Per Sheet
253-42272	10 in x 12 in

WASTE RECEPTACLES

Trash Can Liners

Warp's



FLEX-O-BAG® Trash Can Liners and Contractor Bags

Features:
- Convenient large rolls of heavy industrial weight plastic bags in handy dispenser boxes and extra-long twist ties.
- Also included are Hold-Tite rubber bands to secure bag to can top; excluding Heavyweight Contractor Bags (HB42-20).
- No side seams to split and no gussets to weaken the bottom.
- Options available for Extra Heavy-Duty Contractor Bags, Heavyweight Contractor Bags, High Count Industrial Grade Trash Can Liners, and Tall Kitchen Bags.

Height: 56 in
Thickness: 3 mil

SKU	Capacity Vol.	Width
795-HBP55-30	55 gal	36 in

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

All-day hydration for all-star productivity.

Proper hydration won't just help workers stay healthier—it helps them stay sharp and productive. Give your team the hydration and flavor they crave with Sqwincher® electrolytes.



SQWINCHER
hydration that works®



Immediate Response Training, LLC

www.immediateresponsetraining.com
Sales Email: twalsh@immediateresponsetraining.com
2200 S. Main Street, Suite 312, Lombard, IL 60148